

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



D9676  
15

# COTTON QUALITY CROP OF 1974



OCT 10 '75

U.S. DEPT. OF AGRICULTURE  
NATIONAL AGRICULTURAL LIBRARY

**UNITED STATES DEPARTMENT OF AGRICULTURE**  
**Agricultural Marketing Service    Cotton Division**  
**Memphis, Tennessee**

**Vol. 48, No. 8**

**August 1975**

# CONTENTS

	<u>Table No.</u>	<u>Page No.</u>
Introduction . . . . .		1
Map - Distribution of Cotton Production in the United States . . . . .		2
<u>UPLAND COTTON GINNED IN THE UNITED STATES</u>		
Grade and Staple Length		
1974-75. . . . .	1	3
1973-74. . . . .	2	4
During Specified Periods, 1974-75. . . . .	3	5
By States, 1974-75 . . . . .	8	9-23
During Specified Periods by States, 1974-75. . . . .	9	24-31
By Classing Office Territories, 1974-75. . . . .	10	32-45
Preparation and Grade Reductions		
United States and by States, 1974-75 . . . . .	4	6
Grade Index and Average Staple		
United States and by States, 1971-1974 . . . . .	5	7
Tenderability		
By States, 1974-75 . . . . .	6	8
United States, 1957-1974 . . . . .	7	8
Micronaire Readings		
United States and by States, 1974-75 . . . . .	11	46
During Specified Periods, United States and by States, 1974-75 . . .	12	47-50
By Classing Office Territories, 1974-75. . . . .	13	51
Fiber Strength		
United States and by States, 1974-75 . . . . .	14	52
During Specified Periods, United States and by States, 1974-75 . . .	15	53-55
By Classing Office Territories, 1974-75. . . . .	16	56
<u>AMERICAN PIMA COTTON GINNED IN THE UNITED STATES</u>		
Grade and Staple Length		
United States and by States, 1974-75 . . . . .	17	57
During Specified Periods, 1974-75. . . . .	18	58
Micronaire Readings		
United States and by States, 1974-75 . . . . .	19	59



## Cotton Quality - United States

1974 Crop

### Introduction

Upland cotton ginned in the United States from the 1974 crop contained a record-high proportion of the staples 34 and longer, according to the Department of Agriculture, Agricultural Marketing Service. These medium and longer lengths accounted for four-fifths of total ginnings. White grades 31 and above represented 12 percent of ginnings, down from 19 percent in 1973-74 ginnings. Fiber strength test results showed that cotton from the 1974 crop was a little stronger than a year ago. Cotton miking in the 3.5-4.9 range comprised a smaller proportion of ginnings than a year earlier.

The 1974 upland cotton crop contained 8.9 million bales of cotton stapling 34 and longer. This was equivalent to a record-high percentage - 79 percent - of total ginnings. Staple 35 was the predominant staple and comprised 44 percent of ginnings, up sharply from the 25 percent in 1973-74 ginnings. Ten percent of the 1974 upland crop was in the two lengths 32 and 33, down from 16 percent a year ago. Cotton stapling 31 and shorter accounted for 11 percent of 1974 ginnings, the smallest percentage on record. The average staple of the 1974 crop was 34.2 thirty-seconds inches, the longest average staple on record.


Ginnings of White grades 31 and above totaled 1.4 million bales, equivalent to 12 percent of the 1974 upland cotton crop. This is down from the 19 percent in the preceding season. Grade 41 was the most prevalent grade and accounted for 38 percent of ginnings against 39 percent a year ago. The Light Spotted and other Colored grades made up 24 percent of total ginnings, the same as a year ago. The grade index of the 1974 crop was 90.8 (grade 31 = 100) compared with 92.3 a year earlier.

American Pima cotton ginned from the 1974 crop contained a larger proportion of the longer staples than last season but a much smaller proportion of the higher grades. The staples 46 and longer comprised 12 percent of total ginnings compared with four percent a year ago. Grades 4 and above accounted for 65 percent of ginnings, down sharply from the 84 percent in 1973-74 ginnings.

Cotton ginned in the United States from the 1974 crop totaled 11,328,400 running bales, according to the Bureau of the Census. This total includes 11,239,700 bales of upland cotton and 88,700 bales of American Pima cotton. The average net weight per bale of cotton ginned from the 1974 crop was 488.8 pounds.

August 21, 1975

# DISTRIBUTION OF COTTON PRODUCTION: UNITED STATES



U.S. DEPARTMENT OF AGRICULTURE

NEG. AMS 15-73(3) AGRICULTURAL MARKETING SERVICE



Table 1. -- Grade and staple of upland cotton ginned in the United States, 1974-75

Grade	Code	Staple														All staples	
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent
White:																	
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25	0.2
S.M.	(21)	-	-	-	75	60	82	769	4,245	14,272	3,518	6	-	-	-	23,048	0.2
M.	(31)	-	-	-	41	20	4	-	117	300	71	-	-	-	-	553	0.2
S.L.M.	(41)	31	78	271	4,997	9,760	8,088	29,522	183,156	867,914	239,250	5,602	206	11	114	1,369,000	12.2
S.L.M.	(40)	-	-	-	146	261	459	1,769	21,880	210,620	170,739	3,046	218	-	65	409,209	3.6
S.L.M.	(40)	64	2,343	45,978	144,133	136,850	124,961	980,918	2,166,630	559,713	56,490	4,157	157	200	1,127	4,223,564	37.7
L.M.	(50)	-	-	-	232	1,166	2,008	4,719	51,465	112,278	61,794	4,959	689	236	371	239,927	2.1
L.M.	(51)	10	156	1,650	29,823	96,874	118,754	122,725	569,629	861,866	163,773	9,159	1,716	244	231	1,976,610	17.6
S.G.O.	(60)	-	-	-	27	158	372	747	6,713	8,524	3,092	137	13	-	-	19,783	0.2
S.G.O.	(61)	-	89	780	4,663	8,858	13,241	21,894	89,056	87,778	17,402	2,189	267	-	21	246,238	2.2
S.G.O.	(70)	-	-	-	20	-	97	17	250	303	87	10	-	-	-	784	0.3
G.O.	(71)	-	51	170	740	805	2,785	4,378	13,756	9,313	1,769	165	20	-	-	33,952	0.3
Total		41	438	5,230	86,742	262,095	282,740	311,501	1,921,204	4,339,798	1,241,214	81,784	7,286	691	1,929	8,542,693	76.1
Light Spotted:																	
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	45	308	263	32	192	467	1,080	200	8	-	-	-	2,595	-
M.	(32)	-	283	3,644	32,138	34,580	19,363	19,848	62,968	105,374	10,009	1,957	21	-	16	290,201	2.6
S.L.M.	(42)	4	1,065	16,457	154,208	240,229	165,944	94,984	308,007	339,234	41,126	2,411	320	19	118	1,364,126	12.1
L.M.	(52)	45	2,932	18,396	84,496	101,295	87,197	71,117	169,801	126,912	17,761	843	210	-	-	681,005	6.1
Total		49	4,280	38,542	271,150	376,367	272,536	186,141	541,243	572,600	69,096	5,219	551	19	134	2,337,927	20.8
Spotted:																	
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	20	54	-	17	63	28	11	-	-	-	-	193	-
M.	(33)	-	92	1,744	5,557	3,268	1,473	1,325	3,609	4,374	368	-	-	-	-	21,810	0.2
S.L.M.	(43)	10	1,024	7,049	27,687	21,479	12,956	8,468	24,148	19,803	2,223	31	9	-	-	124,887	1.1
L.M.	(53)	188	3,137	10,591	21,967	13,269	10,940	10,519	22,742	12,777	1,434	11	36	-	-	107,611	1.0
Total		198	4,253	19,384	55,231	38,070	25,369	20,329	50,562	36,982	4,036	42	45	-	-	254,501	2.3
Tinged:																	
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	-
M.	(34)	-	23	173	141	62	34	43	139	213	27	-	-	-	-	855	-
S.L.M.	(44)	10	88	236	440	221	118	273	1,025	391	10	-	-	-	-	2,812	-
L.M.	(54)	28	67	112	277	208	156	221	512	137	6	-	-	-	-	1,724	-
Total		38	178	521	858	491	308	537	1,685	741	43	-	-	-	-	5,400	-
Stained:																	
G.M.	(15)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(25)	-	-	-	-	10	-	-	-	-	-	-	-	-	-	10	-
M.	(35)	-	-	-	-	-	6	11	10	46	11	-	-	-	32	116	-
Total		-	-	-	-	10	6	11	10	46	11	-	-	-	32	126	-
Light Gray:																	
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,217	-
M.	(36)	-	-	6	-	8	136	956	4,375	3,742	522	44	8	-	-	9,797	0.1
S.L.M.	(46)	-	17	122	240	88	247	537	2,216	1,382	178	-	-	-	-	5,027	-
Total		-	17	128	240	96	383	1,553	6,979	5,866	727	44	8	-	-	16,041	0.1
Gray:																	
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20	-
M.	(37)	-	-	8	6	-	15	35	149	30	-	-	-	-	-	243	-
S.L.M.	(47)	-	-	19	25	8	9	48	178	239	20	-	-	-	-	546	-
Total		-	-	27	31	8	24	83	337	279	20	-	-	-	-	809	-
Below Grade																	
		264	2,527	6,482	9,743	6,650	13,000	11,579	21,244	9,616	1,115	-	18	-	-	82,238	0.7
All grades																	
		590	11,693	70,314	423,995	683,787	594,366	531,734	2,543,264	4,965,928	1,316,262	87,089	7,908	710	2,095	11,239,735	100.0
Percent		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
		0.1	0.6	3.8	6.1	5.3	4.7	4.2	22.6	44.2	11.7	0.8	0.1	0.1	0.02	100.0	
All grades																	
1/ As reported by the Bureau of the Census, running bales.																	
Grade index..... 90.8																	
Average staple..... 34.2																	

1/ As reported by the Bureau of the Census, running bales.

\* Less than 0.05 percent.

Percentage rough preparation....

Grade index.....

Average staple.....

90.8

34.2



Table 2. -- Grade and staple of upland cotton ginned in the United States, 1973-74

[illegible]



Table 3. -- Grade and staple of upland cotton ginned in the United States, during specified periods, 1974-75

Grade and Staple	Prior to Sept. 1	Sept.	Oct.	Nov.	Dec.	After Dec. 31	Total crop	Prior Sept. 1	Sept.	Oct.	Nov.	Dec.	After Dec. 31	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<b>White:</b>														
G.M.	(11)	-	-	-	19	6	25	-	-	-	*	*	-	*
S.M.	(21)	2,749	936	9,942	4,954	3,741	23,048	0.5	0.3	0.2	0.1	0.2	0.1	0.2
M.+	(31)	161	7	200	23	138	553	*	*	*	*	*	*	*
M.	(31)	118,397	65,701	738,047	278,475	133,758	34,622	21.8	23.1	17.9	8.4	5.9	4.9	12.2
S.L.M.+	(40)	5,163	8,337	239,961	108,897	33,689	13,162	1.0	2.9	5.8	3.3	1.5	1.8	3.6
S.L.M.	(41)	192,644	72,980	1,831,127	1,377,351	617,371	132,091	35.5	25.8	44.7	41.5	27.1	18.5	37.7
L.M.+	(50)	4,756	2,863	118,885	85,316	22,117	5,990	0.9	1.0	2.9	2.6	1.0	0.8	2.1
L.M.	(51)	50,582	18,951	590,319	745,903	474,943	95,912	9.3	6.7	14.4	22.5	20.9	13.5	17.6
S.G.O.+	(60)	518	30	5,411	8,762	4,252	810	0.1	*	0.1	0.3	0.2	0.1	0.2
S.G.O.	(61)	5,291	2,215	39,697	85,313	72,051	41,671	1.0	0.8	1.0	2.6	3.2	5.9	2.2
G.O.+	(70)	88	-	118	296	247	35	*	-	*	*	*	*	*
G.O.	(71)	523	282	3,586	8,300	9,156	12,105	0.1	0.1	0.1	0.3	0.4	1.7	0.3
Total		380,872	172,302	3,577,293	2,703,609	1,371,469	337,148	70.2	60.7	87.1	81.6	60.4	47.3	76.1
<b>Light Spotted:</b>														
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	716	168	910	543	213	45	0.1	0.1	*	*	*	*	*
M.	(32)	53,712	16,079	86,107	52,593	66,243	15,467	9.9	5.7	2.1	1.6	2.9	2.2	2.6
S.L.M.	(42)	84,978	49,592	259,772	323,160	496,036	150,588	15.6	17.5	6.3	9.8	21.8	21.3	12.1
L.M.	(52)	14,964	31,166	131,482	167,170	223,759	112,464	2.8	11.0	3.2	5.0	9.6	15.8	6.1
Total		154,370	97,005	478,271	543,466	786,251	278,564	28.4	34.3	11.6	16.4	34.5	39.3	20.8
<b>Spotted:</b>														
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	4	36	92	57	4	-	*	*	*	*	*	*
M.	(33)	714	382	1,244	3,444	12,177	3,849	0.1	0.1	*	0.1	0.5	0.5	0.2
S.L.M.	(43)	2,617	4,643	9,270	22,066	56,479	29,812	0.5	1.6	0.2	0.7	2.5	4.2	1.1
L.M.	(53)	1,291	7,241	25,866	18,226	27,517	27,470	0.2	2.5	0.6	0.6	1.2	3.9	1.0
Total		4,622	12,270	36,416	43,828	96,230	61,135	0.8	4.2	0.8	1.4	4.2	8.6	2.3
<b>Tinged:</b>														
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	9	-	-	-	-	*	*	*	*	*	*
M.	(34)	15	97	25	84	455	179	-	*	*	*	*	*	*
S.L.M.	(44)	-	221	137	134	1,324	996	-	0.1	*	*	0.1	0.1	*
L.M.	(54)	-	28	132	110	510	944	-	*	*	*	*	0.1	*
Total		15	346	303	328	2,289	2,119	*	0.1	*	*	0.1	0.2	*
<b>Stained:</b>														
G.M.	(15)	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(25)	-	-	-	-	10	-	-	-	-	*	*	*	*
M.	(35)	-	-	41	23	37	15	-	-	-	*	*	*	*
Total		-	-	41	23	47	15	-	-	*	*	*	*	*
<b>Light Gray:</b>														
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	264	12	217	504	108	112	0.3	*	*	0.1	0.1	0.2	0.1
M.	(36)	1,485	102	1,068	3,584	1,875	1,683	0.1	0.1	*	*	*	0.2	*
S.L.M.	(46)	375	167	765	1,078	1,009	1,633	0.4	0.1	*	0.1	0.1	0.4	0.1
Total		2,124	281	2,050	5,166	2,992	3,428	0.4	0.1	*	0.1	0.1	0.4	0.1
<b>Gray:</b>														
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	20	-	-	-	-	-	*	*	*	*
M.	(37)	139	9	11	41	5	38	*	*	*	*	*	*	*
S.L.M.	(47)	31	-	82	137	128	166	*	-	*	*	*	*	*
Total		170	9	93	198	133	206	*	*	*	*	*	*	*
Below Grade		1,061	1,840	18,595	15,642	15,452	29,648	0.2	0.6	0.5	0.5	0.7	4.2	0.7
All grades		543,234	284,053	4,113,062	3,312,260	2,274,863	712,263	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Grade index		93.3	91.6	92.7	90.4	88.7	85.7	-	-	-	-	-	-	-
<b>Staple</b>														
26 and shorter		-	7	420	66	47	50	-	*	*	*	*	*	*
28		74	104	6,028	1,793	2,696	998	*	*	0.1	0.1	0.1	0.1	0.1
29		2,071	2,845	25,550	10,145	23,188	6,515	0.4	1.0	0.6	0.3	1.0	0.9	0.6
30		21,683	36,581	43,614	51,687	212,536	57,894	4.0	12.9	2.1	1.6	9.3	8.1	3.8
31		37,430	20,476	12,035	91,897	392,423	129,526	6.9	7.2	1.4	2.8	17.3	18.2	6.1
32		32,390	8,285	13,553	89,300	311,864	138,974	6.0	2.9	1.1	2.7	13.7	19.5	5.3
33		102,446	16,331	81,445	99,212	161,591	70,709	18.9	5.7	4.1	3.0	7.1	9.9	4.7
34		285,365	63,814	943,685	621,093	463,563	165,744	52.4	22.5	26.2	18.8	20.4	23.4	22.6
35		60,893	128,511	2,346,464	1,778,464	540,036	111,560	11.2	45.3	51.3	53.5	23.8	15.7	44.2
36		867	7,066	625,213	505,353	148,506	29,257	0.2	2.5	12.8	15.3	6.5	4.1	11.7
37		15	33	13,559	56,671	16,095	716	*	*	0.3	1.7	0.7	0.1	0.8
38		-	-	1,261	5,154	1,222	271	-	-	*	0.2	0.1	*	0.1
39		-	-	67	109	495	39	-	-	*	*	*	*	*
40 and longer		-	-	168	1,316	601	10	-	-	*	*	*	*	*
All staples		543,234	284,053	4,113,062	3,312,260	2,274,863	712,263	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average staple		33.4	33.6	34.8	34.7	33.1	32.8	-	-	-	-	-	-	-

1/ As reported by the Bureau of the Census, running bales.

\* Less than 0.05 percent.



Table 4. -- Preparation and grade reductions by specified causes of upland cotton ginned in the United States, by states, 1974-75

State	Preparation			Grade Reductions by Causes 1/								Total	
	Normal	Rough Preparation		Bark	Grass	Motes	Oil	Sand and Dust	Seed	Spindle Twist	Stems		Other
		Bales	Bales										
Virginia	2,417	10	-	54	190	-	-	-	-	-	-	-	244
North Carolina	131,004	32	-	409	14,676	-	-	-	151	16	-	-	15,252
South Carolina	265,117	29	-	2,896	17,002	-	-	-	26	-	-	-	19,924
Georgia	396,254	39	-	11,276	13,191	-	50	19	16	-	-	9	24,561
Florida	13,045	-	-	170	950	-	-	-	-	-	-	-	1,120
Alabama	509,794	15	-	2,200	31,953	7	97	75	9	20	-	-	34,361
Mississippi	1,541,695	224	-	19,649	120,250	-	419	-	-	11	92	-	140,421
Kentucky	1,317	-	-	4	115	-	-	-	-	-	-	-	119
Tennessee	302,844	32	-	4,077	34,930	-	34	-	-	63	-	-	39,104
Missouri	227,371	216	-	702	6,143	-	11	-	-	11	18	-	6,885
Arkansas	864,130	112	-	2,606	37,497	17	152	-	65	60	166	24	40,587
Louisiana	545,069	73	-	9,986	31,447	-	12	-	-	7	10	-	41,462
Oklahoma	308,230	98	7	40,386	1,166	-	-	-	-	-	-	-	41,552
Texas	2,448,216	528	-	460,652	18,416	-	147	630	92	21	59	27	480,044
New Mexico	139,940	200	-	13,897	824	-	96	-	-	-	-	-	14,817
Arizona	969,897	443	11	46,350	24,804	5	7	9	195	30	64	8	71,472
Nevada	1,229	-	-	33	38	-	-	-	-	-	-	-	71
California	2,569,648	449	-	6,883	90,521	-	146	-	583	230	8	-	98,371
United States	11,237,217	2,500	18	622,230	444,113	29	1,171	733	1,137	469	417	68	1,070,367

1/ Cotton reduced in grade for reasons other than preparation.

Table 5. -- Grade index and average staple of upland cotton ginned in the United States, by states, crops of 1971-1974

State	Grade index <u>1/</u>				Average staple <u>2/</u>			
	1971	1972	1973	1974	1971	1972	1973	1974
	<u>Index</u>	<u>Index</u>	<u>Index</u>	<u>Index</u>	<u>32nd inches</u>	<u>32nd inches</u>	<u>32nd inches</u>	<u>32nd inches</u>
Virginia	83.4	82.8	87.1	84.5	33.8	34.3	34.8	35.1
North Carolina	85.1	88.0	88.7	87.6	34.3	34.6	34.8	35.4
South Carolina	85.3	87.9	88.1	88.4	34.7	34.7	34.8	35.0
Georgia	85.3	89.2	88.0	86.2	33.9	33.8	34.1	34.0
Florida	85.8	90.3	88.3	88.9	34.0	33.9	34.0	34.1
Alabama	89.7	88.1	89.5	90.1	34.1	33.6	33.6	34.2
Mississippi	90.7	89.5	89.9	89.2	34.9	34.4	34.4	34.7
Kentucky	94.9	92.8	93.0	90.0	34.3	33.9	33.6	34.7
Tennessee	92.0	89.0	91.5	89.6	34.2	33.8	33.8	34.4
Missouri	93.3	88.4	92.2	91.1	34.9	34.0	34.1	35.1
Arkansas	92.0	88.8	91.1	90.6	35.0	34.2	34.3	34.9
Louisiana	92.2	90.6	90.3	90.6	34.6	34.1	34.2	34.6
Oklahoma	83.4	88.2	91.6	87.2	31.1	31.6	31.7	31.9
Texas	84.8	87.1	92.8	88.3	31.1	31.7	31.3	32.1
New Mexico	93.8	91.0	96.5	91.7	35.7	35.2	34.8	35.9
Arizona	93.7	90.4	96.5	92.4	34.2	34.1	34.6	34.7
Nevada	98.2	97.0	99.1	97.5	36.0	36.0	36.0	35.9
California	96.6	94.3	96.1	95.2	35.6	35.3	35.3	35.3
United States	89.9	89.2	92.3	90.8	33.8	33.5	33.3	34.2

1/ Computed by weighting the quantity in each grade by the 1937-39 average price per pound for such grade of staple code 30. Converted to an index with Middling White equaling 100.

2/ Averages calculated on numerical staple codes (32nd inches).



Table 6. -- Tenderability of upland cotton ginned, by states, 1974-75

State	Tenderable <u>1/</u>		Untenderable		Total crop	
	Bales	Pct.	Bales	Pct.	Bales	Pct.
Virginia	1,238	51.0	1,189	49.0	2,427	100.0
North Carolina	83,852	64.0	47,184	36.0	131,036	100.0
South Carolina	179,442	67.7	85,704	32.3	265,146	100.0
Georgia	208,385	52.6	187,908	47.4	396,293	100.0
Florida	9,480	72.7	3,565	27.3	13,045	100.0
Alabama	356,461	69.9	153,348	30.1	509,809	100.0
Mississippi	1,066,136	69.1	475,783	30.9	1,541,919	100.0
Kentucky	895	68.0	422	32.0	1,317	100.0
Tennessee	189,625	62.6	113,251	37.4	302,876	100.0
Missouri	137,720	60.5	89,867	39.5	227,587	100.0
Arkansas	559,169	64.7	305,073	35.3	864,242	100.0
Louisiana	325,288	59.7	219,854	40.3	545,142	100.0
Oklahoma	76,067	24.7	232,268	75.3	308,335	100.0
Texas	620,271	25.3	1,828,473	74.7	2,448,744	100.0
New Mexico	68,033	48.5	72,107	51.5	140,140	100.0
Arizona	578,130	59.6	392,221	40.4	970,351	100.0
Nevada	1,119	91.0	110	9.0	1,229	100.0
California	2,190,674	85.2	379,423	14.8	2,570,097	100.0
All states	6,651,985	59.2	4,587,750	40.8	11,239,735	100.0

1/ Tenderable with respect to grade, staple, and mike in settlement of futures contracts.

Table 7. -- Tenderability of upland cotton ginned in the United States, 1957-1974

Year	Tenderable <u>1/</u>		Untenderable		Total crop <u>2/</u>	
	Bales	Pct.	Bales	Pct.	Bales	Pct.
1957	6,859,873	63.5	3,940,845	36.5	10,800,718	100.0
1958	9,768,742	86.0	1,584,723	14.0	11,353,465	100.0
1959	11,401,025	78.9	3,044,992	21.1	14,446,017	100.0
1960	10,050,977	70.8	4,148,110	29.2	14,199,087	100.0
1961	11,655,270	81.7	2,608,095	18.3	14,263,365	100.0
1962	11,373,949	77.1	3,380,447	22.9	14,754,396	100.0
1963	12,395,120	81.9	2,733,655	18.1	15,128,775	100.0
1964	10,154,264	67.5	4,878,050	32.5	15,032,314	100.0
1965	9,540,115	64.3	5,307,177	35.7	14,847,292	100.0
1966	4,902,137	51.6	4,589,060	48.4	9,491,197	100.0
1967	4,011,329	54.4	3,358,964	45.6	7,370,293	100.0
1968	6,714,407	62.0	4,123,977	38.0	10,838,384	100.0
1969	5,511,908	55.9	4,348,322	44.1	9,860,230	100.0
1970	6,342,553	63.1	3,712,684	36.9	10,055,237	100.0
1971	5,638,379	55.6	4,495,040	44.4	10,133,419	100.0
1972	7,279,575	55.3	5,895,947	44.7	13,175,522	100.0
1973	8,367,010	66.8	4,165,891	33.2	12,532,901	100.0
1974	6,651,985	59.2	4,587,750	40.8	11,239,735	100.0

1/ Beginning in 1965, tenderable with respect to grade, staple, and mike in settlement of futures contracts. Prior to 1965, tenderability was based on grade and staple only.

2/ As reported by the Bureau of the Census, running bales.

Table 8. -- Grade and staple of upland cotton ginned in North Carolina, 1974-75

Grade	Code	Staple														All staples	
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent
White:																	
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	-	-	-	-	-	-	-	15	54	-	-	-	-	69	0.1
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(31)	-	-	-	-	-	-	-	160	697	497	-	-	-	-	1,354	1.0
S.L.M.+	(40)	-	-	-	-	-	-	-	35	471	359	16	-	-	-	881	0.7
S.L.M.	(41)	-	-	-	-	-	-	-	1,395	20,250	16,161	184	-	-	-	37,990	28.9
L.M.+	(50)	-	-	-	-	-	-	-	175	8,039	7,248	50	-	-	-	15,512	11.8
L.M.	(51)	-	-	-	-	-	-	-	1,474	20,126	15,649	214	16	-	-	37,479	28.6
S.G.O.+	(60)	-	-	-	-	-	-	-	9	516	357	9	-	-	-	891	0.7
S.G.O.	(61)	-	-	-	-	-	-	-	181	2,796	1,952	9	-	-	-	4,938	3.8
G.O.+	(70)	-	-	-	-	-	-	-	-	28	6	-	-	-	-	34	0.1
G.O.	(71)	-	-	-	-	-	-	-	53	543	284	-	-	-	-	860	0.7
Total		-	-	-	-	-	-	-	3,482	53,481	42,567	482	16	-	-	100,028	76.3
Light Spotted:																	
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-	-	-	-	9	-	-	-	-	9	0.7
M.	(32)	-	-	-	-	-	-	-	25	444	376	28	-	-	-	873	10.1
S.L.M.	(42)	-	-	-	-	-	-	-	592	7,235	5,276	97	-	-	-	13,209	8.3
L.M.	(52)	-	-	-	-	-	-	-	488	5,707	4,293	354	-	-	-	10,851	19.1
Total		-	-	-	-	-	-	-	18	1,105	13,386	9,954	479	-	-	24,942	19.1
Spotted:																	
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(33)	-	-	-	-	-	-	-	22	172	66	-	-	-	-	260	0.2
S.L.M.	(43)	-	-	-	-	-	-	-	70	1,220	730	25	-	-	-	2,045	1.6
L.M.	(53)	-	-	-	-	-	-	-	9	131	1,332	577	-	-	-	2,049	1.6
Total		-	-	-	-	-	-	-	9	223	2,724	1,373	25	-	-	4,354	3.4
Tinged:																	
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	-	-	-	-	-	-	-	13	-	-	-	-	-	13	0.1
S.L.M.	(44)	-	-	-	-	-	-	-	-	6	23	6	-	-	-	35	0.1
L.M.	(54)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	6	42	6	-	-	-	-	54	0.1
Light Gray:																	
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(36)	-	-	-	-	-	-	-	16	-	13	-	-	-	-	48	0.1
S.L.M.	(46)	-	-	-	-	-	-	-	-	40	-	-	-	-	-	46	0.1
Total		-	-	-	-	-	-	-	16	6	59	13	-	-	-	94	0.1
Gray:																	
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(47)	-	-	-	-	-	-	-	-	15	-	-	-	-	-	15	0.1
Total		-	-	-	-	-	-	-	-	15	-	-	-	-	-	15	0.1
Below Grade																	
		-	-	-	-	-	-	-	296	969	284	-	-	-	-	1,549	1.2
All grades																	
		-	-	-	-	-	-	-	43	5,118	70,676	54,197	986	16	-	131,036 1/	100.0
All grades																	
		-	-	-	-	-	-	-	3.9	53.9	41.4	0.8	-	-	-	100.0	
As reported by the Bureau of the Census, running bales.																	
Percentage rough preparation.....																	
Grade index.....																	
Average staple.....																	
Percentage rough preparation.....																	
Grade index.....																	
Average staple.....																	

Table 8. -- Grade and staple of upland cotton ginned in South Carolina, 1974-75 (Continued)

Grade	Code	Staple													All staples		
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent
White:																	
G.M.	(11)	-	-	-	-	-	-	-	9	-	-	-	-	-	-	9	0.1
S.M.	(21)	-	-	-	-	-	-	-	45	215	-	-	-	-	-	260	-
M.	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(31)	-	-	-	-	-	13	48	1,128	5,842	821	-	-	-	-	7,852	3.0
S.L.M.+	(40)	-	-	-	-	-	-	-	189	573	382	-	-	-	-	1,144	0.4
S.L.M.	(41)	-	-	-	-	13	51	307	14,027	66,082	10,650	202	-	-	-	91,332	34.5
L.M.+	(50)	-	-	-	-	-	-	-	841	9,992	4,221	304	-	-	-	15,377	5.8
L.M.	(51)	-	-	-	-	9	9	173	10,677	49,095	13,514	706	-	-	-	74,143	28.1
S.G.O.+	(60)	-	-	-	-	-	-	-	185	1,364	376	32	-	-	-	1,957	0.7
S.G.O.	(61)	-	-	-	-	-	-	152	2,425	6,632	1,541	58	-	-	-	10,808	4.1
G.O.+	(70)	-	-	-	-	-	-	-	10	13	9	-	-	-	-	32	-
G.O.	(71)	-	-	-	-	-	-	83	593	666	127	-	-	-	-	1,469	0.6
Total		-	-	-	-	22	73	782	30,129	140,434	31,641	1,302	-	-	-	204,383	77.3
Light Spotted:																	
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-	-	19	42	9	-	-	-	-	70	-
M.	(32)	-	-	-	-	13	51	67	1,755	3,116	144	-	-	-	-	5,146	1.9
S.L.M.	(42)	-	-	-	-	-	-	183	5,026	18,724	2,805	70	-	-	-	26,808	10.1
L.M.	(52)	-	-	-	9	-	-	219	4,475	13,283	2,888	83	13	-	-	20,970	7.9
Total		-	-	-	9	13	51	469	11,275	35,165	5,846	153	13	-	-	52,994	19.9
Spotted:																	
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	26	-	-	-	-	-	-	26	-
M.	(33)	-	-	-	-	-	19	152	148	26	-	-	-	-	-	345	0.1
S.L.M.	(43)	-	-	-	-	-	20	7	553	1,354	314	-	-	-	-	2,248	0.8
L.M.	(53)	-	-	-	-	-	-	104	855	1,130	169	-	-	-	-	2,258	0.9
Total		-	-	-	-	-	20	130	1,586	2,632	509	-	-	-	-	4,877	1.8
Tinged:																	
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	-	-	-	-	-	-	17	36	7	-	-	-	-	60	-
S.L.M.	(44)	-	-	-	-	-	-	-	39	26	-	-	-	-	-	65	-
L.M.	(54)	-	-	-	-	-	-	-	26	21	-	-	-	-	-	47	-
Total		-	-	-	-	-	-	-	82	83	7	-	-	-	-	172	-
Light Gray:																	
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	-	38	29	-	-	-	-	-	67	-
M.	(36)	-	-	-	-	-	-	13	78	73	13	-	-	-	-	177	0.1
S.L.M.	(46)	-	-	-	-	-	-	16	33	29	-	-	-	-	-	78	-
Total		-	-	-	-	-	-	29	149	131	13	-	-	-	-	322	0.1
Below Grade																	
		-	-	-	-	-	49	430	1,012	851	56	-	-	-	-	2,398	0.9
All grades		-	-	-	9	35	193	1,840	44,233	179,296	38,072	1,455	13	-	-	265,146 $\frac{1}{2}$	100.0
Percent																	
		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
All grades		-	-	-	-	-	0.1	0.7	16.7	67.6	14.4	0.5	-	-	-	100.0	-
1/ As reported by the Bureau of the Census, running bales.																	
* Less than 0.05 percent.																	
Percentage rough preparation.....																	
Grade index.....																	
Average staple.....																	
88.4																	
35.0																	



Table 8. -- Grade and staple of upland cotton ginned in Georgia, 1974-75 (Continued)

Grade	Code	Staple														All staples	
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent
White:																	
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	-	-	-	-	-	-	80	20	-	-	-	-	-	100	-
M.+	(30)	-	-	-	-	-	-	-	10	-	-	-	-	-	-	10	-
M.	(31)	-	-	-	-	-	-	-	1,894	532	12	-	-	-	-	2,760	0.7
S.L.M.+	(40)	-	-	-	-	-	-	58	601	289	-	-	-	-	-	948	0.2
S.L.M.	(41)	-	-	-	-	40	412	8,507	62,587	20,102	411	-	-	-	-	92,059	23.2
L.M.+	(50)	-	-	-	-	-	21	673	10,115	5,605	131	23	-	-	-	16,568	4.2
L.M.	(51)	-	-	-	-	51	385	12,428	85,284	24,770	683	23	-	-	-	123,624	31.4
S.G.O.+	(60)	-	-	-	-	-	23	119	2,797	1,526	74	-	-	-	-	4,539	1.1
S.G.O.	(61)	-	-	-	-	44	108	2,734	12,721	3,203	46	-	-	-	-	18,656	4.8
G.O.+	(70)	-	-	-	-	-	-	-	74	143	-	-	-	-	-	217	0.1
G.O.	(71)	-	-	-	-	-	69	477	900	234	-	-	-	-	-	1,680	0.4
Total		-	-	-	-	135	1,018	25,318	177,063	56,424	1,357	46	-	-	-	261,361	66.1
Light Spotted:																	
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-	-	27	-	-	-	-	-	-	27	-
M.	(32)	-	-	-	-	-	23	283	1,787	315	-	-	-	-	-	2,408	0.6
S.L.M.	(42)	-	-	-	23	12	457	8,845	37,462	7,660	11	-	-	-	-	54,470	13.7
L.M.	(52)	-	-	-	35	57	1,247	13,343	43,162	8,778	29	-	-	-	-	66,651	16.8
Total		-	-	-	58	69	1,727	22,471	82,438	16,753	40	-	-	-	-	123,556	31.1
Spotted:																	
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	9	-	-	-	-	-	9	-
M.	(33)	-	-	-	-	-	-	12	55	18	-	-	-	-	-	85	-
S.L.M.	(43)	-	-	-	12	23	44	322	707	152	35	-	-	-	-	1,272	0.3
L.M.	(53)	-	-	-	12	23	257	1,812	2,568	475	12	-	-	-	-	5,159	1.3
Total		-	-	-	12	35	301	2,146	3,330	654	47	-	-	-	-	6,525	1.6
Tinged:																	
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(44)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.	(54)	-	-	-	-	18	-	9	7	-	-	-	-	-	-	34	-
Total		-	-	-	-	18	-	9	7	-	-	-	-	-	-	34	-
Light Gray:																	
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(36)	-	-	-	-	-	-	81	11	-	-	-	-	-	-	92	-
S.L.M.	(46)	-	-	-	-	-	21	38	15	-	-	-	-	-	-	74	-
Total		-	-	-	-	-	21	119	26	-	-	-	-	-	-	166	-
Gray:																	
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(47)	-	-	-	-	-	-	9	9	-	-	-	-	-	-	18	-
Total		-	-	-	-	-	-	9	9	-	-	-	-	-	-	18	-
Below Grade																	
		-	-	-	-	27	516	1,708	2,032	341	9	-	-	-	-	4,633	1.2
All grades		-	-	-	70	284	3,583	51,780	264,905	74,172	1,453	46	-	-	-	396,293 1/	100.0
All grades		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1/ As reported by the Bureau of the Census, running bales.																	
■ Less than 0.05 percent.																	
Percentage rough preparation.....																	
Grade index.....																	
Average staple.....																	
86.2																	
34.0																	

Table 8. -- Grade and staple of upland cotton ginned in Florida, 1974-75 (Continued)

Grade	Code	Staple																	All staples	
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent	Bales	Percent	
White:																				
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
S.M.	(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M.	(31)	-	-	-	-	-	12	11	-	-	-	-	-	-	-	23	0.2			
S.L.M.+	(40)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
S.L.M.	(41)	-	-	-	-	-	116	4,974	500	-	-	-	-	-	-	5,590	42.8			
L.M.+	(50)	-	-	-	-	-	-	487	116	9	-	-	-	-	-	612	4.7			
L.M.	(51)	-	-	-	-	-	43	3,868	560	-	-	-	-	-	-	4,471	34.3			
S.G.O.+	(60)	-	-	-	-	-	-	9	18	-	-	-	-	-	-	27	0.2			
S.G.O.	(61)	-	-	-	-	-	19	241	44	-	-	-	-	-	-	304	2.3			
G.O.+	(70)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
G.O.	(71)	-	-	-	-	-	-	35	-	-	-	-	-	-	-	35	0.3			
Total		-	-	-	-	-	190	9,625	1,238	9	-	-	-	-	-	11,062	84.8			
Light Spotted:																				
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
S.M.	(22)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
M.	(32)	-	-	-	-	-	-	11	9	-	-	-	-	-	-	20	0.2			
S.L.M.	(42)	-	-	-	-	41	245	898	35	-	-	-	-	-	-	1,219	9.3			
L.M.	(52)	-	-	-	-	12	29	585	26	-	-	-	-	-	-	652	5.0			
Total		-	-	-	-	12	274	1,494	70	-	-	-	-	-	-	1,891	14.5			
Spotted:																				
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
M.	(33)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
S.L.M.	(43)	-	-	-	-	-	18	-	9	-	-	-	-	-	-	27	0.2			
L.M.	(53)	-	-	-	-	-	18	11	-	-	-	-	-	-	-	29	0.2			
Total		-	-	-	-	-	36	11	9	-	-	-	-	-	-	56	0.4			
Light Gray:																				
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
S.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
M.	(36)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
S.L.M.	(46)	-	-	-	-	-	-	9	-	-	-	-	-	-	-	9	0.1			
Total		-	-	-	-	-	-	9	-	-	-	-	-	-	-	9	0.1			
Below Grade																				
G.M.	(17)	-	-	-	-	-	18	-	9	-	-	-	-	-	-	27	0.2			
All grades		-	-	-	-	12	41	518	1,326	9	-	-	-	-	-	13,045	100.0			
All grades		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent			
All grades		-	-	-	-	0.1	0.3	4.0	85.3	10.2	0.1	-	-	-	-	100.0	-			
1/ As reported by the Bureau of the Census, running bales.																				
Percentage rough preparation...		-																		
Grade index.....		88.9																		
Average staple.....		34.1																		

Table 8 -- Grade and staple of upland cotton ginned in Alabama, 1974-75 (continued)

Grade	Code	Staple														All staples	
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent
White:																	
G.M.	{ 11 }	-	-	-	-	-	-	-	10	-	-	-	-	-	-	10	0.1
S.M.	( 21 )	-	-	-	-	-	-	68	482	63	-	-	-	-	-	613	-
M.+	( 30 )	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	( 31 )	-	-	-	-	-	46	1,925	14,359	4,417	143	-	-	-	-	-	-
S.L.M.+	( 40 )	-	-	-	-	-	-	507	5,849	1,905	57	-	-	-	-	20,890	4.1
S.L.M.	( 41 )	-	-	-	5	175	10,869	160,181	65,913	1,279	10	29	-	-	-	8,318	1.6
L.M.+	( 50 )	-	-	-	-	-	656	17,076	10,854	123	-	-	-	-	-	238,461	47.0
L.M.	( 51 )	-	-	-	-	-	108	4,794	73,565	35,835	998	57	20	-	-	28,709	5.6
S.G.O.+	( 60 )	-	-	-	-	-	-	82	1,118	827	90	-	-	-	-	115,377	22.6
S.G.O.	( 61 )	-	-	-	-	-	30	1,295	7,893	3,286	191	39	-	-	-	2,117	0.4
G.O.+	( 70 )	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12,734	2.5
G.O.	( 71 )	-	-	-	-	-	11	186	743	380	-	-	-	-	-	1,320	0.3
Total		-	-	-	-	5	370	20,382	281,276	123,480	2,881	106	49	-	-	428,549	84.2
Light Spotted:																	
G.M.	{ 12 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	( 22 )	-	-	-	-	-	-	49	110	10	-	-	-	-	-	169	-
M.	( 32 )	-	-	-	-	-	161	968	4,743	885	23	-	-	-	-	6,780	1.3
S.L.M.	( 42 )	-	-	-	-	37	304	5,759	27,008	8,174	115	10	-	-	-	41,407	8.1
L.M.	( 52 )	-	-	-	-	-	240	3,903	14,829	4,721	111	-	-	-	-	23,804	4.7
Total		-	-	-	-	37	705	10,679	46,690	13,790	249	10	-	-	-	72,160	14.1
Spotted:																	
G.M.	{ 13 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	( 23 )	-	-	-	-	-	-	-	30	-	-	-	-	-	-	30	-
M.	( 33 )	-	-	-	-	-	23	140	317	47	-	-	-	-	-	527	0.1
S.L.M.	( 43 )	-	-	-	9	71	821	1,917	491	10	-	-	-	-	-	3,319	0.7
L.M.	( 53 )	-	-	-	-	2	92	759	1,505	300	-	-	-	-	-	2,658	0.5
Total		-	-	-	9	2	186	1,720	3,769	838	10	-	-	-	-	6,534	1.3
Tinged:																	
G.M.	{ 14 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	( 24 )	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	( 34 )	-	-	-	-	5	-	9	3	14	-	-	-	-	-	31	-
S.L.M.	( 44 )	-	-	-	-	-	5	49	23	18	-	-	-	-	-	95	-
L.M.	( 54 )	-	-	-	-	-	12	28	44	-	-	-	-	-	-	84	-
Total		-	-	-	-	5	17	86	70	32	-	-	-	-	-	210	-
Stained:																	
G.M.	{ 15 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	( 25 )	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	( 35 )	-	-	-	-	-	-	3	-	-	-	-	-	-	-	3	-
Total		-	-	-	-	-	-	3	-	-	-	-	-	-	-	3	-
Light Gray:																	
G.M.	{ 16 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	( 26 )	-	-	-	-	-	-	19	-	-	-	-	-	-	-	19	-
M.	( 36 )	-	-	-	-	-	-	40	107	31	-	-	-	-	-	178	-
S.L.M.	( 46 )	-	-	-	-	14	2	47	54	20	-	-	-	-	-	137	-
Total		-	-	-	-	14	2	106	161	51	-	-	-	-	-	334	-
Gray:																	
G.M.	{ 17 }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	( 27 )	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	( 37 )	-	-	-	-	-	-	-	5	-	-	-	-	-	-	5	-
S.L.M.	( 47 )	-	-	-	-	-	9	-	25	-	-	-	-	-	-	34	-
Total		-	-	-	-	-	9	-	30	-	-	-	-	-	-	39	-
Below Grade																	
		-	-	-	-	-	105	546	1,090	239	-	-	-	-	-	1,980	0.4
All grades		-	-	-	9	63	1,394	33,522	333,086	138,430	3,140	116	49	-	-	509,809 1/	100.0
All grades		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
		-	-	-	-	-	0.3	6.6	65.3	27.2	0.6	-	-	-	-	100.0	-
1/ As reported by the Bureau of the Census, running bales.																	
Less than 0.05 percent.																	
Grade index..... 90.1																	
Average staple..... 34.2																	

1/ As reported by the Bureau of the Census, running bales.

■ Less than 0.05 percent.

Percentage rough preparation.....  
Grade index..... 90.1  
Average staple..... 34.2



Table 8. --- Grade and staple of upland cotton ginned in Mississippi, 1974-75 (Continued)

Grade	Code	Staple												40 and longer		All staples			
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	Bales	Percent	Bales	Percent	
White:																			
G.M.	(11)	-	-	-	-	-	-	61	993	946	-	-	-	-	-	-	2,043	0.1	
S.M.	(21)	-	-	-	-	-	-	-	31	-	43	-	-	-	-	-	31	-	
M.+	(31)	-	-	-	-	-	-	861	18,816	23,343	447	-	-	-	-	-	43,467	2.8	
S.L.M.+	(40)	-	-	-	-	-	93	2,758	4,035	128	-	-	-	-	-	-	7,014	0.5	
S.L.M.	(41)	-	-	-	-	-	42	7,298	214,764	451,675	22,070	622	33	-	-	-	696,504	45.3	
L.M.+	(50)	-	-	-	-	10	-	155	6,924	17,646	1,683	106	-	-	-	-	26,524	1.7	
L.M.	(51)	-	-	-	-	-	254	6,302	151,067	328,301	19,611	730	244	-	-	-	506,509	32.8	
S.G.O.+	(60)	-	-	-	-	-	-	11	387	1,389	68	-	-	-	-	-	1,855	0.1	
S.G.O.	(61)	-	-	-	-	-	11	765	26,945	30,065	2,077	42	-	-	-	-	59,905	3.9	
G.O.+	(70)	-	-	-	-	-	-	-	11	22	11	-	-	-	-	-	44	-	
G.O.	(71)	-	-	-	-	-	-	274	5,582	2,106	103	-	-	-	-	-	8,065	0.5	
Total		-	-	-	-	10	307	15,820	428,278	859,528	46,241	1,500	277	-	-	-	1,351,961	87.7	
Light Spotted:																			
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(22)	-	-	-	-	-	-	30	76	48	-	-	-	-	-	-	154	-	
M.	(32)	-	-	-	-	-	48	709	5,279	3,594	127	-	-	-	-	-	9,757	0.6	
S.L.M.	(42)	-	-	-	-	-	85	2,535	40,390	55,193	2,801	25	-	-	-	-	101,029	6.6	
L.M.	(52)	-	-	-	-	-	107	1,689	22,548	29,447	1,369	41	-	-	-	-	55,201	3.6	
Total		-	-	-	-	-	240	4,963	68,293	88,282	4,297	66	-	-	-	-	166,141	10.8	
Spotted:																			
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M.	(33)	-	-	-	-	9	-	80	341	253	9	-	-	-	-	-	692	-	
S.L.M.	(43)	-	-	-	-	-	24	296	2,981	2,305	132	-	-	-	-	-	5,738	0.4	
L.M.	(53)	-	-	-	-	-	65	287	3,385	2,036	106	-	-	-	-	-	5,879	0.4	
Total		-	-	-	-	9	89	663	6,707	4,594	247	-	-	-	-	-	12,309	0.8	
Tinged:																			
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M.	(34)	-	-	-	-	-	-	-	26	-	-	-	-	-	-	-	26	-	
S.L.M.	(44)	-	-	-	-	-	-	-	96	14	-	-	-	-	-	-	110	-	
L.M.	(54)	-	-	-	-	-	-	20	92	-	-	-	-	-	-	-	112	-	
Total		-	-	-	-	-	-	20	214	14	-	-	-	-	-	-	248	-	
Light Gray:																			
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(26)	-	-	-	-	-	-	-	33	27	-	-	-	-	-	-	60	-	
M.	(36)	-	-	-	-	-	-	31	94	50	-	-	-	-	-	-	175	-	
S.L.M.	(46)	-	-	-	-	-	10	9	226	21	-	-	-	-	-	-	266	-	
Total		-	-	-	-	-	10	40	353	98	-	-	-	-	-	-	501	-	
Gray:																			
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M.	(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.L.M.	(47)	-	-	-	-	-	-	-	52	10	-	-	-	-	-	-	62	-	
Total		-	-	-	-	-	-	-	52	10	-	-	-	-	-	-	62	-	
Below Grade																			
		-	-	-	-	6	65	534	7,954	2,083	44	-	11	-	-	-	10,697	0.7	
All grades																			
		-	-	-	-	25	711	22,040	511,851	954,609	50,829	1,566	288	-	-	-	1,541,919	100.0	
All grades																			
		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
		-	-	-	-	-	-	1.4	33.2	62.0	3.3	0.1	-	-	-	-	100.0	-	
1/ As reported by the Bureau of the Census, running bales.																			
Less than 0.05 percent.																			
Percentage rough preparation...																			
Grade index.....																			
Average staple.....																			
89.2																			
34.7																			

Table 8. -- Grade and staple of upland cotton ginned in Tennessee, 1974-75 (Continued)

Grade	Code	Staple														All staples	
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent
White:																	
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
S.M.	(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.5
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0
M.	(31)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42.2
S.L.M.+	(40)	-	-	-	-	-	10	127	6,864	6,371	177	-	-	-	-	13,549	1.9
S.L.M.	(41)	-	-	-	-	-	-	54	1,227	1,558	44	-	-	-	-	2,883	24.4
L.M.+	(50)	-	-	-	-	-	10	956	58,291	67,502	1,097	66	-	-	-	127,922	0.2
L.M.	(51)	-	-	-	-	-	-	48	2,504	3,123	228	-	-	-	-	5,903	2.7
S.G.O.+	(60)	-	-	-	-	-	13	1,133	34,205	37,849	538	32	-	-	-	73,770	0.3
S.G.O.	(61)	-	-	-	-	-	-	10	384	165	11	-	-	-	-	570	77.4
G.O.+	(70)	-	-	-	-	-	32	360	4,357	3,525	20	-	-	-	-	8,294	0.3
G.O.	(71)	-	-	-	-	-	-	7	53	20	-	-	-	-	-	80	0.3
Total		-	-	-	-	-	72	2,786	108,564	120,649	2,125	98	-	-	-	234,294	77.4
Light Spotted:																	
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(32)	-	-	-	-	-	-	422	4,084	1,972	52	-	-	-	-	31	2.2
S.L.M.	(42)	-	-	-	-	-	63	2,110	21,833	10,469	159	-	-	-	-	6,530	11.4
L.M.	(52)	-	-	-	-	-	31	1,263	9,956	3,376	-	-	-	-	-	14,626	4.8
Total		-	-	-	-	-	94	3,795	35,873	15,848	211	-	-	-	-	55,821	18.4
Spotted:																	
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(33)	-	-	-	-	-	11	223	496	33	-	-	-	-	-	763	0.3
S.L.M.	(43)	-	-	-	-	-	4	853	3,781	550	-	-	-	-	-	5,188	1.7
L.M.	(53)	-	-	-	-	-	30	893	3,007	309	-	-	-	-	-	4,149	1.4
Total		-	-	-	-	-	45	1,879	7,284	892	-	-	-	-	-	10,100	3.4
Tinged:																	
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	-	-	-	-	-	21	25	7	-	-	-	-	-	53	0.1
S.L.M.	(44)	-	-	-	-	-	10	93	205	14	-	-	-	-	-	322	0.1
L.M.	(54)	-	-	-	-	-	21	60	58	7	-	-	-	-	-	146	0.1
Total		-	-	-	-	-	31	174	288	28	-	-	-	-	-	521	0.1
Light Gray:																	
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(36)	-	-	-	-	-	7	36	215	30	-	-	-	-	-	11	0.1
S.L.M.	(46)	-	-	-	-	-	-	27	55	4	-	-	-	-	-	288	0.1
Total		-	-	-	-	-	7	63	281	34	-	-	-	-	-	385	0.1
Gray:																	
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	0.1
S.L.M.	(47)	-	-	-	-	-	-	10	-	-	-	-	-	-	-	10	0.1
Total		-	-	-	-	-	-	10	10	-	-	-	-	-	-	20	0.1
Below Grade																	
		-	-	-	7	-	28	480	978	242	-	-	-	-	-	1,735	0.6
All grades																	
		-	-	-	7	-	277	9,187	153,278	137,693	2,336	98	-	-	-	302,876 1/	100.0
All grades																	
		-	-	-	*	-	0.1	3.0	50.6	45.5	0.8	*	-	-	-	100.0	
1/ As reported by the Bureau of the Census, running bales																	
Percentage rough preparation...																	
Grade index.....																	
Average staple.....																	
Percentage rough preparation...																	
Grade index.....																	
Average staple.....																	

1/ As reported by the Bureau of the Census, running bales

Percentage rough preparation...

Grade index.....

Average staple.....

Table 8. -- Grade and staple of upland cotton ginned in Missouri, 1974-75 (Continued)

Grade	Code	Staple												All staples			
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent
White:																	
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	265	0.1
S.M.	(21)	-	-	-	-	-	-	32	212	-	-	-	-	-	-	85	9.1
M.+	(31)	-	-	-	-	-	-	-	85	-	-	-	-	-	-	20,752	1.0
M.	(41)	-	-	-	-	-	32	1,120	16,199	3,390	11	-	-	-	-	97,306	42.9
S.L.M.+	(51)	-	-	-	-	-	-	180	1,695	403	-	-	-	-	-	10,880	4.8
S.L.M.	(61)	-	-	-	-	-	43	5,742	73,073	18,226	222	-	-	-	-	31,026	13.6
L.M.+	(71)	-	-	-	-	-	-	350	6,495	3,961	74	-	-	-	-	491	0.2
L.M.	(81)	-	-	-	-	-	29	3,648	21,919	5,324	95	11	-	-	-	3,126	1.4
S.G.O.+	(91)	-	-	-	-	-	-	-	248	232	11	-	-	-	-	21	0.1
S.G.O.	(101)	-	-	-	-	-	74	938	1,666	427	21	-	-	-	-	241	73.2
G.O.+	(111)	-	-	-	-	-	-	-	11	-	10	-	-	-	-	-	-
G.O.	(121)	-	-	-	-	-	11	96	112	22	-	-	-	-	-	-	-
Total		-	-	-	-	-	189	12,106	121,715	32,006	444	11	-	-	-	166,471	73.2
Light Spotted:																	
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64	2.6
M.	(33)	-	-	-	-	-	-	866	4,242	774	18	-	-	-	-	5,900	17.7
S.L.M.	(43)	-	-	-	-	-	33	5,207	29,057	5,902	32	11	-	-	-	40,242	4.9
L.M.	(53)	-	-	-	-	-	55	2,645	6,633	1,691	43	-	-	-	-	11,067	25.2
Total		-	-	-	-	-	88	8,718	39,985	8,378	93	11	-	-	-	57,273	73.2
Spotted:																	
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	-	-	-	-	-	50	152	-	-	-	-	-	-	202	0.1
S.L.M.	(44)	-	-	-	-	-	-	407	916	148	-	-	-	-	-	1,471	0.6
L.M.	(54)	-	-	-	-	-	29	324	306	110	-	-	-	-	-	769	0.3
Total		-	-	-	-	-	29	781	1,374	258	-	-	-	-	-	2,442	1.0
Tinged:																	
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(36)	-	-	-	-	-	-	64	60	-	-	-	-	-	-	124	0.1
S.L.M.	(46)	-	-	-	-	-	7	184	76	-	-	-	-	-	-	267	0.1
Total		-	-	-	-	-	7	248	136	-	-	-	-	-	-	391	0.2
Light Gray:																	
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(47)	-	-	-	-	-	-	-	11	-	-	-	-	-	-	11	*
Total		-	-	-	-	-	-	-	11	-	-	-	-	-	-	11	*
Below Grade																	
		-	-	-	-	11	32	356	449	92	-	-	-	-	-	973	0.4
All grades		-	-	-	-	11	32	22,209	163,696	40,734	537	22	-	-	-	227,587 1/2	100.0
Percent		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
All grades		-	-	-	-	*	0.2	9.8	71.9	17.9	0.2	*	-	-	-	100.0	
As reported by the Bureau of the Census, running bales.																	
Less than 0.05 percent.																	
Percentage rough preparation... 0.1																	
Grade index..... 91.1																	
Average staple..... 35.1																	

1/ As reported by the Bureau of the Census, running bales.

\* Less than 0.05 percent.

Percentage rough preparation... 0.1  
Grade Index..... 91.1  
Average staple..... 35.1



Table 8. -- Grade and staple of upland cotton ginned in Arkansas, 1974-75 (Continued)

Grade	Code	26 and shorter	Staple										40 and longer	All staples		
			Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales		Bales	Percent	
White:																
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	-	-	-	-	-	24	247	-	-	-	-	-	271	-
M.	(31)	-	-	-	-	-	-	-	82	-	-	-	-	-	82	-
S.L.M.	(41)	-	-	-	-	-	-	5,567	38,785	6,064	21	-	-	-	50,437	5.8
L.M.	(51)	-	-	-	-	-	-	275	3,893	797	11	-	-	-	4,976	0.6
S.G.O.	(61)	-	-	-	-	-	-	10	286	51,700	52,961	540	-	-	421,263	48.9
G.O.	(71)	-	-	-	-	-	-	-	1,446	11,995	4,468	34	-	-	17,943	2.1
Total		-	-	-	-	-	-	323	38,037	113,633	16,123	311	-	-	168,427	19.6
Light Spotted:																
G.M.	(12)	-	-	-	-	-	-	-	92	236	59	64	-	-	387	-
S.M.	(22)	-	-	-	-	-	-	261	4,657	5,062	510	-	-	-	10,554	1.2
M.	(32)	-	-	-	-	-	-	12	314	284	71	11	-	-	713	0.1
S.L.M.	(42)	-	-	-	-	-	-	22	891	102,112	489,983	81,053	992	-	675,053	78.3
L.M.	(52)	-	-	-	-	-	-	-	36	68	32	-	-	-	136	-
Total		-	-	-	-	-	-	62	4,220	7,372	522	-	-	-	12,176	1.4
Spotted:																
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	43	-	-	163,367	18.9
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(33)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(43)	-	-	-	-	-	-	41	928	774	46	-	-	-	1,789	0.2
L.M.	(53)	-	-	-	-	-	-	48	6,934	6,102	100	-	-	-	13,184	1.5
Total		-	-	-	-	-	-	206	4,546	2,348	37	11	-	-	7,148	0.8
Tinged:																
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(44)	-	-	-	-	-	-	15	30	-	-	-	-	-	45	-
L.M.	(54)	-	-	-	-	-	-	26	436	107	-	-	-	-	569	0.1
Total		-	-	-	-	-	-	-	169	37	-	-	-	-	206	-
Stained:																
G.M.	(15)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(25)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(35)	-	-	-	-	-	-	-	-	6	-	-	-	-	6	-
Total		-	-	-	-	-	-	-	-	6	-	-	-	-	6	-
Light Gray:																
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(36)	-	-	-	-	-	-	-	8	-	-	-	-	-	8	-
S.L.M.	(46)	-	-	-	-	-	-	-	191	139	11	-	-	-	341	-
Total		-	-	-	-	-	-	44	283	37	-	-	-	-	364	-
Gray:																
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(47)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	10	-	-	-	-	-	10	-
Below Grade																
All grades		-	-	-	-	-	-	231	1,362	548	11	-	-	-	2,152	0.2
All grades		-	-	-	-	-	-	32	2,223	176,710	595,864	88,367	1,046	-	864,242	100.0
All grades		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
As reported by the Bureau of the Census, running bales.																
Less than 0.05 percent.																
Percentage rough preparation... 90.6																
Grade index..... 34.9																
Average staple.....																

1/ As reported by the Bureau of the Census, running bales.  
 2/ Less than 0.05 percent.

Percentage rough preparation...  
 Grade index.....  
 Average staple.....

90.6  
 34.9

Table 8. -- Grade and staple of upland cotton ginned in Louisiana, 1974-75 (Continued)

Grade	Code	Staple														All staples		
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent	
White:	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	209	-	
	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(31)	-	-	-	-	-	31	416	-	9,396	12,207	963	75	31	10	23,054	4.2	
	(40)	-	-	-	-	-	-	-	-	296	553	75	-	-	-	924	0.2	
	(41)	-	-	-	-	-	34	2,231	-	111,919	146,335	10,605	332	41	271,497	49.7	1.3	
	(50)	-	-	-	-	-	-	60	2,892	3,571	304	51	-	-	6,878	1.3	14.9	
	(51)	-	-	-	-	-	19	1,047	32,584	44,723	2,990	67	-	-	81,430	14.9	0.1	
	(60)	-	-	-	-	-	-	-	192	168	-	-	-	-	-	360	0.1	1.5
	(61)	-	-	-	-	-	-	307	4,741	2,816	81	-	-	-	-	7,945	1.5	0.2
Total		-	-	-	-	-	-	105	797	218	7	-	-	-	1,127	393,481	72.1	
		-	-	-	-	-	-	84	4,176	162,933	210,731	15,025	481	51	-	-	-	
Light Spotted:	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(22)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21	2.6	
	(32)	-	-	-	-	-	48	788	7,156	5,620	323	24	-	-	13,959	17.6	0.7	
	(42)	-	-	-	-	68	430	3,412	43,012	45,769	2,974	67	-	-	95,732	4.9	25.1	
	(52)	-	-	-	-	-	31	928	12,894	12,079	682	-	-	-	26,614	-	-	
	Total	-	-	-	-	68	509	5,128	63,062	63,489	3,979	91	-	-	-	136,326	25.1	-
Spotted:	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14	0.2	
	(33)	-	-	-	-	-	-	45	314	764	43	-	-	-	1,166	1.2	0.7	
	(43)	-	-	-	-	-	196	406	2,737	3,175	65	-	-	-	6,579	1.2	0.7	
	(53)	-	-	-	-	-	34	305	2,105	1,077	43	-	-	-	3,564	-	-	
	Total	-	-	-	-	-	230	756	5,163	5,023	151	-	-	-	-	11,323	2.1	-
Tinged:	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(24)	-	-	-	-	-	-	-	9	-	-	-	-	-	-	9	-	
	(34)	-	-	-	-	-	-	-	27	-	-	-	-	-	-	27	-	
	(44)	-	-	-	-	-	-	-	59	56	-	-	-	-	-	115	-	
	(54)	-	-	-	-	-	-	36	47	-	-	-	-	-	-	83	-	
	Total	-	-	-	-	-	-	36	142	56	-	-	-	-	-	234	-	-
Stained:	(15)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(25)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(35)	-	-	-	-	-	-	-	-	9	-	-	-	-	-	9	-	
Light Gray:	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(26)	-	-	-	-	-	-	-	7	-	-	-	-	-	-	29	0.2	
	(36)	-	-	-	-	-	-	35	525	327	55	-	-	-	-	942	0.1	
	(46)	-	-	-	-	-	-	19	414	117	-	-	-	-	-	550	0.1	
	Total	-	-	-	-	-	-	54	946	466	55	-	-	-	-	1,521	0.3	-
	Gray:	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(27)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(37)		-	-	-	-	-	-	-	24	-	-	-	-	-	-	24	-	
(47)		-	-	-	-	-	-	-	-	12	-	-	-	-	-	12	-	
Total		-	-	-	-	-	-	-	24	12	-	-	-	-	-	36	-	-
Below Grade		-	-	-	17	-	-	51	298	1,330	516	-	-	-	-	2,212	0.4	
All grades		-	-	-	17	-	68	874	10,448	233,600	280,302	19,210	572	51	-	545,142 1/	100.0	
All grades		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	
1/ As reported by the Bureau of the Census, running bales.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Less than 0.05 percent		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Percentage rough preparation.....		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Grade index.....		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Average staple.....		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 8. -- Grade and staple of upland cotton ginned in Oklahoma, 1974-75 (Continued)

Grade	Code	Staple														40 and longer	All staples
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	Bales		
White:																	
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(31)	-	-	-	136	703	454	178	199	78	12	-	-	-	-	-	-
S.L.M.+	(40)	-	-	-	-	39	109	-	-	13	-	-	-	-	-	-	0.6
S.L.M.	(41)	-	-	23	1,518	11,873	22,608	8,128	4,894	1,937	824	73	-	-	-	1,760	0.1
L.M.+	(50)	-	-	-	10	87	283	462	232	-	-	-	-	-	-	161	16.8
L.M.	(51)	-	13	65	1,137	4,614	14,187	11,550	5,923	1,576	451	53	-	-	-	1,074	0.3
S.G.O.+	(60)	-	-	-	-	-	13	216	79	-	-	-	-	-	-	39,569	12.8
S.G.O.	(61)	-	-	10	136	413	1,326	1,333	854	51	10	-	-	-	-	308	0.1
G.O.+	(70)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4,133	1.3
G.O.	(71)	-	-	-	10	57	75	82	102	20	-	-	-	-	-	346	0.1
Total		-	13	98	2,947	17,786	39,055	21,949	12,283	3,675	1,297	126	-	-	-	99,229	32.1
Light Spotted:																	
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(32)	-	27	78	1,974	5,381	4,473	421	48	17	-	-	-	-	-	12,419	4.0
S.L.M.	(42)	-	98	536	11,239	37,837	57,239	11,777	1,237	286	73	-	-	-	-	120,322	39.1
L.M.	(52)	-	10	598	2,839	8,962	23,368	8,930	1,657	164	96	-	-	-	-	46,524	15.1
Total		-	135	1,212	16,052	52,180	85,080	21,028	2,942	467	169	-	-	-	-	179,265	58.2
Spotted:																	
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(33)	-	-	32	283	599	572	83	2	-	-	-	-	-	-	-	-
S.L.M.	(43)	-	78	197	1,998	5,238	6,377	1,591	130	27	-	-	-	-	-	1,571	0.5
L.M.	(53)	-	43	224	1,020	2,022	4,267	1,168	179	51	-	-	-	-	-	15,636	5.1
Total		-	121	453	3,301	7,859	11,216	2,842	311	78	-	-	-	-	-	8,974	2.9
Tinged:																	
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	-	-	-	-	13	13	-	11	-	-	-	-	-	37	*
S.L.M.	(44)	-	-	-	27	99	86	16	-	-	-	-	-	-	-	228	0.1
L.M.	(54)	-	-	6	35	66	62	17	-	-	-	-	-	-	-	186	0.1
Total		-	-	6	62	165	161	46	-	11	-	-	-	-	-	451	0.2
Light Gray:																	
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(36)	-	-	-	-	-	13	99	23	7	-	-	-	-	-	135	*
S.L.M.	(46)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	*
Total		-	-	-	-	-	13	99	30	-	-	-	-	-	-	142	*
Gray:																	
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(47)	-	-	-	-	-	-	-	-	12	-	-	-	-	-	12	*
Total		-	-	-	-	-	-	-	-	12	-	-	-	-	-	12	*
Below Grade																	
		-	17	138	281	447	1,288	742	129	13	-	-	-	-	-	3,055	1.0
All grades																	
		-	286	1,907	22,643	78,437	136,800	46,620	15,764	4,286	1,466	126	-	-	-	308,335 1/	100.0
All grades																	
		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
		-	0.1	0.6	7.3	25.4	44.5	15.1	5.1	1.4	0.5	-	-	-	-	100.0	-
1/ As reported by the Bureau of the Census, running bales.																	
■ Less than 0.05 percent.																	
■ Percentage rough preparation...																	
■ Grade index.....																	
■ Average staple.....																	
■ 87.2																	
■ 31.9																	



Table 8. -- Grade and staple of upland cotton ginned in Texas, 1974-75 (Continued)

Grade	Code	Staple														40 and longer		All staples	
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	Bales	Bales	Percent	Percent	
White:																			
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	-	-	75	60	82	640	1,517	651	7	14	-	-	-	-	3,046	0.1	-
M.	(31)	-	-	-	41	20	4	-	102	76	-	-	-	-	-	-	243	-	-
S.L.M.	(41)	31	71	271	4,895	8,969	7,162	24,785	77,832	13,416	1,039	775	21	11	25	139,263	5.7	139,263	5.7
S.L.M.	(40)	-	-	6	146	222	296	844	3,572	1,015	354	358	-	-	-	-	6,813	0.3	-
S.L.M.	(40)	-	-	2,298	43,929	131,585	112,592	82,143	157,300	39,388	11,966	8,104	224	32	121	589,739	24.1	589,739	24.1
L.M.	(50)	-	-	10	232	1,046	1,668	2,484	3,306	1,206	1,081	521	10	-	-	11,554	0.5	-	0.5
S.L.M.	(51)	10	134	1,578	28,152	91,555	102,141	80,235	83,762	34,074	11,393	2,524	398	40	65	436,061	17.8	436,061	17.8
S.G.O.	(60)	-	-	-	-	27	158	314	444	95	49	20	-	-	-	1,356	0.1	-	0.1
S.G.O.	(61)	-	89	770	4,481	8,234	9,627	8,967	11,697	6,227	2,626	1,827	267	-	21	54,883	2.2	-	2.2
S.G.O.	(70)	-	-	-	20	-	97	-	41	7	-	-	-	-	-	165	-	-	-
G.O.	(71)	-	51	162	667	522	659	524	675	438	176	129	20	-	-	4,223	0.2	-	0.2
Total		41	402	5,095	82,595	242,391	234,642	200,871	340,422	96,619	28,691	14,272	940	83	232	1,247,296	51.0		
Light Spotted:																			
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	45	308	263	32	102	106	-	-	-	-	-	-	-	856	-	-
M.	(32)	-	256	3,552	29,984	28,915	14,377	15,453	20,302	3,233	338	211	21	-	16	116,658	4.8	-	4.8
S.L.M.	(42)	4	938	15,631	141,348	200,307	105,727	56,825	61,163	13,941	1,635	498	30	-	-	598,047	24.5	-	24.5
L.M.	(52)	45	2,889	17,655	80,596	90,972	58,315	35,543	28,177	7,485	930	210	-	-	-	322,817	13.2	-	13.2
Total		49	4,083	36,883	252,236	320,457	178,451	107,923	109,748	24,659	2,903	919	51	-	16	1,038,378	42.5		42.5
Spotted:																			
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	20	54	-	4	-	-	-	-	-	-	-	-	78	-	-
M.	(33)	-	92	1,703	5,228	2,632	838	607	324	82	20	-	-	-	-	11,526	0.5	-	0.5
S.L.M.	(43)	10	946	6,797	25,425	16,090	6,057	3,752	2,599	526	20	-	-	-	-	62,222	2.5	-	2.5
L.M.	(53)	188	3,094	10,326	20,810	11,096	5,723	4,217	2,379	362	20	-	21	-	-	58,236	2.4	-	2.4
Total		198	4,132	18,826	51,483	29,872	12,618	8,580	5,302	970	60	-	21	-	-	132,062	5.4		5.4
Tinged:																			
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	23	173	141	45	21	-	14	90	15	-	-	-	-	522	-	-	-
S.L.M.	(44)	10	88	236	404	117	17	70	138	69	-	-	-	-	-	1,149	-	-	-
L.M.	(54)	28	67	106	242	124	56	35	38	-	-	-	-	-	-	696	-	-	-
Total		38	178	515	787	286	94	105	190	159	15	-	-	-	-	2,367	-	-	-
Stained:																			
G.M.	(15)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(25)	-	-	-	-	10	-	-	-	-	-	-	-	-	-	10	-	-	-
M.	(35)	-	-	-	-	-	-	-	10	10	-	-	-	-	32	52	-	-	-
Total		-	-	-	-	10	-	-	10	10	-	-	-	-	32	62	-	-	-
Light Gray:																			
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	31	218	15	-	-	-	-	-	264	-	-	-
M.	(36)	-	-	6	-	-	97	567	1,045	31	-	-	-	-	-	1,746	0.1	-	-
S.L.M.	(46)	-	17	122	240	74	174	282	186	15	-	-	-	-	-	1,110	-	-	-
Total		-	17	128	240	74	271	880	1,449	61	-	-	-	-	-	3,120	0.1	-	-
Gray:																			
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	8	6	-	15	35	98	-	-	-	-	-	-	162	-	-	-
S.L.M.	(47)	-	-	19	25	8	-	15	16	-	-	-	-	-	-	83	-	-	-
Total		-	-	27	31	8	15	50	114	-	-	-	-	-	-	245	-	-	-
Below Grade																			
		264	2,493	6,096	7,512	3,077	2,374	1,932	1,183	247	36	-	-	-	-	25,214	1.0	-	-
All grades																			
Percent		590	11,305	67,570	394,884	596,175	428,465	320,341	458,418	122,725	31,705	15,191	1,012	83	280	2,448,744	100.0	100.0	100.0
Percent		■	0.5	2.8	16.1	24.4	17.5	13.1	18.7	5.0	1.3	0.6	■	■	■	100.0	Percent	Percent	Percent
All grades																			
1/ As reported by the Bureau of the Census, running bales.																			
* Less than 0.05 percent.																			
Percentage rough preparation.....																			
Grade index.....																			
Average staple.....																			
88.3																			
32.1																			

Table 8. -- Grade and staple of upland cotton ginned in New Mexico, 1974-75 (Continued)

Grade	Code	Staple												All staples			
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent
White:																	
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(31)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.+	(40)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(41)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.+	(50)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.	(51)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.G.O.+	(60)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.G.O.	(61)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.O.+	(70)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.O.	(71)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	23	29	1,078	1,332	1,745	965	1,818	7,218	43,303	54,398	5,549	566	1,116	119,140	85.1
Light Spotted:																	
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(32)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.	(52)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	39	447	2,575	2,841	1,577	995	1,408	1,800	4,502	2,325	423	19	106	19,057	13.6
Spotted:																	
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(33)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(43)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.	(53)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	92	343	193	73	24	191	155	110	-	24	-	-	1,205	0.8
Tinged:																	
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(44)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.	(54)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	9	17	-	7	8	-	-	-	-	-	-	41	•
Light Gray:																	
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(36)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(46)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Below Grade																	
		-	-	-	32	12	15	229	248	33	27	-	7	-	-	603	0.4
All grades																	
Percent		-	62	568	4,037	4,395	3,410	2,220	3,673	9,206	47,992	56,767	6,003	585	1,222	140,140	100.0
All grades		-	•	0.4	2.9	3.1	2.4	1.6	2.6	6.6	34.2	40.6	4.3	0.4	0.9	100.0	
1/ As reported by the Bureau of the Census, running bales.																	
• Less than 0.05 percent.																	
Percentage rough preparation...																	
Grade index.....																	
Average staple.....																	
0.1																	
91.7																	
35.9																	

Table 8. -- Grade and staple of upland cotton ginned in Arizona, 1974-75 (Continued)

Grade	Code	Staple														All staples	
		26 and shorter	28	29	30	31	32	33	34	35	36	37	38	39	40 and longer	Bales	Percent
White:																	
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(31)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.+	(40)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(41)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.+	(50)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.	(51)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.G.O.+	(60)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.G.O.	(61)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.O.+	(70)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.O.	(71)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	8	122	379	4,893	14,670	172,483	532,354	44,168	6,206	393	42	581	776,299	80.0
Light Spotted:																	
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(32)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.	(52)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	23	-	220	678	3,741	6,507	35,936	113,679	7,059	1,018	53	-	12	168,926	17.4
Spotted:																	
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(33)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(43)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.	(53)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	13	71	100	454	911	1,594	1,259	63	-	-	-	-	4,465	0.5
Tinged:																	
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(44)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.	(54)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stained:																	
G.M.	(15)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(25)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(35)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Light Gray:																	
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(36)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(46)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gray:																	
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(47)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Below Grade		-	17	248	1,863	2,892	7,414	3,447	1,570	285	43	-	-	-	-	17,779	1.8
All grades		-	40	269	2,276	4,057	16,557	25,674	212,805	648,957	51,403	7,224	454	42	593	970,351 1/2	100.0
All grades		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1/2 As reported by the Bureau of the Census, running bales.																	
• Less than 0.05 percent.																	
Percentage rough preparation.....																	
Grade index.....																	
Average staple.....																	
92.4																	
34.7																	





Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1974-75

## NORTH CAROLINA

## SOUTH CAROLINA

Grade and Staple		Prior to Oct. 1	October	November	December	After Dec. 31	Total crop			Prior to Oct. 1	October	November	December	After Dec. 31	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
<b>White:</b>															
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	9	-	-	9
S.M.	(21)	-	31	38	-	-	69	-	-	232	28	-	-	-	260
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(31)	-	655	650	19	30	1,354	818	4,735	2,211	88	-	-	-	7,852
S.L.M.+	(40)	-	655	226	-	-	881	-	978	150	7	9	-	-	1,144
S.L.M.	(41)	181	23,038	13,680	1,072	19	37,990	2,590	63,344	23,468	1,802	128	-	-	91,332
L.M.+	(50)	254	9,228	5,878	133	19	15,512	68	11,015	3,663	373	258	-	-	15,377
L.M.	(51)	-	12,081	20,874	4,256	268	37,479	613	42,526	24,480	5,977	547	-	-	74,143
S.G.O.+	(60)	-	187	641	38	25	891	-	811	890	196	60	-	-	1,957
S.G.O.	(61)	-	779	2,939	964	256	4,938	-	2,728	5,265	2,290	525	-	-	10,808
G.O.+	(70)	-	-	9	25	-	34	-	13	19	-	-	-	-	32
G.O.	(71)	-	62	584	127	107	880	-	232	646	339	252	-	-	1,469
Total		435	46,716	45,519	6,634	724	100,028	4,089	126,614	60,829	11,072	1,779	-	-	204,383
<b>Light Spotted:</b>															
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	9	-	-	9	-	13	37	20	-	-	-	70
M.	(32)	-	125	678	70	-	873	1,090	1,930	1,921	196	9	-	-	5,146
S.L.M.	(42)	-	1,434	9,326	2,372	77	13,209	3,136	11,581	9,743	2,094	254	-	-	26,808
L.M.	(52)	-	748	6,641	2,784	678	10,851	136	6,987	8,638	4,180	1,029	-	-	20,970
Total		-	2,307	16,654	5,226	755	24,942	4,362	20,511	20,339	6,490	1,292	-	-	52,994
<b>Spotted:</b>															
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	19	7	-	-	-	26
M.	(33)	-	16	160	38	46	260	-	39	215	81	10	-	-	345
S.L.M.	(43)	-	109	1,366	558	12	2,045	341	618	646	617	26	-	-	2,248
L.M.	(53)	-	140	895	729	285	2,049	136	386	487	759	490	-	-	2,258
Total		-	265	2,421	1,325	343	4,354	477	1,043	1,367	1,464	526	-	-	4,877
<b>Tinged:</b>															
All grades		-	16	-	32	6	54	-	-	28	81	63	-	-	172
<b>Light Gray:</b>															
All grades		-	47	9	38	-	94	-	129	122	54	17	-	-	322
<b>Gray:</b>															
All grades		-	-	-	-	15	15	-	-	-	-	-	-	-	-
<b>Below Grade</b>															
All grades		-	47	735	342	425	1,549	-	219	946	528	705	-	-	2,398
<b>Grade index</b>															
All grades		435	49,398	65,338	13,597	2,268	131,036 <u>1/</u>	8,928	148,516	83,631	19,689	4,382	-	-	265,146 <u>1/</u>
Grade index		91.7	90.3	86.7	83.5	76.3	87.6	91.6	89.8	87.4	83.0	77.4	-	-	88.4
<b>Staple</b>															
26 and shorter		-	-	-	-	-	-	-	-	-	-	-	-	-	-
28		-	-	-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	9	-	-	-	-	9
31		-	-	-	-	-	-	-	26	9	-	-	-	-	35
32		-	-	-	-	-	-	-	128	28	7	30	-	-	193
33		-	16	27	-	-	43	-	580	609	244	407	-	-	1,840
34		-	2,074	2,788	126	130	5,118	750	19,070	15,647	6,748	2,018	-	-	44,233
35		399	30,206	32,059	6,664	1,348	70,676	7,430	101,483	56,226	12,317	1,840	-	-	179,296
36		36	16,773	29,797	6,801	790	54,197	748	25,968	10,896	373	87	-	-	38,072
37		-	313	667	6	-	986	-	1,248	207	-	-	-	-	1,455
38		-	16	-	-	-	16	-	13	-	-	-	-	-	13
39		-	-	-	-	-	-	-	-	-	-	-	-	-	-
40 and longer		-	-	-	-	-	-	-	-	-	-	-	-	-	-
All staples		435	49,398	65,338	13,597	2,268	131,036 <u>1/</u>	8,928	148,516	83,631	19,689	4,382	-	-	265,146 <u>1/</u>
Average staple		35.1	35.3	35.4	35.5	35.3	35.4	35.0	35.1	34.9	34.7	34.4	-	-	35.0

1/ As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1974-75 (Cont'd.)

## GEORGIA

## FLORIDA

Grade and Staple		Prior to Oct. 1	October	November	December	After Dec. 31	Total crop			Prior to Oct. 1	October	November	December	After Dec. 31	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:															
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	14	68	18	-	-	100	-	-	-	-	-	-	-	-
M.+	(30)	-	-	-	10	-	10	-	-	-	-	-	-	-	-
M.	(31)	312	1,802	621	14	11	2,760	-	12	11	-	-	-	-	23
S.L.M.+	(40)	185	581	163	19	-	948	-	-	-	-	-	-	-	-
S.L.M.	(41)	7,724	57,032	22,981	3,971	351	92,059	41	2,712	1,852	974	11	5,590	-	-
L.M.+	(50)	422	9,278	5,079	1,712	77	16,568	-	210	287	115	-	612	-	-
L.M.	(51)	3,054	50,658	44,496	21,630	3,786	123,624	-	853	1,776	1,745	97	4,471	-	-
S.G.O.+	(60)	-	772	2,253	1,249	265	4,539	-	-	-	27	-	27	-	-
S.G.O.	(61)	248	3,110	5,977	6,979	2,542	18,856	-	12	11	195	86	304	-	-
G.O.+	(70)	-	11	177	29	-	217	-	-	-	-	-	-	-	-
G.O.	(71)	34	252	445	495	454	1,680	-	-	-	35	-	35	-	-
Total		11,993	123,564	82,210	36,108	7,486	261,361	41	3,799	3,937	3,091	194	11,062		
Light Spotted:															
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	11	9	7	-	27	-	-	-	-	-	-	-	-
M.	(32)	171	1,515	645	46	31	2,408	-	-	11	9	-	20	-	-
S.L.M.	(42)	3,323	33,444	14,784	2,395	524	54,470	165	596	254	142	62	1,219	-	-
L.M.	(52)	1,603	30,271	24,529	7,664	2,584	66,651	41	222	188	168	33	652	-	-
Total		5,097	65,241	39,967	10,112	3,139	123,556	206	818	453	319	95	1,891		
Spotted:															
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	9	-	-	9	-	-	-	-	-	-	-	-
M.	(33)	-	57	18	10	-	85	-	-	-	-	-	-	-	-
S.L.M.	(43)	150	678	287	94	63	1,272	-	12	-	9	6	27	-	-
L.M.	(53)	130	2,759	1,432	585	253	5,159	-	12	11	-	6	29	-	-
Total		280	3,494	1,746	689	316	6,525	-	24	11	9	12	56		
Tinged:															
All grades		-	-	18	7	9	34	-	-	-	-	-	-	-	-
Light Gray:															
All grades		-	115	-	29	22	166	-	-	-	9	-	9	-	-
Gray:															
All grades		-	-	18	-	-	18	-	-	-	-	-	-	-	-
Below Grade		102	1,207	1,827	662	835	4,633	-	12	-	9	6	27	-	-
All grades		17,472	193,621	125,786	47,607	11,807	396,293 1/	247	4,653	4,401	3,437	307	13,045 1/		
Grade index		89.5	87.6	85.4	83.3	79.8	86.2	88.3	90.7	89.2	86.9	82.3	88.9		
Staple															
26 and shorter		-	-	-	-	-	-	-	-	-	-	-	-	-	-
28		-	-	-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-	-	-
30		-	70	-	-	-	70	-	-	-	-	-	-	-	-
31		34	207	18	-	25	284	-	12	-	-	-	12	-	-
32		232	2,498	533	142	178	3,583	41	-	-	-	-	41	-	-
33		3,457	26,299	12,927	5,753	3,344	51,780	83	306	77	9	43	518	-	-
34		10,967	122,120	87,860	36,438	7,520	264,905	123	4,265	3,982	2,541	228	11,139	-	-
35		2,765	41,225	24,207	5,235	740	74,172	-	70	342	878	36	1,326	-	-
36		17	1,156	241	39	-	1,453	-	-	-	9	-	9	-	-
37		-	46	-	-	-	46	-	-	-	-	-	-	-	-
38		-	-	-	-	-	-	-	-	-	-	-	-	-	-
39		-	-	-	-	-	-	-	-	-	-	-	-	-	-
40 and longer		-	-	-	-	-	-	-	-	-	-	-	-	-	-
All staples		17,472	193,621	125,786	47,607	11,807	396,293 1/	247	4,653	4,401	3,437	307	13,045 1/		
Average staple		33.9	34.1	34.1	34.0	33.7	34.0	33.3	33.9	34.1	34.3	34.0	34.1		

1/ As reported by the Bureau of the Census, running bales.



Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1974-75 (Cont'd.)

ALABAMA								MISSISSIPPI							
Grade and Staple		Prior to Oct. 1	October	November	December	After Dec. 31	Total crop			Prior to Oct. 1	October	November	December	After Dec. 31	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales			Bales	Bales	Bales	Bales	Bales	Bales
<b>White:</b>															
G.M.	(11)	-	-	10	-	-	10			-	-	-	-	-	-
S.M.	(21)	-	416	179	15	3	613			107	1,663	214	59	-	2,043
M.+	(30)	-	-	-	-	-	-			-	31	-	-	-	31
M.	(31)	358	15,910	4,412	160	50	20,890			1,895	35,398	5,678	477	19	43,467
S.L.M.+	(40)	50	6,637	1,552	51	28	8,318			283	5,391	949	391	-	7,014
S.L.M.	(41)	2,800	152,487	70,801	10,221	2,152	238,461			17,811	454,838	183,102	39,145	1,608	696,504
L.M.+	(50)	381	18,371	8,770	670	517	28,709			895	20,927	3,903	576	223	26,524
L.M.	(51)	1,194	51,559	44,136	14,796	3,692	115,377			6,223	238,675	188,123	66,594	6,894	506,509
S.G.O.+	(60)	12	965	1,014	111	15	2,117			-	1,416	353	72	14	1,855
S.G.O.	(61)	46	3,651	4,651	2,925	1,461	12,734			91	14,412	21,596	12,918	10,888	59,905
G.O.+	(70)	-	-	-	-	-	-			-	44	-	-	-	44
G.O.	(71)	-	241	668	307	104	1,320			17	910	1,788	1,683	3,667	8,065
Total		4,841	250,237	136,193	29,256	8,022	428,549			27,322	773,705	405,706	121,915	23,313	1,351,961
<b>Light Spotted:</b>															
G.M.	(12)	-	-	-	-	-	-			-	-	-	-	-	-
S.M.	(22)	12	85	65	7	-	169			17	96	27	7	7	154
M.	(32)	200	3,711	2,160	665	44	6,780			231	5,673	2,149	1,608	96	9,757
S.L.M.	(42)	743	18,618	13,733	7,140	1,173	41,407			1,836	40,936	31,084	25,321	1,852	101,029
L.M.	(52)	281	7,825	8,991	4,874	1,833	23,804			568	17,370	19,133	14,049	4,081	55,201
Total		1,236	30,239	24,949	12,686	3,050	72,160			2,652	64,075	52,393	40,985	6,036	166,141
<b>Spotted:</b>															
G.M.	(13)	-	-	-	-	-	-			-	-	-	-	-	-
S.M.	(23)	-	14	-	16	-	30			-	-	-	-	-	-
M.	(33)	25	97	216	186	3	527			-	139	132	414	7	692
S.L.M.	(43)	12	587	980	1,345	395	3,319			17	897	970	3,258	596	5,738
L.M.	(53)	12	677	698	775	496	2,658			52	1,017	815	2,287	1,708	5,879
Total		49	1,375	1,894	2,322	894	6,534			69	2,053	1,917	5,959	2,311	12,309
<b>Tinged:</b>															
All grades		-	25	20	81	84	210			-	-	-	122	126	248
<b>Stained:</b>															
All grades		-	-	-	-	3	3			-	-	-	-	-	-
<b>Light Gray:</b>															
All grades		12	68	67	164	23	334			17	87	118	77	202	501
<b>Gray:</b>															
All grades		-	14	-	16	9	39			-	10	9	-	43	62
<b>Below Grade</b>															
		-	225	568	618	569	1,980			-	921	2,231	1,864	5,681	10,697
All grades		6,138	282,183	163,691	45,143	12,654	509,809 <sup>1/</sup>			30,060	840,851	462,374	170,922	37,712	1,541,919 <sup>1/</sup>
Grade index		91.0	91.4	89.5	86.2	83.7	90.1			91.8	90.7	88.3	86.2	76.7	89.2
<b>Staple</b>															
26 and shorter		-	-	-	-	-	-			-	-	-	-	-	-
28		-	-	-	-	-	-			-	-	-	-	-	-
29		-	-	-	-	-	-			-	-	-	-	-	-
30		-	-	-	-	9	9			-	-	-	-	-	-
31		12	14	-	10	27	63			-	10	9	6	-	25
32		123	466	45	609	151	1,394			-	517	64	9	121	711
33		706	16,653	6,416	8,063	1,684	33,522			572	15,635	2,950	1,992	891	22,040
34		3,776	194,270	99,833	28,081	7,126	333,086			16,071	271,976	106,667	86,456	30,681	511,851
35		1,383	68,629	56,451	8,319	3,648	138,430			12,624	521,621	334,268	80,140	5,956	954,609
36		138	2,036	896	61	9	3,140			774	29,577	18,110	2,305	63	50,829
37		-	86	30	-	-	116			19	1,227	306	14	-	1,566
38		-	29	20	-	-	49			-	288	-	-	-	288
39		-	-	-	-	-	-			-	-	-	-	-	-
40 and longer		-	-	-	-	-	-			-	-	-	-	-	-
All staples		6,138	282,183	163,691	45,143	12,654	509,809 <sup>1/</sup>			30,060	840,851	462,374	170,922	37,712	1,541,919 <sup>1/</sup>
Average staple		34.1	34.2	34.3	34.0	34.1	34.2			34.5	34.7	34.8	34.5	34.1	34.7

<sup>1/</sup> As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1974-75 (Cont'd.)

## TENNESSEE

## MISSOURI

Grade and Staple		Prior to Oct. 1	October	November	December	After Dec. 31	Total crop			Prior to Oct. 1	October	November	December	After Dec. 31	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
<b>White:</b>															
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	333	172	-	-	505	-	-	233	32	-	-	-	265
M.+	(30)	-	-	-	-	-	-	-	-	85	-	-	-	-	85
M.	(31)	-	9,550	3,874	125	-	13,549	-	-	19,627	1,118	7	-	-	20,752
S.L.M.+	(40)	-	2,143	710	26	4	2,883	-	-	2,194	84	-	-	-	2,278
S.L.M.	(41)	313	69,512	50,370	7,568	159	127,922	374	75,402	18,014	3,167	349	-	-	97,306
L.M.+	(50)	-	3,531	2,241	131	-	5,903	-	-	9,729	1,129	22	-	-	10,880
L.M.	(51)	-	30,648	34,991	7,640	491	73,770	-	-	7,715	16,348	4,256	2,707	-	31,026
S.G.O.+	(60)	-	111	446	13	-	570	-	-	297	158	36	-	-	491
S.G.O.	(61)	-	2,754	3,732	1,207	601	8,294	-	-	477	1,150	494	1,005	-	3,126
G.O.+	(70)	-	-	41	39	-	80	-	-	-	21	-	-	-	21
G.O.	(71)	-	233	426	98	61	818	-	-	42	53	36	110	-	241
Total		313	118,815	97,003	16,847	1,316	234,294	374	115,801	38,107	8,018	4,171	-	-	166,471
<b>Light Spotted:</b>															
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	11	20	-	-	31	-	-	64	-	-	-	-	64
M.	(32)	-	1,910	3,377	1,213	30	6,530	-	-	3,497	2,025	349	29	-	5,900
S.L.M.	(42)	202	4,697	15,923	12,784	1,028	34,634	303	12,452	18,500	7,336	1,651	-	-	40,242
L.M.	(52)	-	1,832	5,112	5,777	1,905	14,626	-	-	2,014	4,356	2,237	2,460	-	11,067
Total		202	8,450	24,432	19,774	2,963	55,821	303	18,027	24,881	9,922	4,140	-	-	57,273
<b>Spotted:</b>															
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(33)	-	89	81	544	49	763	-	-	64	105	22	11	-	202
S.L.M.	(43)	-	189	477	3,613	909	5,188	-	-	276	559	334	302	-	1,471
L.M.	(53)	-	133	223	1,738	2,055	4,149	-	-	127	200	189	253	-	769
Total		-	411	781	5,895	3,013	10,100	-	-	467	864	545	566	-	2,442
<b>Tinged:</b>															
All grades		-	11	10	314	186	521	-	-	-	-	15	11	-	26
<b>Light Gray:</b>															
All grades		-	33	182	124	46	385	-	-	11	105	29	246	-	391
<b>Gray:</b>															
All grades		-	-	20	-	-	20	-	-	-	11	-	-	-	11
<b>Below Grade</b>															
		-	178	284	380	893	1,735	-	-	117	295	153	408	-	973
All grades		515	127,898	122,712	43,334	8,417	302,876 <u>1/</u>	677	134,423	64,263	18,682	9,542	-	-	227,587 <u>1/</u>
Grade index		92.0	91.4	89.6	86.4	78.3	89.6	91.8	93.4	88.8	87.1	82.2	-	-	91.1
<b>Staple</b>															
26 and shorter		-	-	-	-	-	-	-	-	-	-	-	-	-	-
28		-	-	-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	7	-	7	-	-	-	-	-	-	-	-
31		-	-	-	-	-	-	-	-	11	-	-	-	-	11
32		-	11	80	75	111	277	-	-	32	-	-	-	-	32
33		-	788	1,986	4,508	1,905	9,187	-	-	86	33	15	212	-	346
34		263	56,411	59,131	31,609	5,864	153,278	20	7,314	4,568	5,012	5,295	-	-	22,209
35		252	69,110	60,856	6,938	537	137,693	353	98,841	47,290	13,177	4,035	-	-	163,696
36		-	1,500	639	197	-	2,336	304	27,724	12,235	471	-	-	-	40,734
37		-	78	20	-	-	98	-	-	393	137	7	-	-	537
38		-	-	-	-	-	-	-	-	22	-	-	-	-	22
39		-	-	-	-	-	-	-	-	-	-	-	-	-	-
40 and longer		-	-	-	-	-	-	-	-	-	-	-	-	-	-
All staples		515	127,898	122,712	43,334	8,417	302,876 <u>1/</u>	677	134,423	64,263	18,682	9,542	-	-	227,587 <u>1/</u>
Average staple		34.5	34.6	34.5	34.1	33.8	34.4	35.4	35.2	35.1	34.8	34.4	-	-	35.1

1/ As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1974-75 (Cont'd.)

ARKANSAS								LOUISIANA							
Grade and Staple		Prior to Oct. 1	October	November	December	After Dec. 31	Total crop			Prior to Oct. 1	October	November	December	After Dec. 31	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales			Bales	Bales	Bales	Bales	Bales	Bales
<b>White:</b>															
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	262	9	-	-	271	39	122	48	-	-	-	-	209
M.+	(30)	-	71	11	-	-	82	-	-	-	-	-	-	-	-
M.	(31)	109	43,112	6,747	430	39	50,437	2,065	16,595	3,780	608	6	-	-	23,054
S.L.M.+	(40)	-	4,376	585	15	-	4,976	34	551	325	14	-	-	-	924
S.L.M.	(41)	486	250,046	135,878	32,876	1,977	421,263	9,244	181,492	59,467	20,762	532	-	-	271,497
L.M.+	(50)	163	13,145	4,166	399	70	17,943	203	5,286	1,254	124	11	-	-	6,878
L.M.	(51)	217	61,186	70,539	31,455	5,030	168,427	825	38,326	25,791	14,020	2,468	-	-	81,430
S.G.O.+	(60)	-	245	91	43	8	387	-	204	84	48	24	-	-	360
S.G.O.	(61)	109	2,146	3,222	2,514	2,563	10,554	75	2,784	1,657	2,004	1,425	-	-	7,945
G.O.+	(70)	-	-	-	-	-	-	-	50	-	7	-	-	-	57
G.O.	(71)	-	158	219	113	223	713	-	409	218	258	242	-	-	1,127
Total		1,084	374,747	221,467	67,845	9,910	675,053	12,485	245,819	92,624	37,845	4,708	-	-	393,481
<b>Light Spotted:</b>															
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	83	53	-	-	136	-	-	-	21	-	-	-	21
M.	(32)	163	3,811	4,877	3,150	175	12,176	1,621	7,774	2,708	1,772	84	-	-	13,959
S.L.M.	(42)	54	24,016	41,854	43,345	5,642	114,911	7,426	51,159	25,038	10,888	1,221	-	-	95,732
L.M.	(52)	109	4,942	10,179	11,962	8,952	36,144	991	11,750	7,965	3,249	2,659	-	-	26,614
Total		326	32,852	56,963	58,457	14,769	163,367	10,038	70,683	35,711	15,930	3,964	-	-	136,326
<b>Spotted:</b>															
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	14	-	-	-	14
M.	(33)	-	34	239	1,289	227	1,789	17	174	205	734	36	-	-	1,166
S.L.M.	(43)	-	452	1,463	8,420	2,849	13,184	628	1,847	1,703	1,950	451	-	-	6,579
L.M.	(53)	-	306	765	2,068	4,009	7,148	140	1,118	1,115	544	647	-	-	3,564
Total		-	792	2,467	11,777	7,085	22,121	785	3,139	3,023	3,242	1,134	-	-	11,323
<b>Tinged:</b>															
All grades		-	-	-	461	359	820	-	49	24	90	71	-	-	234
<b>Stained:</b>															
All grades		-	-	-	-	6	6	-	9	-	-	-	-	-	9
<b>Light Gray:</b>															
All grades		-	35	170	175	333	713	94	244	144	534	505	-	-	1,521
<b>Gray:</b>															
All grades		-	-	-	-	10	10	-	-	12	-	24	-	-	36
<b>Below Grade</b>															
		-	245	418	470	1,019	2,152	120	737	494	256	605	-	-	2,212
All grades		1,410	408,671	281,485	139,185	33,491	864,242 1/	23,522	320,680	132,032	57,897	11,011	-	-	545,142 1/
Grade index		90.3	92.6	90.2	87.8	82.0	90.6	91.6	91.5	89.9	88.7	81.3	-	-	90.6
<b>Staple</b>															
26 and shorter		-	-	-	-	-	-	-	-	-	-	-	-	-	-
28		-	-	-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	17	-	-	-	-	-	-	17
31		-	-	-	-	-	-	68	-	-	-	-	-	-	68
32		-	10	10	6	6	32	694	173	-	7	-	-	-	874
33		-	327	164	1,051	681	2,223	2,132	7,374	500	265	177	-	-	10,448
34		162	41,317	38,098	76,006	21,127	176,710	13,214	173,644	25,260	14,406	7,076	-	-	233,600
35		759	294,345	227,600	61,717	11,443	595,864	7,380	131,983	94,419	42,762	3,758	-	-	280,302
36		489	71,626	15,613	405	234	88,367	17	7,075	11,661	457	-	-	-	19,210
37		-	1,046	-	-	-	1,046	-	380	192	-	-	-	-	572
38		-	-	-	-	-	-	-	51	-	-	-	-	-	51
39		-	-	-	-	-	-	-	-	-	-	-	-	-	-
40 and longer		-	-	-	-	-	-	-	-	-	-	-	-	-	-
All staples		1,410	408,671	281,485	139,185	33,491	864,242 1/	23,522	320,680	132,032	57,897	11,011	-	-	545,142 1/
Average staple		35.2	35.1	34.9	34.4	34.3	34.9	34.2	34.4	34.9	34.7	34.3	-	-	34.6

1/ As reported by the Bureau of the Census, running bales.



Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1974-75 (Cont'd.)

## OKLAHOMA

## TEXAS

Grade and Staple		Prior to Oct. 1	October	November	December	After Dec. 31	Total crop			Prior to Sept. 1	September	October	November	December	After Dec. 31	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
<b>White:</b>																
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	-	-	-	-	-	-	-	2,749	144	93	11	21	28	3,046
M.+	(30)	-	-	-	-	-	-	-	-	161	7	-	-	71	4	243
M.	(31)	-	34	294	1,129	303	1,760	1,760	1,760	118,397	2,875	949	2,775	12,357	1,910	139,263
S.L.M.+	(40)	-	-	-	154	7	161	161	161	5,163	171	256	381	763	79	6,813
S.L.M.	(41)	8	677	7,369	31,222	12,602	51,878	51,878	51,878	192,571	12,024	13,490	90,180	239,233	42,241	589,739
L.M.+	(50)	-	11	241	738	84	1,074	1,074	1,074	4,756	264	209	2,176	3,728	421	11,554
L.M.	(51)	-	350	9,787	20,401	9,031	39,569	39,569	39,569	50,566	5,215	9,554	114,593	218,570	37,563	436,061
S.G.O.+	(60)	-	-	134	167	7	308	308	308	518	18	44	214	533	29	1,356
S.G.O.	(61)	-	23	804	2,322	984	4,133	4,133	4,133	5,291	1,610	4,371	18,379	20,962	4,220	54,833
G.O.+	(70)	-	-	-	-	-	-	-	-	88	-	-	-	68	9	165
G.O.	(71)	-	-	27	249	70	346	346	346	523	195	902	623	1,011	969	4,223
Total		8	1,095	18,656	56,382	23,088	99,229	99,229	99,229	380,783	22,523	29,868	229,332	497,317	87,473	1,247,296
<b>Light Spotted:</b>																
G.M.	(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-	-	-	716	15	44	-	81	-	856
M.	(32)	-	80	883	8,068	3,388	12,419	12,419	12,419	53,712	6,020	1,309	7,256	40,073	8,288	116,658
S.L.M.	(42)	-	781	13,947	64,121	41,473	120,322	120,322	120,322	84,978	30,266	25,842	73,525	296,354	87,082	598,047
L.M.	(52)	-	126	6,306	19,183	20,909	46,524	46,524	46,524	14,964	27,412	42,489	45,977	136,022	55,953	322,817
Total		-	987	21,136	91,372	65,770	179,265	179,265	179,265	154,370	63,713	69,684	126,758	472,530	151,323	1,038,378
<b>Spotted:</b>																
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	4	9	41	20	4	78
M.	(33)	-	-	80	772	719	1,571	1,571	1,571	714	265	289	813	7,067	2,378	11,526
S.L.M.	(43)	-	11	2,514	6,635	6,476	15,636	15,636	15,636	2,617	3,286	2,381	8,645	28,161	17,132	62,222
L.M.	(53)	-	-	1,499	2,758	4,717	8,974	8,974	8,974	1,291	6,703	18,793	6,463	13,129	11,857	58,236
Total		-	11	4,093	10,165	11,912	26,181	26,181	26,181	4,622	10,258	21,472	15,962	48,377	31,371	132,062
<b>Tinged:</b>																
All grades		-	11	27	232	181	451	451	451	15	346	167	79	810	950	2,367
<b>Stained:</b>																
All grades		-	-	-	-	-	-	-	-	-	-	32	-	30	-	62
<b>Light Gray:</b>																
All grades		-	-	-	77	65	142	142	142	2,124	158	441	51	51	295	3,120
<b>Gray:</b>																
All grades		-	-	-	-	12	12	12	12	170	9	46	-	-	20	245
<b>Below Grade</b>																
All grades		-	11	909	848	1,287	3,055	3,055	3,055	1,061	1,600	13,760	1,259	2,084	5,450	25,214
<b>Grade index</b>																
All grades		8	2,115	44,821	159,076	102,315	308,335 1/	308,335 1/	308,335 1/	543,145	98,607	135,470	373,441	1,021,199	276,882	2,448,744 1/
<b>Staple</b>																
26 and shorter		-	-	-	-	-	-	-	-	-	7	420	66	47	50	590
28		-	-	81	198	7	286	286	286	74	104	6,028	1,673	2,451	975	11,305
29		-	22	270	1,357	258	1,907	1,907	1,907	2,071	2,845	25,494	9,561	21,496	6,103	67,570
30		-	338	4,144	14,786	3,375	22,643	22,643	22,643	21,683	36,564	43,128	46,454	194,379	52,676	394,884
31		-	385	10,655	48,414	18,983	78,437	78,437	78,437	37,430	20,362	11,258	79,948	340,276	106,901	596,175
32		-	306	12,524	66,189	57,781	136,800	136,800	136,800	32,390	7,159	8,716	73,099	238,631	68,470	428,465
33		-	136	8,854	19,366	18,264	46,620	46,620	46,620	102,432	9,377	12,025	59,418	112,712	24,377	320,341
34		-	111	5,873	6,603	3,177	15,764	15,764	15,764	285,311	15,766	19,830	52,505	72,477	12,529	458,418
35		3	400	1,490	1,944	449	4,286	4,286	4,286	60,872	6,118	3,782	24,082	24,520	3,351	122,725
36		5	371	850	219	21	1,466	1,466	1,466	867	305	3,068	15,468	10,633	1,364	31,705
37		-	46	80	-	-	126	126	126	15	-	1,598	10,346	3,163	69	15,191
38		-	-	-	-	-	-	-	-	-	-	45	635	315	17	1,012
39		-	-	-	-	-	-	-	-	-	-	-	33	50	-	83
40 and longer		-	-	-	-	-	-	-	-	-	-	78	153	49	-	280
All staples		8	2,115	44,821	159,076	102,315	308,335 1/	308,335 1/	308,335 1/	543,145	98,607	135,470	373,441	1,021,199	276,882	2,448,744 1/
<b>Average staple</b>																
All staples		35.6	33.0	32.2	31.7	32.0	31.9	31.9	31.9	33.4	31.6	31.1	32.4	31.6	31.4	32.1

1/ As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1974-75 (Cont'd.)

## NEW MEXICO

## ARIZONA

Grade and Staple		Prior to Oct. 1	October	November	December	After Dec. 31	Total crop			Prior to Oct. 1	October	November	December	After Dec. 31	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
<b>White:</b>															
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	16	-	14	5	35	364	1,335	291	239	99	2,328		
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(31)	14	1,843	5,327	1,296	118	8,598	15,483	76,463	37,682	20,907	6,062	156,597		
S.L.M.+	(40)	-	404	2,679	401	20	3,504	1,879	6,920	7,833	5,155	1,562	23,349		
S.L.M.	(41)	16	7,784	53,047	16,817	2,243	79,907	11,414	104,149	197,721	102,736	33,281	449,301		
L.M.+	(50)	-	154	4,384	2,658	326	7,522	176	1,910	9,504	4,314	1,947	17,851		
L.M.	(51)	-	447	6,471	7,581	1,721	16,220	1,515	9,280	48,846	28,051	14,584	102,276		
S.G.O.+	(60)	-	-	26	59	5	90	-	45	711	922	167	1,845		
S.G.O.	(61)	-	-	641	957	1,070	2,668	36	441	2,980	4,335	9,182	16,974		
G.O.+	(70)	-	-	-	7	-	7	-	-	-	15	-	15		
G.O.	(71)	-	-	26	176	387	589	36	33	291	1,677	3,726	5,763		
Total		30	10,648	72,601	29,966	5,895	119,140	30,903	200,576	305,859	168,351	70,610	776,299		
<b>Light Spotted:</b>															
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	15	-	15	124	427	59	8	14	632		
M.	(32)	-	534	1,367	1,376	281	3,558	6,308	49,802	13,682	3,859	1,785	75,436		
S.L.M.	(42)	-	827	2,765	5,797	1,672	11,061	1,852	25,216	30,285	9,656	5,018	72,027		
L.M.	(52)	-	90	795	2,123	1,415	4,423	25	3,142	6,294	4,921	6,449	20,831		
Total		-	1,451	4,927	9,311	3,368	19,057	8,309	78,587	50,320	18,444	13,266	168,926		
<b>Spotted:</b>															
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(33)	-	-	12	95	54	161	75	101	216	104	154	650		
S.L.M.	(43)	-	60	49	344	265	718	135	528	760	366	160	1,949		
L.M.	(53)	-	-	-	146	180	326	68	177	635	725	261	1,866		
Total		-	60	61	585	499	1,205	278	806	1,611	1,195	575	4,465		
<b>Tinged:</b>															
All grades		-	-	-	16	25	41	-	11	36	-	5	52		
<b>Stained:</b>															
All grades		-	-	-	-	-	-	-	-	-	8	6	14		
<b>Light Gray:</b>															
All grades		-	22	65	7	-	94	-	403	1,532	685	178	2,798		
<b>Gray:</b>															
All grades		-	-	-	-	-	-	-	11	-	-	7	18		
<b>Below Grade</b>															
		-	-	39	105	459	603	18	718	2,466	4,901	9,676	17,779		
All grades		30	12,181	77,693	39,990	10,246	140,140 1/	39,508	281,112	361,824	193,584	94,323	970,351 1/		
Grade index		96.8	94.3	93.1	90.1	84.8	91.7	96.4	95.2	92.3	91.2	85.5	92.4		
<b>Staple</b>															
26 and shorter		-	-	-	-	-	-	-	-	-	-	-	-	-	-
28		-	-	39	23	-	62	-	-	-	24	16	40		
29		-	-	254	234	80	568	-	34	60	101	74	269		
30		-	-	825	2,280	932	4,037	-	66	243	1,084	883	2,276		
31		-	-	760	2,733	902	4,395	-	99	403	978	2,577	4,057		
32		-	-	857	2,039	514	3,410	36	545	1,622	3,755	10,599	16,557		
33		-	-	489	1,068	663	2,220	18	762	4,061	5,483	15,350	25,674		
34		-	81	448	1,745	1,399	3,673	2,128	18,513	81,162	67,987	43,015	212,805		
35		-	605	2,992	3,654	1,955	9,206	35,785	248,633	241,675	103,573	19,291	648,957		
36		27	5,310	25,491	14,000	3,164	47,992	1,530	11,155	28,103	8,403	2,212	51,403		
37		3	5,371	40,177	10,772	444	56,767	11	1,165	4,118	1,734	196	7,224		
38		-	747	4,356	740	160	6,003	-	50	143	167	94	454		
39		-	67	64	421	33	585	-	-	12	24	6	42		
40 and longer		-	-	941	281	-	1,222	-	90	222	271	10	593		
All staples		30	12,181	77,693	39,990	10,246	140,140 1/	39,508	281,112	361,824	193,584	94,323	970,351 1/		
Average staple		36.1	36.5	36.4	35.2	34.2	35.9	35.0	35.0	34.8	34.6	33.8	34.7		

1/ As reported by the Bureau of the Census, running bales.

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by states, 1974-75 (Cont'd.)

## CALIFORNIA

Grade and Staple		Prior to Oct. 1	October	November	December	After Dec. 31	Total crop
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales
<b>White:</b>							
G.M.	(11)	-	-	-	6	-	6
S.M.	(21)	268	5,138	3,914	3,393	591	13,304
M.+	(30)	-	13	12	57	20	102
M.	(31)	41,772	511,257	203,124	95,690	26,019	877,862
S.L.M.+	(40)	5,735	208,858	93,188	26,546	11,430	345,757
S.L.M.	(41)	8,027	374,948	448,896	105,576	34,351	971,798
L.M.+	(50)	37	15,794	32,570	6,424	2,032	56,857
L.M.	(51)	111	36,444	93,845	27,473	7,011	164,884
S.G.O.+	(60)	-	314	1,737	738	191	2,980
S.G.O.	(61)	-	2,009	12,218	10,878	4,837	29,942
G.O.+	(70)	-	-	29	57	26	112
G.O.	(71)	-	112	2,276	2,552	1,733	6,673
Total		55,950	1,154,887	891,809	279,390	88,241	2,470,277
<b>Light Spotted:</b>							
G.M.	(12)	-	-	-	-	-	-
S.M.	(22)	-	76	264	47	24	411
M.	(32)	275	4,392	8,815	3,789	1,227	18,498
S.L.M.	(42)	286	8,086	22,179	6,221	1,854	38,626
L.M.	(52)	-	1,674	11,772	4,316	1,502	19,264
Total		561	14,228	43,030	14,373	4,607	76,799
<b>Spotted:</b>							
G.M.	(13)	-	-	-	-	-	-
S.M.	(23)	-	13	23	-	-	36
M.	(33)	74	145	952	821	155	2,073
S.L.M.	(43)	-	625	1,638	775	170	3,282
L.M.	(53)	-	204	2,968	1,085	186	4,443
Total		74	987	5,581	2,681	511	9,834
<b>Tinged:</b>							
All grades		-	13	86	28	43	170
<b>Stained:</b>							
All grades		-	-	23	9	-	32
<b>Light Gray:</b>							
All grades		-	415	2,601	939	1,496	5,451
<b>Gray:</b>							
All grades		-	12	128	117	66	323
Below Grade		-	198	3,151	2,232	1,630	7,211
All grades		56,585	1,170,740	946,409	299,769	96,594	2,570,097 <sup>1/</sup>
Grade index		98.7	96.8	93.8	93.8	93.0	95.2
<b>Staple</b>							
26 and shorter		-	-	-	-	-	-
28		-	-	-	-	-	-
29		-	-	-	-	-	-
30		-	12	12	-	19	43
31		-	13	95	6	111	225
32		-	151	438	395	1,013	1,997
33		-	458	701	1,062	2,711	4,932
34		628	12,568	36,869	27,195	18,529	95,789
35		53,281	735,119	573,006	167,598	53,060	1,582,064
36		2,676	421,857	334,897	103,126	21,144	883,700
37		-	562	391	387	7	1,347
38		-	-	-	-	-	-
39		-	-	-	-	-	-
40 and longer		-	-	-	-	-	-
All staples		56,585	1,170,740	946,409	299,769	96,594	2,570,097 <sup>1/</sup>
Average staple		35.0	35.3	35.3	35.2	34.9	35.3

<sup>1/</sup> As reported by the Bureau of the Census, running bales.



# SOUTHEASTERN SMITH-DOXEY CLASSING OFFICE TERRITORIES




Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1974-75

		RALEIGH		COLUMBIA		AUGUSTA	
Grade and Staple		Ginned in State		Classing Office total	::	Ginned in State	
		North Carolina	Virginia			South Carolina	Georgia
Grade	Code	Bales	Bales	Bales	::	Bales	Bales
<b>White:</b>							
G.M.	(11)	-	-	-	::	9	-
S.M.	(21)	69	-	69	::	260	68
M.+	(30)	-	-	-	::	-	-
M.	(31)	1,354	10	1,364	::	7,852	1,442
S.L.M.+	(40)	881	-	881	::	1,144	569
S.L.M.	(41)	37,990	280	38,270	::	91,332	27,992
L.M.+	(50)	15,512	71	15,583	::	15,377	6,517
L.M.	(51)	37,479	1,009	38,488	::	74,143	21,352
S.G.O.+	(60)	891	10	901	::	1,957	679
S.G.O.	(61)	4,938	198	5,136	::	10,808	3,812
G.O.+	(70)	34	-	34	::	32	11
G.O.	(71)	880	10	890	::	1,469	337
Total		100,028	1,588	101,616	::	204,383	62,779
<b>Light Spotted:</b>							
G.M.	(12)	-	-	-	::	-	-
S.M.	(22)	9	-	9	::	70	27
M.	(32)	873	9	882	::	5,146	1,788
S.L.M.	(42)	13,209	246	13,455	::	26,808	20,022
L.M.	(52)	10,851	544	11,395	::	20,970	12,157
Total		24,942	799	25,741	::	52,994	33,994
<b>Spotted:</b>							
G.M.	(13)	-	-	-	::	-	-
S.M.	(23)	-	-	-	::	26	9
M.	(33)	260	-	260	::	345	29
S.L.M.	(43)	2,045	-	2,045	::	2,248	321
L.M.	(53)	2,049	20	2,069	::	2,258	661
Total		4,354	20	4,374	::	4,877	1,020
<b>Tinged:</b>							
All grades		54	-	54	::	172	16
<b>Light Gray:</b>							
All grades		94	-	94	::	322	17
<b>Gray:</b>							
All grades		15	-	15	::	-	-
<b>Below Grade</b>							
All grades		1,549	20	1,569	::	2,398	1,223
<b>Grade index</b>							
All grades		131,036	2,427	133,463	::	265,146	99,049
<b>Staple</b>							
26 and shorter		-	-	-	::	-	-
28		-	-	-	::	-	-
29		-	-	-	::	-	-
30		-	-	-	::	9	-
31		-	-	-	::	35	53
32		-	-	-	::	193	291
33		43	-	43	::	1,840	6,039
34		5,118	231	5,349	::	44,233	72,314
35		70,676	1,739	72,415	::	179,296	20,297
36		54,197	457	54,654	::	38,072	55
37		986	-	986	::	1,455	-
38		16	-	16	::	13	-
39		-	-	-	::	-	-
40 and longer		-	-	-	::	-	-
All staples		131,036	2,427	133,463	::	265,146	99,409
Average staple		35.4	35.1	35.4	::	35.0	34.1

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1974-75 (Cont'd.)

		ATLANTA		BIRMINGHAM		MONTGOMERY		
Grade and Staple		Ginned in State	::	Ginned in State	::	Ginned in State		Classing
		Georgia	::	Alabama	::	Alabama	Florida	Office
			::		::			total
Grade	Code	Bales	::	Bales	::	Bales	Bales	Bales
White:								
G.M.	(11)	-	::	10	::	-	-	-
S.M.	(21)	32	::	516	::	97	-	97
M.+	(30)	10	::	-	::	-	-	-
M.	(31)	1,318	::	18,539	::	2,351	23	2,374
S.L.M.+	(40)	379	::	8,010	::	308	-	308
S.L.M.	(41)	64,067	::	165,849	::	72,612	5,590	78,202
L.M.+	(50)	10,051	::	20,783	::	7,926	612	8,538
L.M.	(51)	102,272	::	66,468	::	48,909	4,471	53,380
S.G.O.+	(60)	3,860	::	1,785	::	332	27	359
S.G.O.	(61)	15,044	::	7,956	::	4,778	304	5,082
G.O.+	(70)	206	::	-	::	-	-	-
G.O.	(71)	1,343	::	920	::	400	35	435
Total		198,582	::	290,836	::	137,713	11,062	148,775
Light Spotted:								
G.M.	(12)	-	::	-	::	-	-	-
S.M.	(22)	-	::	39	::	130	-	130
M.	(32)	620	::	3,947	::	2,833	20	2,853
S.L.M.	(42)	34,448	::	19,316	::	22,091	1,219	23,310
L.M.	(52)	54,494	::	10,036	::	13,768	652	14,420
Total		89,562	::	33,338	::	38,822	1,891	40,713
Spotted:								
G.M.	(13)	-	::	-	::	-	-	-
S.M.	(23)	-	::	30	::	-	-	-
M.	(33)	56	::	316	::	211	-	211
S.L.M.	(43)	951	::	2,160	::	1,159	27	1,186
L.M.	(53)	4,498	::	1,152	::	1,506	29	1,535
Total		5,505	::	3,658	::	2,876	56	2,932
Tinged:								
All grades		18	::	117	::	93	-	93
Stained:								
All grades		-	::	3	::	-	-	-
Light Gray:								
All grades		149	::	165	::	169	9	178
Gray:								
All grades		18	::	30	::	9	-	9
Below Grade								
		3,410	::	994	::	986	27	1,013
All grades								
		297,244	::	329,141	::	180,668	13,045	193,713
Grade index								
		85.7	::	90.8	::	88.9	88.9	88.9
Staple								
26 and shorter		-	::	-	::	-	-	-
28		-	::	-	::	-	-	-
29		-	::	-	::	-	-	-
30		70	::	-	::	9	-	9
31		231	::	26	::	37	12	49
32		3,292	::	800	::	594	41	635
33		45,741	::	18,780	::	14,742	518	15,260
34		192,591	::	205,971	::	127,115	11,139	138,254
35		53,875	::	100,384	::	38,046	1,326	39,372
36		1,398	::	3,015	::	125	9	134
37		46	::	116	::	-	-	-
38		-	::	49	::	-	-	-
39		-	::	-	::	-	-	-
40 and longer		-	::	-	::	-	-	-
All staples								
		297,244	::	329,141	::	180,668	13,045	193,713
Average staple								
		34.0	::	34.3	::	34.1	34.1	34.1



# SOUTH CENTRAL SMITH-DOXEY CLASSING OFFICE TERRITORIES



Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1974-75 (Cont'd.)

		GREENWOOD		JACKSON	
Grade and Staple		Ginned in State	::	Ginned in State	
		Mississippi	::	Mississippi	
Grade	Code	Bales	::	Bales	
White:			::		
G.M.	(11)	-	::	-	
S.M.	(21)	772	::	730	
M.+	(30)	-	::	10	
M.	(31)	23,418	::	8,210	
S.L.M.+	(40)	3,476	::	1,505	
S.L.M.	(41)	540,864	::	66,970	
L.M.+	(50)	20,528	::	1,565	
L.M.	(51)	413,904	::	40,199	
S.G.O.+	(60)	1,465	::	182	
S.G.O.	(61)	48,688	::	3,697	
G.O.+	(70)	33	::	-	
G.O.	(71)	6,744	::	432	
Total		1,059,892	::	123,500	
Light Spotted:			::		
G.M.	(12)	-	::	-	
S.M.	(22)	47	::	68	
M.	(32)	5,255	::	1,462	
S.L.M.	(42)	76,567	::	7,994	
L.M.	(52)	41,258	::	5,253	
Total		123,127	::	14,777	
Spotted:			::		
G.M.	(13)	-	::	-	
S.M.	(23)	-	::	-	
M.	(33)	383	::	60	
S.L.M.	(43)	3,998	::	416	
L.M.	(53)	4,228	::	479	
Total		8,609	::	955	
Tinged:			::		
All grades		98	::	6	
Light Gray:			::		
All grades		337	::	84	
Gray:			::		
All grades		43	::	10	
Below Grade		9,385	::	217	
All grades		1,201,491	::	139,549	
Grade index		88.9	::	90.3	
Staple			::		
26 and shorter		-	::	-	
28		-	::	-	
29		-	::	-	
30		-	::	-	
31		-	::	16	
32		105	::	471	
33		2,987	::	14,900	
34		340,337	::	80,961	
35		810,091	::	42,114	
36		46,211	::	1,087	
37		1,472	::	-	
38		288	::	-	
39		-	::	-	
40 and longer		-	::	-	
All staples		1,201,491	::	139,549	
Average staple		34.8	::	34.2	

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1974-75 (Cont'd.)

		MEMPHIS				HAYTI	
Grade and Staple		Ginned in State				Classing	Ginned in State
		Tennessee	Kentucky	Arkansas	Mississippi	Office total	Missouri
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales
<b>White:</b>							
G.M.	(11)	-	-	-	-	-	-
S.M.	(21)	505	-	19	541	1,065	265
M.+	(30)	-	-	71	21	92	85
M.	(31)	13,549	149	1,083	11,839	26,620	20,752
S.L.M.+	(40)	2,883	17	165	2,033	5,098	2,278
S.L.M.	(41)	127,922	421	17,924	88,670	234,937	97,306
L.M.+	(50)	5,903	87	656	4,431	11,077	10,880
L.M.	(51)	73,770	317	8,610	52,406	135,103	31,026
S.G.O.+	(60)	570	-	61	208	839	491
S.G.O.	(61)	8,294	26	1,221	7,520	17,061	3,126
G.O.+	(70)	80	-	-	11	91	21
G.O.	(71)	818	-	102	889	1,809	241
Total		234,294	1,017	29,912	168,569	433,792	166,471
<b>Light Spotted:</b>							
G.M.	(12)	-	-	-	-	-	-
S.M.	(22)	31	-	-	39	70	64
M.	(32)	6,530	54	1,017	3,040	10,641	5,900
S.L.M.	(42)	34,634	131	5,762	16,468	56,995	40,242
L.M.	(52)	14,626	22	2,837	8,690	26,175	11,067
Total		55,821	207	9,616	28,237	93,881	57,273
<b>Spotted:</b>							
G.M.	(13)	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-
M.	(33)	763	-	126	249	1,138	202
S.L.M.	(43)	5,188	9	701	1,324	7,222	1,471
L.M.	(53)	4,149	84	558	1,172	5,963	769
Total		10,100	93	1,385	2,745	14,323	2,442
<b>Tinged:</b>							
All grades		521	-	73	144	738	26
<b>Stained:</b>							
All grades		-	-	6	-	6	-
<b>Light Gray:</b>							
All grades		385	-	178	80	643	391
<b>Gray:</b>							
All grades		20	-	-	9	29	11
<b>Below Grade</b>							
All grades		1,735	-	525	1,095	3,355	973
<b>Grade index</b>							
All grades		302,876	1,317	41,695	200,879	546,767	227,587
Grade index		89.6	90.0	89.2	89.8	89.6	91.1
<b>Staple</b>							
26 and shorter		-	-	-	-	-	-
28		-	-	-	-	-	-
29		-	-	-	-	-	-
30		7	-	-	-	7	-
31		-	-	-	9	9	11
32		277	-	22	135	434	32
33		9,187	-	802	4,153	14,142	346
34		153,278	455	16,884	90,553	261,170	22,209
35		137,693	811	23,246	102,404	264,154	163,696
36		2,336	51	731	3,531	6,649	40,734
37		98	-	10	94	202	537
38		-	-	-	-	-	22
39		-	-	-	-	-	-
40 and longer		-	-	-	-	-	-
All staples		302,876	1,317	41,695	200,879	546,767	227,587
Average staple		34.4	34.7	34.6	34.5	34.5	35.1



Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1974-75 (Cont'd.)

		BLYTHEVILLE		LITTLE ROCK		WINNSBORO		ALEXANDRIA	
Grade and Staple		Ginned in State	::	Ginned in State	::	Ginned in State	::	Ginned in State	
		Arkansas	::	Arkansas	::	Louisiana	::	Louisiana	
Grade	Code	Bales	::	Bales	::	Bales	::	Bales	
White:									
G.M.	(11)	-	::	-	::	-	::	-	
S.M.	(21)	75	::	177	::	151	::	58	
M.+	(30)	11	::	-	::	-	::	-	
M.	(31)	17,701	::	31,653	::	20,077	::	2,977	
S.L.M.+	(40)	3,393	::	1,418	::	886	::	38	
S.L.M.	(41)	111,019	::	292,320	::	214,800	::	56,697	
L.M.+	(50)	7,586	::	9,701	::	6,556	::	322	
L.M.	(51)	39,972	::	119,845	::	59,710	::	21,720	
S.G.O.+	(60)	70	::	256	::	341	::	19	
S.G.O.	(61)	3,177	::	6,156	::	5,455	::	2,490	
G.O.+	(70)	-	::	-	::	31	::	26	
G.O.	(71)	171	::	440	::	748	::	379	
Total		183,175	::	461,966	::	308,755	::	84,726	
Light Spotted:									
G.M.	(12)	-	::	-	::	-	::	-	
S.M.	(22)	75	::	61	::	21	::	-	
M.	(32)	4,559	::	6,600	::	13,506	::	453	
S.L.M.	(42)	26,216	::	82,933	::	78,991	::	16,741	
L.M.	(52)	7,912	::	25,395	::	20,146	::	6,468	
Total		38,762	::	114,989	::	112,664	::	23,662	
Spotted:									
G.M.	(13)	-	::	-	::	-	::	-	
S.M.	(23)	-	::	-	::	14	::	-	
M.	(33)	555	::	1,108	::	1,123	::	43	
S.L.M.	(43)	3,311	::	9,172	::	5,506	::	1,073	
L.M.	(53)	1,994	::	4,596	::	2,549	::	1,015	
Total		5,860	::	14,876	::	9,192	::	2,131	
Tinged:									
All grades		136	::	611	::	183	::	51	
Stained:									
All grades		-	::	-	::	-	::	9	
Light Gray:									
All grades		281	::	254	::	1,228	::	293	
Gray:									
All grades		-	::	10	::	36	::	-	
Below Grade									
		520	::	1,107	::	1,792	::	420	
All grades		228,734	::	593,813	::	433,850	::	111,292	
Grade index		91.1	::	90.6	::	90.8	::	89.9	
Staple									
26 and shorter		-	::	-	::	-	::	-	
28		-	::	-	::	-	::	-	
29		-	::	-	::	-	::	-	
30		-	::	-	::	17	::	-	
31		-	::	-	::	68	::	-	
32		-	::	10	::	865	::	9	
33		479	::	942	::	7,388	::	3,060	
34		29,394	::	130,432	::	155,491	::	78,109	
35		148,507	::	424,111	::	250,206	::	30,096	
36		49,647	::	37,989	::	19,192	::	18	
37		707	::	329	::	572	::	-	
38		-	::	-	::	51	::	-	
39		-	::	-	::	-	::	-	
40 and longer		-	::	-	::	-	::	-	
All staples		228,734	::	593,813	::	433,850	::	111,292	
Average staple		35.1	::	34.8	::	34.6	::	34.2	

## SOUTHWESTERN SMITH-DOXEY CLASSING OFFICE TERRITORIES



Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1974-75 (Cont'd.)

ALTUS					DALLAS				
Grade and Staple		Ginned in State		Classing Office total	::	Ginned in State		Classing Office total	
		Oklahoma	Texas			Texas	Oklahoma		
Grade	Code	Bales	Bales	Bales	::	Bales	Bales	Bales	
<b>White:</b>									
G.M.	(11)	-	-	-	::	-	-	-	
S.M.	(21)	-	22	22	::	77	-	77	
M.+	(30)	-	-	-	::	-	-	-	
M.	(31)	1,744	8,766	10,510	::	2,969	16	2,985	
S.L.M.+	(40)	161	283	444	::	-	-	-	
S.L.M.	(41)	49,079	74,452	123,531	::	6,536	2,799	9,335	
L.M.+	(50)	1,044	641	1,685	::	112	30	142	
L.M.	(51)	35,789	22,229	58,018	::	5,998	3,780	9,778	
S.G.O.+	(60)	308	7	315	::	-	-	-	
S.G.O.	(61)	3,552	1,241	4,793	::	4,214	581	4,795	
G.O.+	(70)	-	-	-	::	-	-	-	
G.O.	(71)	303	7	310	::	627	43	670	
Total		91,980	107,648	199,628	::	20,533	7,249	27,782	
<b>Light Spotted:</b>									
G.M.	(12)	-	-	-	::	-	-	-	
S.M.	(22)	-	-	-	::	522	-	522	
M.	(32)	12,419	10,904	23,323	::	10,549	-	10,549	
S.L.M.	(42)	116,839	69,837	186,676	::	17,454	3,483	20,937	
L.M.	(52)	43,131	15,456	58,587	::	43,389	3,393	46,782	
Total		172,389	96,197	268,586	::	71,914	6,876	78,790	
<b>Spotted:</b>									
G.M.	(13)	-	-	-	::	-	-	-	
S.M.	(23)	-	-	-	::	-	-	-	
M.	(33)	1,565	722	2,287	::	262	6	268	
S.L.M.	(43)	15,375	4,796	20,171	::	2,391	261	2,652	
L.M.	(53)	8,004	2,248	10,252	::	15,302	970	16,272	
Total		24,944	7,766	32,710	::	17,955	1,237	19,192	
<b>Tinged:</b>									
All grades		432	85	517	::	37	19	56	
<b>Light Gray:</b>									
All grades		142	-	142	::	515	-	515	
<b>Gray:</b>									
All grades		-	-	-	::	46	12	58	
<b>Below Grade</b>									
		2,791	441	3,232	::	13,598	264	13,862	
All grades		292,678	212,137	504,815	::	124,598	15,657	140,255	
Grade index		87.3	90.1	88.5	::	81.4	85.0	81.8	
<b>Staple</b>									
26 and shorter		-	-	-	::	332	-	332	
28		216	188	404	::	5,784	70	5,854	
29		887	1,176	2,063	::	24,643	1,020	25,663	
30		18,509	29,973	48,482	::	66,427	4,134	70,561	
31		75,735	93,978	169,713	::	20,813	2,702	23,515	
32		134,520	70,168	204,688	::	4,085	2,280	6,365	
33		45,269	14,283	59,552	::	519	1,351	1,870	
34		13,733	2,138	15,871	::	1,131	2,031	3,162	
35		2,833	187	3,020	::	717	1,453	2,170	
36		850	46	896	::	147	616	763	
37		126	-	126	::	-	-	-	
38		-	-	-	::	-	-	-	
39		-	-	-	::	-	-	-	
40 and longer		-	-	-	::	-	-	-	
All staples		292,678	212,137	504,815	::	124,598	15,657	140,255	
Average staple		31.9	31.3	31.7	::	30.0	31.9	30.2	



Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1974-75 (Cont'd.)

		AUSTIN		CORPUS CHRISTI		HARLINGEN		ABILENE	
Grade and Staple		Ginned in State	::	Ginned in State	::	Ginned in State	::	Ginned in State	
		Texas	::	Texas	::	Texas	::	Texas	
Grade	Code	Bales	::	Bales	::	Bales	::	Bales	
<b>White:</b>									
G.M.	(11)	-	::	-	::	-	::	-	
S.M.	(21)	754	::	475	::	1,624	::	-	
M.+	(30)	168	::	-	::	-	::	-	
M.	(31)	8,580	::	30,940	::	78,919	::	1,301	
S.L.M.+	(40)	670	::	1,028	::	3,633	::	6	
S.L.M.	(41)	38,044	::	52,480	::	115,534	::	27,429	
L.M.+	(50)	843	::	2,508	::	1,666	::	42	
L.M.	(51)	18,827	::	12,954	::	26,655	::	16,041	
S.G.O.+	(60)	316	::	198	::	31	::	-	
S.G.O.	(61)	3,148	::	1,066	::	3,100	::	2,478	
G.O.+	(70)	88	::	-	::	-	::	-	
G.O.	(71)	713	::	77	::	350	::	146	
Total		72,151	::	101,726	::	231,512	::	47,443	
<b>Light Spotted:</b>									
G.M.	(12)	-	::	-	::	-	::	-	
S.M.	(22)	51	::	43	::	159	::	-	
M.	(32)	17,142	::	16,642	::	15,793	::	12,771	
S.L.M.	(42)	69,542	::	24,580	::	25,690	::	100,104	
L.M.	(52)	31,619	::	4,695	::	7,795	::	54,146	
Total		118,354	::	45,960	::	49,437	::	167,021	
<b>Spotted:</b>									
G.M.	(13)	-	::	-	::	-	::	-	
S.M.	(23)	9	::	-	::	4	::	-	
M.	(33)	367	::	306	::	319	::	739	
S.L.M.	(43)	2,860	::	1,366	::	1,330	::	17,050	
L.M.	(53)	11,079	::	792	::	857	::	10,585	
Total		14,315	::	2,464	::	2,510	::	28,374	
<b>Tinged:</b>									
All grades		477	::	8	::	15	::	218	
<b>Light Gray:</b>									
All grades		89	::	506	::	1,845	::	27	
<b>Gray:</b>									
All grades		-	::	8	::	179	::	12	
<b>Below Grade</b>									
All grades		3,852	::	512	::	1,016	::	863	
<b>Grade Index</b>									
All grades		209,238	::	151,184	::	286,514	::	243,958	
Grade index		87.7	::	93.0	::	93.7	::	86.5	
<b>Staple</b>									
26 and shorter		164	::	-	::	-	::	5	
28		2,650	::	-	::	-	::	1,236	
29		9,356	::	13	::	-	::	12,897	
30		32,325	::	457	::	15	::	84,250	
31		44,045	::	1,675	::	291	::	99,178	
32		26,917	::	13,805	::	2,782	::	34,931	
33		26,848	::	63,138	::	33,479	::	7,916	
34		53,124	::	68,805	::	197,005	::	2,351	
35		13,384	::	3,226	::	52,418	::	1,043	
36		425	::	65	::	509	::	151	
37		-	::	-	::	15	::	-	
38		-	::	-	::	-	::	-	
39		-	::	-	::	-	::	-	
40 and longer		-	::	-	::	-	::	-	
All staples		209,238	::	151,184	::	286,514	::	243,958	
Average staple		32.1	::	33.4	::	34.0	::	30.8	

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1974-75 (Cont'd.)

LUBBOCK					EL PASO				
Grade and Staple		Ginned in State		Classing Office total	::	Ginned in State			Classing Office total
		Texas	New Mexico			Texas	New Mexico	Arizona	
Grade	Code	Bales	Bales	Bales	::	Bales	Bales	Bales	Bales
White:					::				
G.M.	(11)	-	-	-	::	-	-	-	-
S.M.	(21)	-	-	-	::	88	23	20	131
M.+	(30)	75	-	75	::	-	-	-	-
M.	(31)	5,019	115	5,134	::	2,159	5,918	6,857	14,934
S.L.M.+	(40)	284	-	284	::	764	2,407	2,070	5,241
S.L.M.	(41)	241,507	1,203	242,710	::	19,315	39,528	20,572	79,415
L.M.+	(50)	3,238	79	3,317	::	2,081	4,881	955	7,917
L.M.	(51)	317,440	868	318,308	::	6,057	3,758	1,053	10,868
S.G.O.+	(60)	462	-	462	::	63	52	16	131
S.G.O.	(61)	35,678	96	35,774	::	1,699	403	136	2,238
G.O.+	(70)	70	-	70	::	7	7	-	14
G.O.	(71)	1,275	-	1,275	::	727	207	118	1,052
Total		605,048	2,361	607,409	::	32,960	57,184	31,797	121,941
Light Spotted:					::				
G.M.	(12)	-	-	-	::	-	-	-	-
S.M.	(22)	81	-	81	::	-	15	35	50
M.	(32)	31,188	264	31,452	::	818	2,767	7,108	10,693
S.L.M.	(42)	263,299	2,405	265,704	::	3,418	4,285	3,522	11,225
L.M.	(52)	152,495	810	153,305	::	2,100	932	167	3,199
Total		447,063	3,479	450,542	::	6,336	7,999	10,832	25,167
Spotted:					::				
G.M.	(13)	-	-	-	::	-	-	-	-
S.M.	(23)	65	-	65	::	-	-	-	-
M.	(33)	8,722	61	8,783	::	13	77	276	366
S.L.M.	(43)	29,238	293	29,531	::	179	195	153	527
L.M.	(53)	14,883	17	14,900	::	278	172	78	528
Total		52,908	371	53,279	::	470	444	507	1,421
Tinged:					::				
All grades		1,395	9	1,404	::	19	8	5	32
Stained:					::				
All grades		62	-	62	::	-	-	14	14
Light Gray:					::				
All grades		30	-	30	::	-	-	16	16
Below Grade		1,233	-	1,233	::	896	389	188	1,473
All grades		1,107,739	6,220	1,113,959	::	40,681	66,024	43,359	150,064
Grade index		87.2	88.3	87.2	::	89.6	93.0	94.5	92.5
Staple					::				
26 and shorter		63	-	63	::	-	-	-	-
28		1,337	9	1,346	::	-	-	16	16
29		18,105	184	18,289	::	-	-	-	-
30		171,795	1,907	173,702	::	38	7	-	45
31		327,601	2,190	329,791	::	-	15	-	15
32		268,422	1,255	269,677	::	148	44	98	290
33		161,086	472	161,558	::	926	355	336	1,617
34		99,502	168	99,670	::	6,251	1,958	5,497	13,706
35		39,413	18	39,431	::	9,262	4,770	16,465	30,497
36		14,794	17	14,811	::	13,693	30,325	13,485	57,503
37		4,717	-	4,717	::	9,892	25,727	6,598	42,217
38		835	-	835	::	177	1,175	324	1,676
39		-	-	-	::	83	452	42	577
40 and longer		69	-	69	::	211	1,196	498	1,905
All staples		1,107,739	6,220	1,113,959	::	40,681	66,024	43,359	150,064
Average staple		31.9	31.1	31.8	::	35.7	36.4	35.5	35.9

[illegible]

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1974-75 (Cont'd.)

CARLSBAD				PHOENIX		FRESNO		
Grade and Staple		Ginned in State		Classing Office total	::	Ginned in State Arizona	::	Ginned in State California
		New Mexico	Texas					
Grade	Code	Bales	Bales	Bales	::	Bales	::	Bales
White:								
G.M.	(11)	-	-	-	::	-	::	6
S.M.	(21)	12	6	18	::	1,915	::	5,324
M.+	(30)	-	-	-	::	-	::	90
M.	(31)	2,565	610	3,175	::	127,126	::	298,645
S.L.M.+	(40)	1,097	145	1,242	::	16,573	::	241,172
S.L.M.	(41)	39,176	14,442	53,618	::	381,757	::	382,064
L.M.+	(50)	2,562	423	2,985	::	15,688	::	39,708
L.M.	(51)	11,594	9,860	21,454	::	89,296	::	78,458
S.G.O.+	(60)	38	279	317	::	1,829	::	2,391
S.G.O.	(61)	2,169	2,209	4,378	::	15,700	::	13,999
G.O.+	(70)	-	-	-	::	15	::	87
G.O.	(71)	382	301	683	::	5,314	::	2,997
Total		59,595	28,275	87,870	::	655,213	::	1,064,941
Light Spotted:								
G.M.	(12)	-	-	-	::	-	::	-
S.M.	(22)	-	-	-	::	597	::	122
M.	(32)	527	851	1,378	::	65,697	::	3,309
S.L.M.	(42)	4,371	24,123	28,494	::	59,984	::	10,427
L.M.	(52)	2,681	11,122	13,803	::	16,388	::	5,882
Total		7,579	36,096	43,675	::	142,666	::	19,740
Spotted:								
G.M.	(13)	-	-	-	::	-	::	-
S.M.	(23)	-	-	-	::	-	::	13
M.	(33)	23	76	99	::	365	::	142
S.L.M.	(43)	230	3,012	3,242	::	1,673	::	942
L.M.	(53)	137	2,212	2,349	::	1,324	::	1,273
Total		390	5,300	5,690	::	3,362	::	2,370
Tinged:								
All grades		24	113	137	::	47	::	71
Light Gray:								
All grades		94	108	202	::	2,694	::	2,299
Gray:								
All grades		-	-	-	::	18	::	214
Below Grade		214	2,803	3,017	::	14,313	::	2,175
All grades		67,896	72,695	140,591	::	818,313	::	1,091,810
Grade index		90.8	86.0	88.3	::	92.4	::	95.0
Staple								
26 and shorter		-	26	26	::	-	::	-
28		53	110	163	::	24	::	-
29		384	1,380	1,764	::	269	::	-
30		2,123	9,604	11,727	::	2,245	::	-
31		2,190	8,594	10,784	::	3,935	::	29
32		2,111	7,207	9,318	::	15,016	::	130
33		1,393	12,146	13,539	::	23,282	::	528
34		1,547	28,111	29,658	::	196,454	::	6,503
35		4,418	3,075	7,493	::	544,685	::	479,948
36		17,650	1,875	19,525	::	31,552	::	603,418
37		31,040	567	31,607	::	626	::	1,254
38		4,828	-	4,828	::	130	::	-
39		133	-	133	::	-	::	-
40 and longer		26	-	26	::	95	::	-
All staples		67,896	72,695	140,591	::	818,313	::	1,091,810
Average staple		35.9	32.8	34.3	::	34.7	::	35.5



Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1974-75 (Cont'd.)

BAKERSFIELD					EL CENTRO		
Grade and Staple		Ginned in State		Classing Office total	Ginned in State		Classing Office total
		California	Nevada		California	Arizona	
Grade	Code	Bales	Bales	Bales	Bales	Bales	Bales
<b>White:</b>							
G.M.	(11)	-	-	-	-	-	-
S.M.	(21)	6,854	-	6,854	1,126	393	1,519
M.+	(30)	12	-	12	-	-	-
M.	(31)	469,456	623	470,079	109,761	22,614	132,375
S.L.M.+	(40)	92,648	242	92,890	11,937	4,706	16,643
S.L.M.	(41)	474,849	316	475,165	114,885	46,972	161,857
L.M.+	(50)	15,842	5	15,847	1,307	1,208	2,515
L.M.	(51)	76,908	18	76,926	9,518	11,927	21,445
S.G.O.+	(60)	561	-	561	28	-	28
S.G.O.	(61)	14,164	-	14,164	1,779	1,138	2,917
G.O.+	(70)	19	-	19	6	-	6
G.O.	(71)	3,032	-	3,032	644	331	975
Total		1,154,345	1,204	1,155,549	250,991	89,289	340,280
<b>Light Spotted:</b>							
G.M.	(12)	-	-	-	-	-	-
S.M.	(22)	289	-	289	-	-	-
M.	(32)	9,961	20	9,981	5,228	2,631	7,859
S.L.M.	(42)	17,430	5	17,435	10,769	8,521	19,290
L.M.	(52)	10,355	-	10,355	3,027	4,276	7,303
Total		38,035	25	38,060	19,024	15,428	34,452
<b>Spotted:</b>							
G.M.	(13)	-	-	-	-	-	-
S.M.	(23)	23	-	23	-	-	-
M.	(33)	1,856	-	1,856	75	9	84
S.L.M.	(43)	2,123	-	2,123	217	123	340
L.M.	(53)	2,820	-	2,820	350	464	814
Total		6,822	-	6,822	642	596	1,238
<b>Tinged:</b>							
All grades		81	-	81	18	-	18
<b>Stained:</b>							
All grades		32	-	32	-	-	-
<b>Light Gray:</b>							
All grades		1,463	-	1,463	1,689	88	1,777
<b>Gray:</b>							
All grades		83	-	83	26	-	26
Below Grade		2,603	-	2,603	2,433	3,278	5,711
All grades		1,203,464	1,229	1,204,693	274,823	108,679	383,502
Grade index		95.4	97.5	95.4	95.4	92.1	94.5
<b>Staple</b>							
26 and shorter		-	-	-	-	-	-
28		-	-	-	-	-	-
29		-	-	-	-	-	-
30		-	-	-	43	31	74
31		-	-	-	196	122	318
32		12	-	12	1,855	1,443	3,298
33		251	-	251	4,153	2,056	6,209
34		18,308	-	18,308	70,978	10,854	81,832
35		905,657	76	905,733	196,459	87,807	284,266
36		279,143	1,141	280,284	1,139	6,366	7,505
37		93	12	105	-	-	-
38		-	-	-	-	-	-
39		-	-	-	-	-	-
40 and longer		-	-	-	-	-	-
All staples		1,203,464	1,229	1,204,693	274,823	108,679	383,502
Average staple		35.2	35.9	35.2	34.7	34.9	34.7

Table 11. -- Percentage distribution of micronaire readings for upland cotton ginned in the United States, by states, 1974-75 with comparisons

State	2.6 and below		2.7-2.9		3.0-3.2		3.3-3.4		3.5-3.9		4.0-4.4		4.5-4.9		5.0-5.2		5.3 and above		Totals						Average mike			
	1973	1974	Pct.	Pct.	1973	1974	Pct.	Pct.	1973	1974	Pct.	Pct.	1973	1974	Pct.	Pct.	1973	1974	Pct.	Pct.	1973	1974	Pct.	Pct.	1973	1974	Rdg.	Rdg.
Va.	-	-	-	-	1.4	1.2	0.5	6.6	21.1	40.4	61.6	40.2	14.3	11.6	1.1	-	-	-	1.9	7.8	97.0	92.2	1.1	-	4.1	4.0		
N. C.	-	*	0.1	0.1	0.9	1.7	1.7	3.2	20.3	31.3	51.3	53.2	23.7	10.1	1.9	0.3	0.1	0.1	2.7	5.0	95.3	94.6	2.0	0.4	4.2	4.0		
S. C.	-	-	*	*	0.2	0.7	0.5	1.7	6.6	18.6	37.5	51.7	47.9	24.6	6.8	2.4	0.5	0.3	0.7	2.4	92.0	94.9	7.3	2.7	4.5	4.2		
Ga.	*	*	*	*	*	0.5	0.3	0.8	8.7	8.9	42.5	39.9	41.8	39.0	6.2	8.5	0.5	2.4	0.3	1.3	93.0	87.8	6.7	10.9	4.4	4.5		
Fla.	-	-	0.3	0.5	1.3	1.3	2.0	2.1	22.8	12.7	58.4	37.4	14.2	36.7	0.6	6.8	0.4	2.5	3.6	3.9	95.4	86.8	1.0	9.3	4.1	4.4		
Ala.	-	0.1	*	1.1	0.3	2.6	0.8	2.3	8.6	14.1	31.1	39.8	41.6	32.9	13.5	6.1	4.1	1.0	1.1	6.1	81.3	86.8	17.6	7.1	4.5	4.3		
Miss.	*	0.1	0.1	1.2	0.8	4.5	1.0	4.3	7.0	19.8	27.2	37.6	46.3	28.1	15.0	4.1	2.6	0.3	1.9	10.1	80.5	85.5	17.6	4.4	4.6	4.2		
Ky.	-	-	-	1.0	-	2.9	-	7.6	4.0	24.7	35.4	34.4	60.6	28.7	-	0.7	-	-	-	11.5	100.0	87.8	-	0.7	4.5	4.1		
Tenn.	*	0.3	*	2.1	0.1	6.8	0.4	6.3	5.4	31.4	30.1	39.8	50.8	12.8	11.3	0.5	1.9	*	0.5	15.5	86.3	84.0	13.2	0.5	4.6	3.9		
Mo.	*	0.2	0.3	3.3	1.9	8.6	2.6	7.1	17.7	24.5	39.7	32.6	30.6	20.0	6.0	3.2	1.2	0.5	4.8	19.2	88.0	77.1	7.2	3.7	4.3	4.0		
Ark.	*	0.1	0.1	1.4	0.8	5.1	0.9	4.6	7.0	18.1	25.1	35.5	46.2	29.8	16.3	4.7	3.6	0.7	1.8	11.2	78.3	83.4	19.9	5.4	4.6	4.2		
La.	*	*	0.5	0.2	1.1	1.1	1.2	1.5	6.6	8.7	30.3	28.3	44.5	46.7	12.6	11.0	3.2	2.5	2.8	2.8	81.4	83.7	15.8	13.5	4.5	4.5		
Okla.	0.1	1.5	1.0	4.3	2.7	8.8	2.8	7.0	13.3	21.5	30.2	28.6	33.8	21.1	12.5	5.7	3.6	1.5	6.6	21.6	77.3	71.2	16.1	7.2	4.4	4.0		
Tex.	0.4	11.6	1.1	12.8	3.4	12.3	3.8	6.8	19.6	18.1	37.7	18.4	26.9	12.5	5.7	5.7	1.4	1.8	8.7	43.5	84.2	49.0	7.1	7.5	4.2	3.7		
N. M.	6.5	3.2	13.7	10.4	15.7	19.2	9.6	14.0	31.6	37.4	20.4	15.3	2.3	0.5	0.2	-	*	-	45.5	46.8	54.3	53.2	0.2	-	3.5	3.5		
Ariz.	1.1	0.1	3.1	0.9	5.0	2.6	3.2	2.0	10.7	8.2	25.0	20.1	41.3	40.1	9.6	19.0	1.0	7.0	12.4	5.6	77.0	68.4	10.6	26.0	4.3	4.6		
Nev.	-	-	0.7	-	12.8	1.7	9.7	1.1	21.3	26.1	36.2	44.5	19.3	25.8	-	0.8	-	-	23.2	2.8	76.8	96.4	-	0.8	4.0	4.2		
Calif.	0.4	0.1	2.0	0.8	3.4	1.8	2.3	1.7	13.5	13.3	44.3	45.4	32.3	32.5	1.7	3.5	0.1	0.9	8.1	4.4	90.1	91.2	1.8	4.4	4.2	4.3		
U. S.	0.4	2.6	1.1	3.7	2.5	5.4	2.4	4.0	13.5	16.5	34.6	33.1	35.4	26.9	8.4	6.1	1.7	1.7	6.4	15.7	83.5	76.5	10.1	7.8	4.3	4.1		

\* Less than 0.05 percent.

Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by states and United States, 1974-75 with comparisons

Period	2.6 and below		2.7-2.9		3.0-3.2		3.3-3.4		3.5-3.9		4.0-4.4		4.5-4.9		5.0-5.2		5.3 and above		Totals				Average mike						
	1973	1974	Pct.	Pct.	1973	1974	Pct.	Pct.	1973	1974	Pct.	Pct.	1973	1974	Pct.	Pct.	1973	1974	Pct.	Pct.	1973	1974	Pct.	Pct.					
Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Rdg.	Rdg.		
NORTH CAROLINA																													
Prior to Oct. 1	-	-	-	-	0.3	-	0.6	-	15.3	-	56.0	50.2	26.6	33.0	1.2	-	16.8	0.9	-	97.9	83.2	1.2	16.8	4.3	4.6				
October	-	-	-	-	0.4	0.4	1.1	1.2	18.0	22.1	52.8	60.0	25.5	15.8	2.1	0.5	0.1	-	1.5	1.6	96.3	97.9	2.2	0.5	4.2	4.2			
November	-	-	0.2	0.1	1.4	1.8	2.4	3.6	23.7	36.0	49.0	51.3	21.3	7.1	1.9	0.1	0.1	-	4.0	5.5	94.0	94.4	2.0	0.1	4.2	4.0			
December	-	0.1	0.8	0.7	4.3	4.5	4.7	7.3	28.1	42.6	42.8	40.8	17.9	4.0	1.4	-	-	-	9.8	12.6	88.8	87.4	1.4	-	4.1	3.9			
After Dec. 31	-	0.3	1.0	1.7	4.6	9.1	3.8	13.1	28.6	35.9	41.4	35.8	19.5	4.1	1.1	-	-	-	9.4	24.2	89.5	75.8	1.1	-	4.1	3.8			
Total crop	-	*	0.1	0.1	0.9	1.7	1.7	3.2	20.3	31.3	51.3	53.2	23.7	10.1	1.9	0.3	0.1	0.1	2.7	5.0	95.3	94.6	2.0	0.4	4.2	4.0			
SOUTH CAROLINA																													
Prior to Oct. 1	-	-	-	-	0.2	-	0.2	0.8	6.6	1.6	47.9	31.3	40.8	50.2	4.1	13.8	0.2	2.3	0.4	0.8	95.3	83.1	4.3	16.1	4.4	4.6			
October	-	-	-	-	0.1	0.1	0.1	0.6	4.0	12.8	36.5	54.9	50.7	28.9	8.0	2.5	0.6	0.2	0.2	0.7	91.2	96.6	8.6	2.7	4.5	4.3			
November	-	-	*	0.1	0.4	1.1	0.7	2.4	7.5	24.8	37.5	51.4	48.3	18.3	5.3	1.7	0.3	0.2	1.1	3.6	93.3	94.5	5.6	1.9	4.5	4.1			
December	-	-	-	0.3	1.3	3.3	2.1	5.7	19.5	39.3	38.2	39.3	32.7	11.6	5.8	0.5	0.4	-	3.4	9.3	90.4	90.2	6.2	0.5	4.3	4.0			
After Dec. 31	-	-	0.2	-	1.0	4.6	2.8	8.7	18.3	35.9	28.6	41.4	37.9	8.6	10.0	0.4	1.2	0.4	4.0	13.3	84.8	85.9	11.2	0.8	4.4	3.9			
Total crop	-	-	-	-	0.2	0.7	0.5	1.7	6.6	18.6	37.5	51.7	47.9	24.6	6.8	2.4	0.5	0.3	0.7	2.4	92.0	94.9	7.3	2.7	4.5	4.2			
GEORGIA																													
Prior to Oct. 1	-	-	-	-	-	0.1	0.1	-	6.5	1.8	32.5	20.1	43.2	48.6	14.0	20.2	3.7	9.2	0.1	0.1	82.2	70.5	17.7	29.4	4.6	4.7			
October	-	-	-	*	*	*	0.3	0.2	9.0	5.4	44.4	36.1	40.4	44.2	5.5	11.0	0.4	3.1	0.3	0.2	93.8	85.7	5.9	14.1	4.4	4.5			
November	-	-	*	*	*	0.4	0.2	0.8	7.3	10.5	41.7	45.7	43.8	35.6	6.5	5.6	0.5	1.4	0.2	1.2	92.8	91.8	7.0	7.0	4.5	4.4			
December	-	0.1	0.1	0.3	0.5	1.8	0.8	2.1	11.5	17.3	39.4	47.8	41.9	26.9	5.4	3.2	0.4	0.5	1.4	4.3	92.8	92.0	5.8	3.7	4.4	4.2			
After Dec. 31	0.1	0.1	0.1	1.4	1.2	3.5	2.7	6.1	13.4	24.4	35.6	37.8	39.1	23.1	7.0	2.7	0.8	0.9	4.1	11.1	88.1	85.3	7.8	3.6	4.4	4.1			
Total crop	-	-	*	*	-	0.5	0.3	0.8	8.7	8.9	42.5	39.9	41.8	39.0	6.2	8.5	0.5	2.4	0.3	1.3	93.0	87.8	6.7	10.9	4.4	4.5			
FLORIDA																													
Prior to Oct. 1	-	-	-	-	-	-	-	-	-	-	100.0	-	-	33.2	-	50.2	-	16.6	-	-	100.0	33.2	-	66.8	4.3	5.1			
October	-	-	-	-	-	-	1.4	-	11.3	3.0	65.3	31.4	20.4	50.2	0.4	11.3	1.2	4.1	1.4	-	97.0	84.6	1.6	15.4	4.3	4.6			
November	-	-	-	-	-	0.6	-	0.8	-	15.4	2.9	66.7	29.8	15.1	49.4	1.2	13.2	0.2	4.7	1.4	-	97.2	-	1.4	-	4.2	4.4		
December	-	-	0.6	1.1	2.1	2.0	3.3	6.9	41.6	28.1	44.9	46.4	7.2	14.7	0.3	0.8	-	-	6.0	10.0	93.7	89.2	0.3	0.8	4.0	4.0			
After Dec. 1	-	-	1.9	12.3	10.1	27.3	8.2	10.1	47.4	13.7	25.2	16.6	7.2	11.8	-	8.2	-	-	20.2	49.7	79.8	42.1	-	8.2	3.8	3.7			
Total crop	-	-	0.3	0.5	1.3	1.3	2.0	2.1	22.8	12.7	58.4	37.4	4.2	36.7	0.6	6.8	0.4	2.5	3.6	3.9	95.4	86.8	1.0	9.3	4.1	4.4			

Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by states and United States, 1974-75 with comparisons (Continued)

Period	2.6 and below		2.7-2.9		3.0-3.2		3.3-3.4		3.5-3.9		4.0-4.4		4.5-4.9		5.0-5.2		5.3 and above		Totals					Average milke			
	1973	1974	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Below 3.5	3.5-4.9	5.0 and above	1973	1974	Rdg.	Rdg.		
ALABAMA																											
Prior to Oct. 1	-	-	-	-	-	0.6	5.1	0.4	9.2	6.4	39.0	29.3	36.4	36.7	10.3	20.8	-	5.8	5.1	1.0	84.6	72.4	10.3	26.6	4.4	4.6	
October	-	-	-	-	0.1	0.2	0.3	0.4	7.2	8.3	31.8	40.5	42.5	41.3	13.9	8.0	4.2	1.3	0.4	0.6	81.5	90.1	18.1	9.3	4.6	4.5	
November	-	0.1	1.1	0.2	3.7	0.6	4.0	7.4	19.9	28.3	41.8	42.8	25.4	15.7	3.6	5.0	5.0	0.4	0.8	8.9	78.5	87.1	20.7	4.0	4.6	4.2	
December	-	1.3	0.1	7.1	1.2	12.7	2.3	7.9	16.7	26.3	36.7	29.8	35.9	12.9	6.3	1.8	0.8	0.2	3.6	29.0	89.3	69.0	7.1	2.0	4.3	3.8	
After Dec. 31	-	0.6	0.4	2.8	1.3	6.1	3.0	4.5	11.8	25.4	30.8	42.4	39.0	15.7	8.8	2.2	4.9	0.3	4.7	14.0	81.6	83.5	13.7	2.5	4.4	4.0	
Total crop	-	0.1	1.1	0.3	2.6	0.8	2.3	8.6	14.1	31.1	39.8	41.6	32.9	13.5	6.1	4.1	1.0	1.1	6.1	81.3	86.8	17.6	7.1	4.5	4.3	4.3	
MISSISSIPPI																											
Prior to Oct. 1	-	-	-	-	-	0.1	0.1	0.2	1.9	3.1	18.4	21.4	52.3	52.7	21.2	19.1	6.1	3.4	0.1	0.3	72.6	77.2	27.3	22.5	4.7	4.7	
October	-	1.1	1.4	0.8	6.7	1.4	7.1	10.9	30.3	34.5	37.4	42.5	15.5	8.9	1.3	1.0	1.0	0.2	2.2	15.3	87.9	83.2	9.9	1.5	4.4	4.0	
November	-	0.1	1.4	0.8	6.7	1.4	7.1	10.9	30.3	34.5	37.4	42.5	15.5	8.9	1.3	1.0	1.0	0.2	2.2	15.3	87.9	83.2	9.9	1.5	4.4	4.0	
December	*	0.6	1.2	5.7	6.4	15.5	6.9	12.0	25.2	34.4	34.2	26.3	22.2	5.2	3.6	0.3	0.3	*	14.5	33.8	81.6	65.9	3.9	0.3	4.1	3.7	
After Dec. 31	0.3	0.5	1.8	5.2	8.3	14.6	8.4	12.1	24.5	34.9	31.5	26.0	20.7	6.3	3.4	0.4	1.1	-	18.8	32.4	76.7	67.2	4.5	0.4	4.0	3.7	
Total crop	*	0.1	0.1	1.2	0.8	4.5	1.1	4.3	7.1	19.8	27.2	37.6	46.3	28.1	14.8	4.1	2.6	0.3	2.0	10.1	80.6	85.5	17.4	4.4	4.6	4.2	
TENNESSEE																											
Prior to Oct. 1	-	-	-	-	-	-	-	-	1.9	3.0	27.2	18.0	43.6	44.0	27.3	30.0	-	5.0	-	-	1.9	65.0	98.1	35.0	-	4.8	4.2
October	-	-	1.1	3.7	19.6	27.4	53.9	53.1	23.7	13.2	1.0	2.4	1.0	2.4	1.0	2.4	1.0	2.4	0.2	1.8	84.2	97.2	15.6	1.0	4.6	4.2	
November	*	0.1	1.4	0.4	7.1	0.7	7.6	7.8	40.4	33.4	37.0	48.6	6.3	7.9	0.1	1.2	1.2	1.2	1.1	16.2	89.8	83.7	9.1	0.1	4.5	3.9	
December	-	1.0	8.7	1.1	21.7	1.3	16.8	12.8	39.6	43.8	11.4	35.3	0.8	4.7	1.0	4.7	1.0	1.0	2.4	48.2	91.9	51.8	5.7	4.3	3.5	3.5	
After Dec. 31	-	1.3	-	8.2	0.9	20.3	1.3	17.0	20.0	38.0	39.9	14.0	30.1	0.9	6.2	0.3	1.6	-	2.2	46.8	90.0	52.9	7.8	0.3	4.3	3.5	
Total crop	*	0.3	2.1	0.1	6.8	0.4	6.3	5.4	31.4	30.1	39.8	50.8	12.8	11.3	0.5	1.9	1.9	1.9	0.5	15.5	86.3	84.0	13.2	0.5	4.6	3.9	
MISSOURI																											
Prior to Oct. 1	-	-	-	-	-	-	-	-	10.5	11.0	23.8	44.6	41.8	33.3	20.9	2.8	3.0	8.3	-	-	10.5	88.9	86.5	11.1	3.0	4.5	4.1
October	*	1.1	0.1	0.5	1.3	0.8	0.8	2.2	11.5	18.7	39.7	40.8	37.6	30.7	8.3	5.2	1.6	1.0	1.3	3.6	88.8	90.2	9.9	6.2	4.4	4.3	
November	*	0.3	0.8	5.1	4.7	14.8	5.9	12.8	26.7	35.2	40.9	26.0	18.8	5.6	2.1	0.2	0.1	0.1	-	11.4	33.0	86.4	66.8	2.2	0.2	4.1	3.7
December	-	1.1	0.9	15.9	5.9	30.8	8.3	16.5	43.4	28.1	34.7	7.0	6.6	0.6	0.2	0.2	0.2	-	-	15.1	64.3	84.7	35.7	0.2	3.9	3.3	
After Dec. 1	-	1.2	0.8	9.3	3.2	27.8	2.0	18.7	44.6	33.3	31.0	9.2	17.6	0.5	0.8	-	-	-	-	6.0	57.0	93.2	43.0	0.8	-	4.0	3.4
Total crop	*	0.2	0.3	3.3	1.9	8.6	2.6	7.1	17.7	24.5	39.7	32.6	30.6	20.0	6.0	3.2	1.2	0.5	4.8	19.2	88.0	77.1	7.2	3.7	4.3	4.0	



Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by states and United States, 1974-75 with comparisons (Continued)

Period	2.6 and below		2.7-2.9		3.0-3.2		3.3-3.4		3.5-3.9		4.0-4.4		4.5-4.9		5.0-5.2		5.3 and above		Totals				Average mike			
	1973   1974		1973   1974		1973   1974		1973   1974		1973   1974		1973   1974		1973   1974		1973   1974		Below 3.5		3.5-4.9		5.0 and above		1973   1974			
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Rdg.	Rdg.	
ARKANSAS																										
Prior to Oct. 1	-	-	-	3.8	0.6	-	0.6	-	4.0	15.3	21.0	46.3	38.8	34.6	22.7	-	12.3	-	1.2	3.8	63.8	96.2	35.0	-	4.7	4.3
October	-	-	*	*	*	0.4	0.1	0.5	3.2	7.7	23.1	38.5	50.3	43.9	19.0	7.7	4.3	1.3	0.1	0.9	76.6	90.1	23.3	9.0	4.7	4.5
November	*	*	0.2	0.8	1.1	4.3	1.3	4.5	9.1	21.6	26.9	39.7	44.0	25.6	14.5	3.2	2.9	0.3	2.6	9.6	80.0	86.9	17.4	3.5	4.5	4.2
December	0.1	0.3	0.9	5.5	4.0	18.0	4.8	14.0	24.1	35.8	33.8	22.2	26.0	4.0	5.5	0.2	0.8	*	9.8	37.8	83.9	62.0	6.3	0.2	4.2	3.6
After Dec. 31	-	0.3	0.6	5.3	4.3	15.3	6.3	14.2	27.6	40.3	33.4	20.7	23.1	3.7	4.0	0.2	0.7	-	11.2	35.1	84.1	64.7	4.7	0.2	4.1	3.6
Total crop	*	0.1	0.1	1.4	0.8	5.1	0.9	4.6	7.0	18.1	25.1	35.5	46.2	29.8	16.3	4.7	3.6	0.7	1.8	11.2	78.3	83.4	19.9	5.4	4.6	4.2
LOUISIANA																										
Prior to Oct. 1	-	-	-	0.2	-	0.1	-	-	-	0.8	7.8	11.1	32.7	53.6	26.1	22.1	33.4	12.1	-	0.3	40.5	65.5	59.5	34.2	5.0	4.8
October	-	-	-	*	*	0.1	0.1	0.2	2.4	2.3	24.5	23.6	49.6	56.6	18.2	14.2	5.2	3.0	0.1	0.3	76.5	82.5	23.4	17.2	4.7	4.7
November	-	-	*	0.1	0.3	1.5	0.6	2.4	6.0	13.9	35.3	36.9	47.9	38.4	8.8	6.0	1.1	0.8	0.9	4.0	89.2	89.2	9.9	6.8	4.5	4.3
December	0.2	-	2.4	0.9	6.2	5.2	5.7	6.4	21.4	30.1	38.2	39.7	22.9	16.0	2.8	1.4	0.2	0.3	14.5	12.5	82.5	85.8	3.0	1.7	4.1	4.0
After Dec. 31	0.6	0.1	6.1	0.9	14.0	3.2	6.7	8.2	24.9	31.2	30.8	36.7	14.9	17.2	2.0	2.3	-	0.2	27.4	12.4	70.6	85.1	2.0	2.5	3.9	4.0
Total crop	*	0.5	0.2	1.1	1.1	1.1	1.2	1.5	6.6	8.7	30.3	28.3	44.5	46.7	12.6	11.0	3.2	2.5	2.8	2.8	81.4	83.7	15.8	13.5	4.5	4.5
OKLAHOMA																										
Prior to Oct. 1	-	-	-	-	-	-	-	-	-	-	44.4	-	55.6	100.0	-	-	-	-	-	-	100.0	100.0	-	-	4.5	4.8
October	-	-	0.6	-	1.2	1.6	0.9	0.5	6.3	5.7	31.1	25.1	43.5	41.3	14.2	18.2	2.2	7.6	2.7	2.1	80.9	72.1	16.4	25.8	4.5	4.6
November	*	0.2	0.4	0.7	0.9	2.4	1.0	2.7	8.7	11.8	34.7	28.0	39.5	37.7	11.3	12.8	3.5	3.7	2.3	6.0	82.9	77.5	14.8	16.5	4.5	4.4
December	*	0.7	0.7	2.8	2.1	6.7	2.5	6.1	12.4	22.0	29.5	32.0	35.0	22.7	13.8	5.6	4.0	1.4	5.3	16.3	76.9	76.7	17.8	7.0	4.4	4.1
After Dec. 31	0.4	3.6	2.0	8.0	4.6	15.5	4.0	10.2	16.9	25.4	29.1	23.7	29.4	10.7	10.9	2.4	2.7	0.5	11.0	37.3	75.4	59.8	13.6	2.9	4.3	3.7
Total crop	0.1	1.5	1.0	4.3	2.7	8.8	2.8	7.0	13.3	21.5	30.2	28.6	33.8	21.1	12.5	5.7	3.6	1.5	6.6	21.6	77.3	71.2	16.1	7.2	4.4	4.0
TEXAS																										
Prior to Sept. 1	*	*	*	0.5	0.6	2.9	1.4	3.7	9.9	20.3	21.5	26.3	48.7	23.4	15.5	17.0	2.4	5.9	2.0	7.1	80.1	70.0	17.9	22.9	4.6	4.4
September	*	*	0.8	0.3	2.1	2.0	2.2	3.5	12.6	20.9	30.9	41.8	40.3	20.9	9.2	7.5	1.9	3.1	5.1	5.8	83.8	83.6	11.1	10.6	4.4	4.2
October	0.1	*	0.5	0.1	1.9	1.0	2.4	1.3	14.7	10.9	39.3	30.6	34.1	36.3	5.8	15.3	1.2	4.5	4.9	2.4	88.1	77.8	7.0	19.8	4.3	4.5
November	0.1	5.9	0.5	14.7	1.9	17.9	2.5	10.1	16.6	22.7	40.9	17.9	29.4	8.9	6.5	1.5	1.6	0.4	5.0	48.6	86.9	49.5	8.1	1.9	4.3	3.6
December	0.4	18.7	1.7	19.8	4.6	17.0	4.9	8.2	24.0	16.9	37.3	12.4	21.6	5.8	4.5	1.0	1.0	0.2	11.6	63.7	82.9	35.1	5.5	1.2	4.1	3.3
After Dec. 31	0.9	24.3	2.6	18.6	6.1	14.7	6.0	7.3	25.3	15.3	36.2	11.9	18.5	6.0	3.5	1.4	0.9	0.5	15.6	64.9	80.0	33.2	4.4	1.9	4.0	3.3
Total crop	0.4	11.6	1.1	12.8	3.4	12.3	3.8	6.8	19.6	18.1	37.7	18.4	26.9	12.5	5.7	5.7	1.4	1.8	8.7	43.5	84.2	49.0	7.1	7.5	4.2	3.7

Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by states and United States, 1974-75 with comparisons (Continued)

Period	2.6 and below		2.7-2.9		3.0-3.2		3.3-3.4		3.5-3.9		4.0-4.4		4.5-4.9		5.0-5.2		5.3 and above		Totals				Average mike					
	1973 1974		1973 1974		1973 1974		1973 1974		1973 1974		1973 1974		1973 1974		1973 1974		Below 3.5		3.5-4.9		5.0 and above		1973 1974		Rdg. Rdg.			
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
NEW MEXICO																												
Prior to Oct. 1	-	-	-	-	-	-	-	-	23.3	46.7	76.7	53.3	-	-	-	-	-	-	-	100.0	100.0	-	-	-	-	4.0	4.0	
October	*	-	0.3	0.3	2.6	1.7	5.9	2.9	46.3	38.8	42.6	54.3	2.3	2.0	*	-	-	8.8	4.9	91.2	95.1	*	-	-	-	3.9	4.0	
November	2.5	0.4	12.8	4.8	22.5	16.9	13.6	15.8	32.3	46.0	13.6	15.8	2.4	0.3	0.3	-	-	51.4	37.9	48.3	62.1	0.3	-	-	-	3.5	3.6	
December	16.4	6.8	30.0	20.5	20.0	27.5	7.5	14.2	16.2	25.6	8.0	5.3	1.9	0.1	*	-	*	73.9	69.0	26.1	31.0	*	-	-	-	3.1	3.2	
After Dec. 31	29.0	14.8	23.9	25.4	14.4	26.2	6.2	13.1	15.6	16.7	9.7	3.5	1.0	0.3	0.1	-	0.1	-	73.5	79.5	26.3	20.5	0.2	-	-	-	3.1	3.1
Total crop	6.5	3.2	13.7	10.4	15.7	19.2	9.6	14.0	31.6	37.4	20.4	15.3	2.3	0.5	0.2	-	*	-	45.5	46.8	54.3	53.2	0.2	-	-	-	3.5	3.5
ARIZONA																												
Prior to Oct. 1	-	-	-	-	-	*	1.0	0.1	4.7	7.1	40.3	31.7	48.9	45.5	5.1	13.8	-	1.8	1.0	0.1	93.9	84.3	5.1	15.6	4.5	4.5		
October	*	*	0.1	*	0.5	0.3	0.8	0.2	4.7	3.4	23.9	18.7	55.0	44.3	13.9	23.5	1.1	9.6	1.4	0.5	83.6	66.4	15.0	33.1	4.6	4.7		
November	0.3	*	1.2	0.1	2.6	0.9	2.0	0.8	8.7	6.4	24.6	19.6	47.1	43.5	11.7	21.2	1.8	7.5	6.1	1.8	80.4	69.5	13.5	28.7	4.5	4.7		
December	2.5	0.1	6.9	1.5	10.7	4.6	6.7	4.1	19.0	12.2	28.9	19.7	22.2	35.8	3.1	16.2	*	5.8	26.8	10.3	70.1	67.7	3.1	22.0	3.9	4.4		
After Dec. 31	6.1	1.4	14.9	6.3	21.4	12.6	10.7	8.5	22.8	21.5	16.9	22.1	6.6	20.6	0.6	5.2	*	1.8	53.1	28.8	46.3	64.2	0.6	7.0	3.5	3.9		
Total crop	1.1	0.1	3.1	0.9	5.0	2.6	3.2	2.0	10.7	8.2	25.0	20.1	41.3	40.1	9.6	19.0	1.0	7.0	12.4	5.6	77.0	68.4	10.6	26.0	4.3	4.6		
CALIFORNIA																												
Prior to Oct. 1	-	-	-	-	0.1	-	-	-	0.1	19.7	9.3	63.3	67.7	16.7	20.7	0.2	2.0	-	0.2	0.1	0.1	99.7	97.7	0.2	2.2	4.2	4.3	
October	*	*	*	*	0.2	0.6	0.5	0.9	9.4	13.4	49.2	50.9	39.4	31.8	1.3	2.0	*	0.4	0.7	1.5	98.0	96.1	1.3	2.4	4.4	4.3		
November	0.4	0.3	2.8	1.2	5.1	2.4	3.6	2.0	18.2	13.5	42.3	41.4	25.4	32.8	2.0	4.9	0.2	1.5	11.9	5.9	85.9	87.7	2.2	6.4	4.1	4.3		
December	1.5	0.5	7.2	2.0	11.0	4.1	6.1	2.9	15.4	12.3	28.1	34.6	27.8	36.6	2.8	5.6	0.1	1.4	25.8	9.5	71.3	83.5	2.9	7.0	4.0	4.3		
After Dec. 31	4.0	0.8	12.3	3.2	14.0	4.7	8.0	3.9	16.1	16.3	20.2	35.6	23.0	29.2	2.4	5.0	*	1.3	38.3	12.6	59.3	81.1	2.4	6.3	3.8	4.2		
Total crop	0.4	0.1	2.0	0.8	3.4	1.8	2.3	1.7	13.5	13.3	44.3	45.4	32.3	32.5	1.7	3.5	0.1	0.9	8.1	4.4	90.1	91.2	1.8	4.4	4.2	4.3		
UNITED STATES																												
Prior to Sept. 1	*	*	*	0.5	0.6	2.9	1.4	3.7	9.9	20.3	21.5	26.3	48.7	23.4	15.5	17.0	2.4	5.9	2.0	7.1	80.1	70.0	17.9	22.9	4.6	4.4		
September	*	*	0.6	0.1	1.5	0.8	1.6	1.3	10.7	11.0	32.8	38.8	39.7	33.5	10.2	11.0	2.9	3.5	3.7	2.2	83.2	83.3	13.1	14.5	4.4	4.4		
October	*	*	*	*	0.4	0.4	0.6	0.8	7.0	10.5	33.3	41.5	45.0	38.1	11.6	7.1	2.1	1.6	1.0	1.2	85.3	90.1	13.7	8.7	4.5	4.4		
November	0.1	0.8	0.9	2.7	2.2	5.4	2.3	4.6	13.9	19.9	37.1	34.8	34.7	25.1	7.3	5.2	1.5	1.5	5.5	13.5	85.7	79.8	8.8	6.7	4.5	4.2		
December	0.8	8.7	2.5	11.2	5.3	13.0	4.9	7.7	21.6	20.3	35.0	21.0	23.9	14.1	5.0	3.1	1.0	0.9	13.5	40.6	80.5	55.4	6.0	4.0	4.1	3.7		
After Dec. 31	1.4	10.4	3.5	10.8	6.9	13.0	6.0	8.3	23.3	21.3	33.1	20.9	20.1	12.1	4.5	2.5	1.2	0.7	17.8	42.5	76.5	54.3	5.7	3.2	4.0	3.6		
Total crop	0.4	2.6	1.1	3.7	2.5	5.4	2.4	4.0	13.5	16.5	34.6	33.1	35.4	26.9	8.4	6.1	1.7	1.7	6.4	15.7	83.5	76.5	10.1	7.8	4.3	4.1		

Table 13. -- Percentage distribution of micronaire readings for upland cotton ginned in the United States, by classing office territories, 1974-75 with comparisons

Classing Office	2.6 and below		2.7-2.9		3.0-3.2		3.3-3.4		3.5-3.9		4.0-4.4		4.5-4.9		5.0-5.2		5.3 and above		Totals						Average	
	1973		1974		1973		1974		1973		1974		1973		1974		1973		Below 3.5		5.0 and above		1973		1974	
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Rdg.	Rdg.
Raleigh	-	*	0.1	0.1	0.9	1.7	1.7	3.3	20.3	31.5	51.4	52.9	23.6	10.1	1.9	0.3	0.1	0.1	2.7	5.1	95.3	94.5	2.0	0.4	4.2	4.0
Columbia	-	-	*	*	0.2	0.7	0.5	1.7	6.6	18.6	37.5	51.7	47.9	24.6	6.8	2.4	0.5	0.3	0.7	2.4	92.0	94.9	7.3	2.7	4.5	4.2
Augusta	-	*	*	*	0.1	0.4	0.5	0.7	11.2	8.8	48.1	39.2	34.2	39.6	5.1	8.9	0.8	2.4	0.6	1.1	93.5	87.6	5.9	11.3	4.4	4.5
Atlanta	*	*	*	*	*	0.5	0.3	0.8	7.7	8.9	40.7	40.2	44.3	38.9	6.6	8.3	0.4	2.4	0.3	1.3	92.7	88.0	7.0	10.7	4.5	4.4
Birmingham	-	0.3	*	1.5	0.1	3.5	0.4	3.0	4.5	15.2	24.5	37.7	46.1	32.7	18.4	5.4	6.0	0.7	0.5	8.3	75.1	85.6	24.4	6.1	4.7	4.3
Montgomery	-	-	0.2	0.2	0.7	0.9	1.5	1.2	16.1	11.9	44.0	43.5	32.6	33.8	4.6	7.0	0.3	1.5	2.4	2.3	92.7	89.2	4.9	8.5	4.3	4.4
Greenwood	*	0.1	0.1	1.2	0.9	4.5	1.2	4.4	7.2	19.7	26.8	38.0	46.2	28.1	15.3	3.8	2.3	0.2	2.2	10.2	80.2	85.8	17.6	4.0	4.5	4.2
Jackson	-	-	*	0.3	0.2	1.2	0.4	1.5	4.5	9.6	21.1	29.5	48.1	44.5	19.6	11.4	6.1	2.0	0.6	3.0	73.7	83.6	25.7	13.4	4.7	4.5
Memphis	*	0.3	*	2.2	0.4	6.5	0.5	6.0	6.6	29.9	31.5	39.3	48.5	15.1	10.4	0.7	2.1	*	0.9	15.0	86.6	84.3	12.5	0.7	4.5	4.0
Hayti	*	0.2	0.3	3.3	1.9	8.6	2.6	7.1	17.7	24.5	39.7	32.6	30.6	20.0	6.0	3.2	1.2	0.5	4.8	19.2	88.0	77.1	7.2	3.7	4.3	4.0
Blytheville	*	0.1	0.2	2.2	1.2	7.2	1.1	5.1	10.9	24.5	40.5	41.5	39.1	18.5	6.1	0.8	0.9	0.1	2.5	14.6	90.5	84.5	7.0	0.9	4.4	4.0
Little Rock	*	*	0.1	0.9	0.6	4.0	0.8	4.2	5.2	15.0	18.6	33.5	48.8	35.1	21.1	6.4	4.8	0.9	1.5	9.1	72.6	83.6	25.9	7.3	4.7	4.3
Winnsboro	*	*	0.4	0.2	0.8	1.1	1.0	1.8	5.8	9.2	27.4	28.3	45.7	44.7	14.9	11.6	4.0	3.1	2.2	3.1	78.9	82.2	18.9	14.7	4.6	4.5
Alexandria	*	-	0.5	*	2.0	0.4	1.7	0.7	9.3	6.7	41.1	28.2	41.5	55.2	3.6	8.4	0.3	0.4	4.2	1.1	91.9	90.1	3.9	8.8	4.4	4.5
Altus	0.2	5.4	1.4	9.1	4.2	12.4	4.7	7.9	19.1	20.7	31.9	23.7	27.2	15.7	9.0	4.2	2.3	0.9	10.5	34.8	78.2	60.1	11.3	5.1	4.2	3.8
Dallas	*	0.1	0.4	0.6	1.5	3.1	1.2	2.8	9.6	21.4	31.3	34.4	47.7	23.0	7.6	9.6	0.7	5.0	3.1	6.6	88.6	78.8	8.3	14.6	4.4	4.3
Austin	*	*	0.6	0.2	1.7	1.7	2.2	2.1	11.2	14.5	31.8	37.8	43.3	28.2	7.7	11.5	1.5	4.0	4.5	4.0	86.3	80.5	9.2	15.5	4.4	4.4
Corpus Christi	*	*	*	0.1	1.0	3.3	2.9	6.9	22.1	35.7	29.4	27.3	29.5	16.9	11.2	7.1	3.9	2.7	3.9	10.3	81.0	79.9	15.1	9.8	4.4	4.1
Harlingen	*	*	0.4	0.6	0.8	2.3	0.9	2.3	5.2	11.4	21.8	19.7	52.3	28.9	16.2	26.3	2.4	8.5	2.1	5.2	79.3	60.0	18.6	34.8	4.6	4.6
Arlene	0.1	1.0	0.5	2.5	2.2	6.2	3.0	5.4	19.4	20.3	42.8	32.6	26.4	26.9	4.8	4.5	0.8	0.6	5.8	15.1	88.6	79.8	5.6	5.1	4.2	4.1
Lubbock	0.4	22.8	1.4	24.0	3.7	19.9	4.1	9.1	21.6	15.4	39.7	7.1	22.7	1.4	4.9	0.3	1.5	*	9.6	75.8	84.0	23.9	6.4	0.3	4.2	3.1
El Paso	8.5	0.7	15.0	4.1	17.2	11.9	9.7	10.8	28.1	40.5	18.6	26.9	2.8	4.7	0.1	0.4	*	*	50.4	27.5	49.5	72.1	0.1	0.4	3.4	3.7
Carlsbad	4.0	2.5	9.7	8.1	12.1	15.1	8.9	11.6	31.4	32.6	25.4	23.8	7.9	6.0	0.6	0.3	*	*	34.7	37.3	64.7	62.4	0.6	0.3	3.7	3.6
Phoenix	1.0	0.1	2.7	0.9	4.4	2.3	2.9	1.8	9.6	6.8	23.9	18.2	43.6	41.1	10.7	20.7	1.2	8.1	11.0	5.1	77.1	66.1	11.9	28.8	4.4	4.6
Fresno	0.4	0.3	1.8	0.9	3.2	2.0	2.1	2.1	13.6	17.1	45.5	47.9	32.7	29.3	0.7	0.4	*	*	7.5	5.3	91.8	94.3	0.7	0.4	4.2	4.2
Bakersfield	0.3	0.1	1.9	0.8	3.5	1.7	2.5	1.4	14.2	12.3	45.7	49.7	30.7	32.8	1.2	1.2	*	*	8.2	4.0	90.6	94.8	1.2	1.2	4.2	4.3
El Centro	0.7	0.2	2.5	0.9	4.2	1.7	2.8	1.3	9.2	4.2	29.8	18.5	40.5	43.6	9.4	22.5	0.9	7.1	10.2	4.1	79.5	66.3	10.3	29.6	4.3	4.6
United States	0.4	2.6	1.1	3.7	2.5	5.4	2.4	4.0	13.5	16.5	34.6	33.1	35.4	26.9	8.4	6.1	1.7	1.7	6.4	15.7	83.5	76.5	10.1	7.8	4.3	4.1

\* Less than 0.05 percent.

Table 14. -- Percentage distribution of fiber strength for upland cotton ginned in the United States by states, 1974-75 with comparisons

State	Zero Gage Fiber Strength (Mpsi)																Average strength	
	64 & below		65-69		70-74		75-79		80-84		85-89		90-94		95-99			
	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Mpsi	Mpsi
S. C.	-	0.1	*	0.2	2.8	6.2	24.3	42.4	49.8	42.5	20.2	8.0	2.9	0.6	-	-	81.8	79.7
Ga.	-	-	0.1	0.2	4.0	8.9	30.6	41.3	45.8	40.5	17.8	8.7	1.7	0.4	*	-	81.1	79.5
Ala.	-	-	0.4	-	4.4	2.7	32.7	24.8	43.9	49.7	15.9	20.3	2.3	2.5	0.4	*	81.0	81.8
Miss.	-	-	-	-	2.0	0.8	25.0	15.5	51.3	48.2	19.2	30.9	2.5	4.4	-	0.2	81.7	83.1
Tenn.	-	-	0.1	-	3.3	1.4	21.8	23.4	48.6	51.7	22.6	21.4	3.2	2.1	0.4	*	82.0	82.0
Mo.	-	-	-	-	1.6	1.2	19.2	17.7	43.8	49.1	29.1	27.4	6.0	4.3	0.3	*	83.1	82.9
Ark.	-	-	*	*	0.4	1.0	12.1	21.2	44.5	49.6	33.4	23.3	8.4	4.7	1.1	0.2	84.1	82.5
La.	-	-	-	*	0.8	1.0	22.5	17.9	57.9	52.1	17.0	25.7	1.7	3.3	0.1	-	81.8	82.6
Oklahoma	-	-	0.8	0.1	11.1	7.3	37.4	29.4	33.7	41.0	13.4	18.3	2.9	3.5	0.7	0.4	79.9	81.1
Tex.	-	-	0.2	0.2	3.3	3.9	17.6	22.4	38.2	38.5	28.6	23.4	9.2	8.6	2.2	2.3	83.5	83.0
N. Mex.	-	-	-	-	0.4	0.5	2.8	4.0	8.0	8.5	13.3	17.3	18.8	34.1	32.2	28.1	94.2	91.8
Ariz.	-	-	-	*	0.1	0.6	4.0	9.9	30.7	38.2	46.3	36.4	15.1	12.3	2.8	2.3	86.3	84.9
Calif.	-	-	-	-	-	*	0.1	0.2	1.2	1.7	6.3	7.6	17.9	22.1	38.2	39.6	97.5	96.5
U. S.	-	*	0.1	*	2.3	2.1	16.9	16.0	36.7	33.6	23.1	20.8	8.3	10.1	6.9	10.2	85.1	86.0

\* Less than 0.05 percent.



Table 15. -- Percentage distribution of fiber strength for upland cotton ginned, during specified periods, by states and United States, 1974-75 with comparisons

Period	Zero Gage Fiber Strength (Mpsi)																Average strength			
	64 & below		65-69		70-74		75-79		80-84		85-89		90-94		95-99				100 & above	
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Mpsi	Mpsi
Prior to Oct. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
October	-	0.1	-	0.1	2.2	5.8	20.6	39.3	50.7	44.0	22.8	9.8	3.7	0.9	-	-	-	-	82.2	80.0
November	-	-	0.1	0.1	3.7	6.4	28.1	45.4	47.9	41.8	18.2	6.1	1.9	0.2	0.1	-	-	-	81.4	79.4
December	-	-	0.2	0.2	2.5	8.4	37.7	52.6	50.0	36.3	9.2	2.5	0.4	-	-	-	-	-	80.3	78.7
After Dec. 31	-	-	0.5	-	8.7	-	34.5	-	43.7	-	12.6	-	-	-	-	-	-	-	79.9	-
Total crop	-	0.1	0.2	0.2	2.8	6.2	24.3	42.4	49.8	42.5	20.2	8.0	2.9	0.6	*	-	-	-	81.8	79.7
SOUTH CAROLINA																				
Prior to Oct. 1	-	-	-	-	1.0	0.2	3.4	6.6	33.4	39.5	48.3	49.7	12.9	3.9	1.0	0.1	-	-	84.4	80.8
October	-	-	-	0.1	3.4	8.4	27.9	38.1	46.1	42.1	20.4	10.8	2.2	0.5	-	-	-	-	81.5	79.9
November	-	-	0.1	0.6	5.0	9.8	35.1	44.3	46.5	38.1	12.0	7.0	1.2	0.2	0.1	-	-	-	80.5	79.1
December	-	-	0.3	0.2	6.6	10.2	42.2	46.9	46.0	38.6	4.9	4.0	-	0.1	-	-	-	-	79.5	78.7
After Dec. 31	-	-	0.5	0.2	5.4	11.2	41.5	48.4	37.3	36.3	14.8	3.8	0.5	0.1	-	-	-	-	80.3	78.6
Total crop	-	-	0.1	0.2	4.0	8.9	30.6	41.3	45.8	40.5	17.8	8.7	1.7	0.4	-	-	-	-	81.1	79.5
ALABAMA																				
Prior to Oct. 1	-	-	-	-	-	1.7	9.8	19.6	51.4	54.6	35.8	20.5	3.0	3.6	-	-	-	-	83.9	82.7
October	-	-	0.1	-	2.1	1.7	26.1	18.7	46.2	50.6	21.4	25.8	3.4	3.1	0.7	0.1	-	-	82.0	82.5
November	-	-	0.4	-	6.0	4.2	36.0	32.3	42.6	48.0	13.0	13.5	1.9	2.0	0.1	-	-	-	80.4	80.8
December	-	-	1.0	-	6.9	3.3	43.4	34.6	41.7	49.2	6.8	11.6	0.2	1.3	-	-	-	-	79.4	80.6
After Dec. 31	-	-	-	-	8.1	-	49.8	-	33.5	-	8.2	-	0.4	-	-	-	-	-	79.2	-
Total crop	-	-	0.4	-	4.4	2.7	32.7	24.8	43.9	49.7	15.9	20.3	2.3	2.5	0.4	-	-	-	81.0	81.8
MISSISSIPPI																				
Prior to Oct. 1	-	-	-	-	1.8	-	15.4	4.5	41.7	42.8	32.3	48.2	8.8	4.5	-	-	-	-	83.8	84.8
October	-	-	-	-	1.0	0.4	16.2	9.0	52.4	42.9	26.8	40.2	3.6	7.1	-	0.4	-	-	82.8	84.2
November	-	-	-	-	3.6	1.1	38.9	21.4	50.0	55.6	7.2	20.5	0.3	1.4	-	-	-	-	80.1	82.0
December	-	-	-	-	4.9	1.5	44.2	33.6	45.7	53.5	4.9	11.4	0.3	-	-	-	-	-	79.5	80.6
After Dec. 31	-	-	-	-	4.7	2.1	52.7	30.8	39.6	60.5	3.0	6.6	-	-	-	-	-	-	79.1	80.5
Total crop	-	-	-	-	2.0	0.8	25.0	15.5	51.3	48.2	19.2	30.9	2.5	4.4	-	0.2	*	-	81.7	83.1
TENNESSEE																				
Prior to Oct. 1	-	-	-	-	-	-	14.0	-	40.8	-	24.5	-	20.7	-	-	-	-	-	84.5	-
October	-	-	-	*	1.8	-	14.0	9.2	49.7	51.3	29.5	35.2	4.5	4.3	0.5	*	-	-	83.0	83.7
November	-	-	0.2	-	6.5	2.6	35.2	34.2	47.1	50.2	10.8	12.6	0.2	0.4	-	-	-	-	80.1	80.8
December	-	-	0.2	-	5.3	2.4	41.7	33.7	46.1	57.4	6.5	6.5	0.2	-	-	-	-	-	79.7	80.5
After Dec. 31	-	-	-	-	5.0	2.9	41.5	39.7	42.8	48.3	10.7	9.1	-	-	-	-	-	-	80.0	80.1
Total crop	-	-	0.1	-	3.3	1.4	21.8	23.4	48.6	51.7	22.6	21.4	3.2	2.1	0.4	*	-	-	82.0	82.0

Table 15. -- Percentage distribution of fiber strength for upland cotton ginned, during specified periods, by states and United States, 1974-75 with comparisons (Continued)

Period	Zero Gage Fiber Strength (Mpsi)																Average strength			
	64 & below		65-69		70-74		75-79		80-84		85-89		90-94		95-99		100 & above		Mpsi	Mpsi
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.			
MISSOURI																				
Prior to Oct. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
October	-	-	-	-	0.6	12.1	6.9	41.5	48.3	36.7	38.2	8.6	6.2	0.5	0.4	-	-	-	84.2	84.3
November	-	-	-	-	3.8	32.3	27.6	48.7	55.3	14.6	14.4	0.6	1.8	-	-	-	-	-	80.8	81.5
December	-	-	-	-	0.2	7.8	35.2	45.4	46.7	39.5	13.4	6.3	2.0	0.8	0.3	-	-	-	80.9	79.3
After Dec. 31	-	-	-	-	0.1	8.8	7.4	51.4	46.6	35.6	40.0	3.8	5.8	-	0.4	-	-	-	78.7	79.2
Total crop	-	-	-	-	*	1.6	1.2	19.2	17.7	43.8	49.1	29.1	27.4	6.0	4.3	0.3	0.3	-	83.1	82.9
ARKANSAS																				
Prior to Oct. 1	-	-	-	-	-	2.7	6.7	26.4	73.2	51.1	13.4	19.8	6.7	-	-	-	-	-	86.4	83.2
October	-	-	-	-	0.1	0.3	5.7	12.9	40.3	47.4	40.3	31.7	11.8	7.2	1.6	0.5	0.2	-	85.2	83.7
November	-	-	-	-	0.7	1.0	18.4	21.9	53.0	54.0	25.0	19.7	2.6	3.3	0.3	0.1	-	-	82.6	82.1
December	-	-	-	-	2.4	2.4	35.0	39.5	49.9	47.6	11.2	9.9	1.5	0.6	-	-	-	-	80.7	80.4
After Dec. 31	-	-	-	-	4.8	6.2	36.3	42.0	44.0	43.4	12.9	8.0	2.0	0.3	-	-	-	-	80.5	79.7
Total crop	-	-	-	-	*	0.4	1.0	12.1	21.2	44.5	49.6	33.4	23.3	8.4	4.7	1.1	0.2	0.1	84.1	82.5
LOUISIANA																				
Prior to Oct. 1	-	-	-	-	-	0.4	-	25.6	-	47.8	-	24.3	-	1.9	-	-	-	-	-	82.0
October	-	-	-	-	0.3	0.6	14.9	14.0	57.3	49.8	24.2	30.9	3.2	4.6	0.1	0.1	-	-	82.8	83.2
November	-	-	-	-	0.2	0.7	25.3	18.1	63.1	61.0	11.0	18.8	0.4	1.3	-	0.1	-	-	81.2	82.1
December	-	-	-	0.1	4.1	3.2	42.2	30.0	44.6	48.0	8.8	17.5	0.2	1.3	-	-	-	-	80.0	81.3
After Dec. 31	-	-	-	-	-	11.8	-	61.4	-	25.1	-	1.6	-	*	-	-	-	-	-	78.0
Total crop	-	-	-	-	*	0.8	1.0	22.5	17.9	57.9	52.1	17.0	25.7	1.7	3.3	0.1	-	-	81.8	82.6
OKLAHOMA																				
Prior to Oct. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
October	-	-	-	-	12.7	0.6	20.2	10.8	22.3	37.6	38.4	41.2	3.2	9.2	3.2	0.6	-	-	82.3	84.4
November	-	-	-	-	4.5	1.5	21.3	14.6	36.7	35.8	28.3	36.2	7.6	10.8	1.6	1.1	-	-	82.8	84.1
December	-	-	-	0.6	9.4	5.4	37.2	25.7	38.2	47.2	11.7	18.9	2.4	2.4	0.5	0.4	-	-	80.0	81.5
After Dec. 31	0.1	-	1.6	0.4	16.4	12.9	46.0	41.9	25.2	34.0	8.8	9.0	1.6	1.6	0.3	0.2	-	-	78.4	79.2
Total crop	-	-	0.8	0.1	11.1	7.3	37.4	29.4	33.7	41.0	13.4	18.3	2.9	3.5	0.7	0.4	-	-	79.9	81.1
TEXAS																				
Prior to Oct. 1	-	-	0.2	-	3.6	0.7	14.9	17.3	33.6	35.1	33.2	31.0	13.0	12.7	1.5	2.9	-	0.3	84.1	84.4
October	-	*	*	0.1	1.0	2.5	8.2	14.8	30.9	39.0	38.1	28.6	15.9	10.9	3.4	3.1	2.5	1.0	86.0	84.3
November	-	-	0.4	0.5	2.6	4.0	14.3	17.7	38.3	38.7	30.5	23.2	9.8	9.9	3.2	4.3	0.9	1.7	84.1	83.8
December	-	-	0.2	0.3	3.5	5.1	20.9	26.6	41.2	40.5	25.9	19.3	6.7	6.2	1.4	1.4	0.2	0.6	82.8	82.0
After Dec. 31	-	*	0.9	0.5	6.3	7.7	26.2	28.4	37.9	37.7	21.5	19.3	5.7	5.0	1.3	1.1	0.2	0.3	81.8	81.4
Total crop	-	*	0.2	0.2	3.3	3.9	17.6	22.4	38.2	38.5	28.6	23.4	9.2	8.6	2.2	2.3	0.7	0.7	83.5	83.0

Table 15. -- Percentage distribution of fiber strength for upland cotton ginned, during specified periods, by states and United States, 1974-75 with comparisons (Continued)

Period	Zero Gage Fiber Strength (Mpsi)																		Average strength		
	64 & below		65-69		70-74		75-79		80-84		85-89		90-94		95-99		100 & above		1973	1974	
	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974	1973	1974			
																					Pct.
																				Mpsi	Mpsi
NEW MEXICO																					
Prior to Oct. 1	-	-	-	-	-	-	-	-	-	6.7	-	29.8	-	23.3	100.0	20.1	-	20.1	99.0	93.2	
October	-	-	-	-	0.3	0.2	1.2	2.5	2.8	4.1	13.0	13.8	31.7	38.2	39.7	41.2	11.3	98.0	94.0		
November	-	-	-	-	0.6	0.3	1.8	3.6	6.4	6.6	13.1	15.8	20.4	37.3	34.3	29.2	23.4	7.2	94.5	92.2	
December	-	*	-	-	0.6	6.9	4.8	15.7	12.0	23.7	19.4	22.0	31.6	22.1	24.6	9.0	7.0	90.0	90.9		
After Dec. 31	-	-	0.3	*	2.3	1.1	10.2	6.3	20.6	17.5	22.3	25.1	19.7	23.2	17.1	18.9	7.5	7.9	88.5	89.6	
Total crop	-	-	*	*	0.4	0.5	2.8	4.0	8.0	8.5	13.3	17.3	18.8	34.1	32.2	28.1	24.5	7.5	94.2	91.8	
ARIZONA																					
Prior to Oct. 1	-	-	-	-	-	2.4	1.4	12.0	19.3	25.9	65.3	43.5	13.3	13.7	0.7	2.2	-	0.3	86.6	85.2	
October	-	-	-	-	0.6	3.3	9.2	30.8	36.6	47.6	38.2	16.1	13.4	2.1	1.6	0.1	0.4	86.3	85.1		
November	-	-	-	-	0.1	0.6	4.9	8.2	34.0	39.8	42.2	35.6	14.1	13.1	3.0	2.3	1.7	0.4	86.1	85.1	
December	-	-	-	0.2	0.2	0.6	2.5	11.1	25.5	36.3	51.5	36.8	15.5	10.9	3.2	3.5	1.6	0.6	86.8	85.0	
After Dec. 31	-	-	-	0.1	0.2	1.0	6.0	15.0	32.7	44.7	43.6	29.9	12.9	7.8	3.6	1.3	1.0	0.2	85.9	83.7	
Total crop	-	-	-	*	0.1	0.6	4.0	9.9	30.7	38.2	46.3	36.4	15.1	12.3	2.8	2.3	1.0	0.3	86.3	84.9	
CALIFORNIA																					
Prior to Oct. 1	-	-	-	-	-	-	-	0.2	0.8	2.3	7.6	11.9	10.4	34.2	31.4	38.1	49.8	13.3	99.1	94.5	
October	-	-	-	-	*	*	*	*	0.6	0.8	3.2	3.1	14.3	19.4	36.8	42.7	45.1	34.0	98.7	97.6	
November	-	-	-	-	-	-	0.2	0.2	1.2	1.6	6.3	9.1	19.1	23.1	42.0	38.2	31.2	27.8	97.0	96.2	
December	-	-	-	-	-	-	0.3	0.3	3.4	3.5	17.0	15.1	31.3	26.3	34.2	33.4	13.8	21.4	93.9	94.9	
After Dec. 31	-	-	-	-	-	-	1.5	1.1	9.9	8.9	32.4	23.9	28.0	29.0	20.5	25.8	7.7	11.3	91.0	92.2	
Total crop	-	-	-	-	-	-	0.1	0.2	1.2	1.7	6.3	7.6	17.9	22.1	38.2	39.6	36.3	28.8	97.5	96.5	
UNITED STATES																					
Prior to Oct. 1	-	-	0.1	*	3.1	0.8	13.6	15.9	33.2	33.7	33.5	30.5	12.5	13.1	2.3	4.8	1.7	1.2	84.7	85.0	
October	*	*	*	*	0.8	1.0	10.9	10.5	35.9	32.3	25.5	23.6	9.0	10.1	8.5	12.7	9.4	9.8	86.8	87.5	
November	*	-	-	*	2.2	1.7	18.0	15.4	36.5	33.2	20.3	17.4	8.3	11.2	8.7	12.6	5.8	8.5	85.2	86.7	
December	-	-	0.1	0.1	3.8	3.5	23.3	23.8	38.2	37.2	22.2	18.0	7.5	8.2	3.6	5.9	1.3	3.3	83.1	83.7	
After Dec. 31	-	-	0.9	0.3	7.2	6.4	27.5	26.7	35.0	34.5	20.7	18.4	6.2	7.7	2.2	4.4	0.3	1.6	81.9	82.7	
Total crop	*	*	0.1	*	2.3	2.1	16.9	16.0	36.7	33.6	23.1	20.8	8.3	10.1	6.9	10.2	5.7	7.2	85.1	86.0	

\* Less than 0.05 percent.

Table 16. -- Percentage distribution of fiber strength for upland cotton ginned in the United States, by classing office territories, 1974-75 with comparisons

Classing Office	Zero Gage Fiber Strength (Mpsi)																Average strength			
	64 & below		65-69		70-74		75-79		80-84		85-89		90-94		95-99		100 & above			
	1973	1974	1973	Pct.	1974	Pct.	1973	Pct.	1974	Pct.	1973	Pct.	1974	Pct.	1973	Pct.	1974	Pct.	1973	1974
Columbia	-	0.1	*	0.1	2.8	6.2	24.3	42.5	49.8	42.5	20.2	8.0	2.9	0.6	*	-	-	-	Mpsi	Mpsi
Augusta	-	-	0.1	0.2	2.7	5.8	26.3	39.0	48.9	44.4	19.6	10.2	2.4	0.4	*	-	-	-	81.8	79.7
Atlanta	-	-	*	0.4	4.6	9.9	32.0	41.9	44.6	39.2	17.1	8.2	1.7	0.4	*	-	-	-	81.6	80.0
Birmingham	-	-	0.2	-	3.0	2.4	33.7	24.2	47.9	52.7	14.2	19.3	0.9	1.4	0.1	-	-	-	81.0	79.3
Montgomery	-	-	0.5	-	6.8	2.8	31.1	25.2	37.5	44.7	18.8	22.3	4.5	4.8	0.8	0.2	-	-	80.9	81.7
Greenwood	-	-	-	-	1.1	0.6	22.7	13.4	52.4	47.1	21.1	33.4	2.7	5.2	*	0.3	-	-	81.2	82.0
Jackson	-	-	*	-	4.3	0.9	34.4	16.0	48.0	49.9	12.0	30.3	1.3	2.9	-	-	-	-	82.0	83.5
Memphis	-	-	0.1	*	4.2	1.5	26.8	24.6	47.7	51.9	18.6	20.2	2.3	1.8	0.3	-	-	-	80.6	82.9
Hayti	-	-	-	*	1.6	1.2	19.2	17.7	43.8	49.2	29.1	27.4	6.0	4.2	0.3	0.3	-	-	81.4	81.8
Blytheville	-	-	-	*	0.5	1.3	9.8	19.4	39.6	50.6	37.9	23.6	10.3	4.8	1.8	0.3	0.1	*	83.1	82.9
Little Rock	-	-	-	-	0.2	1.0	11.5	22.2	46.3	48.7	33.0	23.0	8.0	4.8	0.8	0.3	0.1	*	84.8	82.6
Winnsboro	-	-	-	*	0.3	0.9	19.6	16.1	58.5	51.3	19.3	28.1	2.2	3.5	0.1	0.1	-	-	84.0	82.4
Alexandria	-	-	*	*	2.6	1.9	34.0	25.6	55.2	54.1	7.9	16.6	0.3	1.8	-	-	-	-	82.2	82.9
Altus	*	-	0.7	0.1	9.5	6.0	31.1	26.4	33.6	39.5	18.0	21.4	6.0	5.6	1.1	1.0	*	-	80.5	81.6
Dallas	-	-	0.1	*	1.7	0.8	11.6	6.8	35.0	30.5	39.0	40.9	11.5	17.7	1.0	2.3	0.1	*	81.0	81.8
Austin	-	*	*	0.1	1.1	1.0	12.0	8.1	35.9	33.7	36.9	39.4	12.2	14.0	1.7	3.2	0.2	1.0	84.4	85.9
Corpus Christi	0.2	-	2.5	-	16.7	1.7	35.3	30.3	27.6	39.8	13.7	17.4	3.1	7.3	0.9	3.1	-	0.4	84.7	85.4
Harlingen	-	-	-	-	1.2	0.4	14.1	20.4	40.7	38.8	31.0	27.1	12.0	10.8	1.0	2.3	-	0.2	79.2	82.4
Abilene	-	-	0.2	0.4	2.6	9.8	18.8	28.4	42.0	38.0	27.5	18.7	7.5	3.6	1.3	0.7	0.1	0.4	84.1	83.8
Lubbock	*	-	0.3	0.2	2.8	3.9	16.7	24.5	38.9	42.1	29.0	19.9	9.0	6.7	2.5	1.9	0.8	0.8	83.1	81.1
El Paso	-	-	-	*	0.5	1.3	5.2	9.7	11.9	12.0	11.0	15.5	17.1	29.3	28.4	24.2	25.9	8.0	83.7	82.5
Carlsbad	-	*	0.2	1.0	5.5	7.3	18.5	20.9	21.7	21.6	12.5	13.2	11.1	17.3	17.7	15.0	12.8	3.7	93.6	90.4
Phoenix	-	-	-	*	0.1	0.6	4.0	10.2	30.9	39.6	46.9	36.6	15.5	11.7	2.4	1.1	0.2	0.2	87.5	85.5
Fresno	-	-	-	-	-	-	0.1	0.1	0.3	0.1	3.4	3.7	16.2	20.2	40.8	40.2	39.2	35.7	86.1	84.7
Bakersfield	-	-	-	-	-	-	-	-	0.1	0.3	3.0	2.7	17.3	22.0	41.1	45.4	38.5	29.6	98.3	97.7
El Centro	-	-	*	-	*	*	1.7	2.3	20.3	19.8	48.7	44.5	25.6	26.3	3.6	6.2	0.1	0.9	98.1	97.3
United States	*	*	0.1	*	2.3	2.1	16.9	16.0	36.7	33.6	23.1	20.8	8.3	10.1	6.9	10.2	5.7	7.2	87.5	87.8
																			85.1	86.0

\* Less than 0.05 percent.



Table 17. -- Grade and staple of American Pima cotton ginned, by states and United States, 1974-75

Grade  Code	Ginnings						Percentages					
	Staple						Staple					
	40 and shorter	42	44	46	48 and longer	All staples	40 and shorter	42	44	46	48 and longer	All staples
	Bales	Bales	Bales	Bales	Bales	Bales	Percent	Percent	Percent	Percent	Percent	Percent
<u>TEXAS</u>												
1 (10)	-	-	-	-	-	-	-	-	-	-	-	-
2 (20)	-	-	8	-	-	8	-	-	-	-	-	-
3 (30)	-	-	1,625	90	-	1,715	-	-	6.6	3.1	-	5.7
4 (40)	-	-	13,467	2,193	-	15,660	-	-	54.9	75.6	-	51.7
5 (50)	-	31	7,612	618	-	8,261	-	1.1	31.0	21.3	-	27.3
6 (60)	122	709	1,661	-	-	2,492	100.0	26.3	6.8	-	-	8.2
7 (70)	-	1,254	165	-	-	1,419	-	46.5	0.7	-	-	4.7
8 (80)	-	598	6	-	-	604	-	22.2	-	-	-	2.0
9 (90)	-	79	-	-	-	79	-	2.9	-	-	-	0.3
10 (00)	-	27	-	-	-	27	-	1.0	-	-	-	0.1
All grades	122	2,698	24,544	2,901	-	30,265	100.0	100.0	100.0	100.0	-	100.0
<u>NEW MEXICO</u>												
1 (10)	-	-	-	-	-	-	-	-	-	-	-	-
2 (20)	-	-	13	-	-	13	-	-	0.2	-	-	0.2
3 (30)	-	-	1,630	106	-	1,736	-	-	29.9	32.2	-	29.3
4 (40)	-	-	2,841	223	-	3,064	-	-	52.2	67.8	-	51.7
5 (50)	-	6	882	-	-	888	-	4.1	16.2	-	-	15.0
6 (60)	-	48	82	-	-	130	-	32.7	1.5	-	-	2.2
7 (70)	-	53	-	-	-	53	-	36.0	-	-	-	0.9
8 (80)	-	40	-	-	-	40	-	27.2	-	-	-	0.7
9 (90)	-	-	-	-	-	-	-	-	-	-	-	-
10 (00)	-	-	-	-	-	-	-	-	-	-	-	-
All grades	-	147	5,448	329	-	5,924	-	100.0	100.0	100.0	-	100.0
<u>ARIZONA</u>												
1 (10)	-	-	-	-	-	-	-	-	-	-	-	-
2 (20)	-	-	5	-	-	5	-	-	-	-	-	-
3 (30)	-	-	3,657	380	-	4,037	-	-	8.2	5.1	-	7.7
4 (40)	-	-	26,881	4,580	-	31,461	-	-	60.5	60.9	-	60.0
5 (50)	-	-	10,643	1,909	-	12,552	-	-	24.0	25.4	-	23.9
6 (60)	10	20	2,308	553	-	2,891	100.0	3.7	5.2	7.4	-	5.5
7 (70)	-	231	367	92	-	690	-	42.9	0.8	1.2	-	1.3
8 (80)	-	144	339	-	-	483	-	26.8	0.8	-	-	0.9
9 (90)	-	76	132	-	-	208	-	14.1	0.3	-	-	0.4
10 (00)	-	67	73	-	-	140	-	12.5	0.2	-	-	0.3
All grades	10	538	44,405	7,514	-	52,467	100.0	100.0	100.0	100.0	-	100.0
<u>UNITED STATES</u>												
1 (10)	-	-	-	-	-	-	-	-	-	-	-	-
2 (20)	-	-	26	-	-	26	-	-	-	-	-	-
3 (30)	-	-	6,912	576	-	7,488	-	-	9.3	5.4	-	8.4
4 (40)	-	-	43,189	6,996	-	50,185	-	-	58.1	65.1	-	56.7
5 (50)	-	37	19,137	2,527	-	21,701	-	1.1	25.7	23.5	-	24.5
6 (60)	132	777	4,051	553	-	5,513	100.0	23.0	5.4	5.1	-	6.2
7 (70)	-	1,538	532	92	-	2,162	-	45.4	0.7	0.9	-	2.4
8 (80)	-	782	345	-	-	1,127	-	23.1	0.5	-	-	1.3
9 (90)	-	155	132	-	-	287	-	4.6	0.2	-	-	0.3
10 (00)	-	94	73	-	-	167	-	2.8	0.1	-	-	0.2
All grades	132	3,383	74,397	10,744	-	88,656 1/	100.0	100.0	100.0	100.0	-	100.0

1/ As reported by the Bureau of the Census, running bales.

▪ Less than 0.05 percent.

Table 18. -- Grade and staple of American Pima cotton ginned in the United States, during specified periods, 1974-75

Grade and staple		Ginnings					Total crop
		Prior to Oct. 1	October	November	December	After Dec. 31	
<u>Grade</u>	<u>Code</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>	<u>Bales</u>
1	(10)	-	-	-	-	-	-
2	(20)	-	-	-	8	18	26
3	(30)	-	486	2,841	2,558	1,603	7,488
4	(40)	-	1,824	20,509	19,965	7,887	50,185
5	(50)	-	984	9,495	7,417	3,805	21,701
6	(60)	-	224	2,124	1,698	1,467	5,513
7	(70)	-	70	154	299	1,639	2,162
8	(80)	-	-	14	116	997	1,127
9	(90)	-	-	51	18	218	287
10	(00)	-	-	-	38	128	167
All grades		-	3,588	35,188	32,117	17,763	88,656 <sup>1/</sup>
<u>Staple</u>							
40 and shorter		-	-	-	10	122	132
42		-	17	55	535	2,776	3,383
44		-	2,627	29,109	28,617	14,044	74,397
46		-	944	6,024	2,955	821	10,744
48 and longer		-	-	-	-	-	-
All staples		-	3,588	35,188	32,117	17,763	88,656 <sup>1/</sup>
<u>Grade</u>	<u>Code</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>
1	(10)	-	-	-	-	-	-
2	(20)	-	-	-	■	0.1	*
3	(30)	-	13.5	8.1	8.0	9.0	8.4
4	(40)	-	50.9	58.4	62.1	44.5	56.7
5	(50)	-	27.4	27.0	23.1	21.4	24.5
6	(60)	-	6.2	6.0	5.3	8.3	6.2
7	(70)	-	2.0	0.4	0.9	9.2	2.4
8	(80)	-	-	■	0.4	5.6	1.3
9	(90)	-	-	0.1	0.1	1.2	0.3
10	(00)	-	-	-	0.1	0.7	0.2
All grades		-	100.0	100.0	100.0	100.0	100.0
<u>Staple</u>							
40 and shorter		-	-	-	*	0.7	0.1
42		-	0.5	0.2	1.7	15.6	3.8
44		-	73.2	82.7	89.1	79.1	84.0
46		-	26.3	17.1	9.2	4.6	12.1
48 and longer		-	-	-	-	-	-
All staples		-	100.0	100.0	100.0	100.0	100.0

<sup>1/</sup> As reported by the Bureau of the Census, running bales.

■ Less than 0.05 percent.

Average grade.... 4.4

Average staple...44.2

Table 19. -- Percentage distribution of micronaire readings for American Pima cotton ginned in the United States, by states, 1974-75 with comparisons

Readings	State						United States	
	Texas		New Mexico		Arizona		1973	1974
	1973	1974	1973	1974	1973	1974		
	Percent		Percent		Percent		Percent	
2.4 and below	0.1	0.1	0.2	-	*	-	*	*
2.5	0.2	0.2	0.2	-	0.1	-	0.1	0.1
2.6	0.7	0.4	0.4	0.1	0.2	*	0.4	0.2
2.7	1.4	1.8	0.2	0.3	0.4	*	0.8	0.6
2.8	2.9	2.7	2.1	1.9	0.7	0.1	1.7	1.1
2.9	3.1	3.1	2.5	3.4	1.2	0.2	2.1	1.4
3.0	4.8	5.7	3.6	4.2	2.3	0.5	3.3	2.5
3.1	5.3	5.9	6.3	6.5	3.1	0.9	4.1	3.0
3.2	5.3	9.4	8.9	10.6	4.5	1.3	5.1	4.7
3.3	5.7	9.5	6.7	11.2	5.3	1.8	5.5	5.1
3.4	7.4	11.9	11.1	9.1	8.1	2.4	8.0	6.1
3.5	8.3	11.5	10.4	10.8	9.2	3.3	8.9	6.6
3.6	9.5	12.1	9.7	13.8	11.7	6.4	10.7	8.8
3.7	9.3	9.1	8.6	9.1	12.3	7.9	10.9	8.4
3.8	11.5	6.6	8.7	6.0	13.6	11.3	12.6	9.3
3.9	6.9	4.4	6.7	4.8	10.9	12.9	9.1	9.4
4.0	7.5	3.0	5.3	3.6	7.7	14.7	7.5	10.0
4.1	4.4	1.1	3.7	2.0	5.0	14.3	4.7	9.0
4.2	3.4	0.8	2.6	1.7	2.1	11.2	2.6	7.0
4.3	1.1	0.5	0.6	0.8	1.2	5.7	1.1	3.6
4.4	0.9	0.2	1.2	-	0.3	3.4	0.6	2.1
4.5	0.3	*	0.3	-	0.1	1.3	0.2	0.8
4.6	-	*	-	0.1	-	0.3	-	0.2
4.7	*	-	-	-	-	0.1	*	*
4.8	-	*	-	-	-	*	-	*
4.9	-	-	-	-	-	-	-	-
5.0 and above	-	-	-	-	-	-	-	-
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average mike	3.6	3.4	3.5	3.5	3.6	3.9	3.6	3.7

\* Less than 0.05 percent.







